आज महाराष्ट्र राज्याच्या राजधानीत म्हणजेच मुंबई मध्ये मंत्रालयात चौफेर गजबजाट सुरू होता. एकीकडे मंत्रालयासमोर मंत्रालय आणि आमदार निवास यांच्या मधल्या भागात प्रहारचे संस्थापक आमदार बच्चू कडू यांच्या प्रहार करणाऱ्या प्रहारक संघटनेचा जोरदार प्रहार सुरू होता. त्यामुळे या भागातील मंत्रालयाचे प्रवेशद्वार चांगलेच व्यस्त होते. मंत्रालयात प्रवेशासाठी ज्या पाच-सहा ठिकाणी जिथे जिथे प्रवेश पत्रिका मिळतात. तिथे तिथे प्रवेशिकेसाठी लांबच लांब रांगा लागल्या होत्या. येनकेन प्रकारेण प्रवेश मिळवून आपला कार्यभाग साधण्यासाठी काही तरुण तुर्क आणि काही वयोवृद्ध काठ्या टेकवत टेकवत आशाळभूतपणे येरझाऱ्या मारीत होते. अनेक निविदा प्राप्तकर्ते आपल्या निविदांचे काम पटापट व्हावे म्हणून झटापट करून, तिकडून इकडे आणि इकडून तिकडे धावपळ करीत आपल्या कामासाठी तत्परता दाखवीत होते. दुसरीकडे इच्छुक आमदार आणि अनेक नवीन व जुने कार्यकर्ते आपापल्या मागण्यांच्या पुंगळ्या घेऊन बिचारे या माळ्यावरून त्या माळ्यावर झपाझप चढत होते. मंत्रालयातील लिफ्ट आणि मंत्रालयाच्या पायऱ्या जनसमुहाने इतक्या तुडुंब भरल्या होत्या की, त्यांना पाहिल्यावर त्यांच्या चेहऱ्यावरील उत्साहाचे किंवा ओशाळलेपणाचे दर्शन झाल्यावर त्यांना हुरुप आला आहे की, हतबलता आली आहे. ते देखील कळत नव्हते. आता आपले मंत्रालय विधानसभा निवडणुकीची घोषणा होईपर्यंत अशाच गर्दीने गजबजलेले असेल, यात शंका नाही. मंत्रालय म्हणजे आपल्या महाराष्ट्राचा आत्मा आहे. कायदे जरी विधानसभेत पारित होत असले, तरी फायदे कसे कसे मिळवावेत, याचे कायदे शिकण्याची पाठशाळा म्हणजे मंत्रालय आहे. या मंत्रालयात ज्योतिषांपासून मध्यस्थांपर्यंत सर्वांचीच लगबग असते. लग्न जमवणारे मध्यस्थ जसे आपल्या कौशल्याचे पुरावे देत असतात. तसेच मंत्रालयातील मध्यस्थही राज्यमंत्री आणि मंत्री तर सोडाच, दोन्ही उपमुख्यमंत्री किंवा मुख्यमंत्री कसे आपल्या खिशात आहेत. ते अगदी वेगळ्या अविभार्वात दाखवीत आपले कौशल्य प्रदर्शित करीत असतात. मंत्रालयात तुमचा खिसा फुगलेला असला (अर्थात कागदांनी) तर तुमचे काम हमखास करण्याची शंभर टक्के खात्री देतात. आपल्या कामाला यशस्वी करायचे असेल तर संबंधितांच्या खिशाला कात्री लावणे गरजेचे असते. हे ज्याला कळते. त्याच्याकडेच अनेकांची रीघ लागत असते. मंत्रालयात कामे करण्याची अथवा होण्याची खात्री दोन वेळा देता येते. एकदा नवे सरकार स्थापन झाले रे झाले की, नव्या नवलाईच्या काळात उत्सुकतेने किंवा आपले आपल्या जनतेवर किती प्रेम आहे. हे दाखवण्यासाठी पटापट हिरव्या शाईने सह्या होत असतात. हिरव्या शाईने सरकारमधील खालपासून पार वरपर्यंतचे मंत्री सह्या करीत असतात. हिरव्या शाईने सही म्हणजे तात्काळ काम करावे. निळ्या शाईने सही म्हणजे जे योग्य आहे. त्याप्रमाणे काम करावे आणि लाल शाईने सही म्हणजे ते काम करू नये. हे सर्व संबंधित अधिका ?्यांना बरोबर माहीत असते. प्रत्येक आगंतुकाला वाटते की, साहेबांनी सही केली म्हणजे आपले काम झाले. पण ज्याचे काम व्हायचे त्याचेच होते. अर्थात हे सर्व बिचाऱ्या पायपीट करणाऱ्या मंडळींना कसे काय माहित असणार. ही झाली पहिली वेळ. दुसरी वेळ असते ती निवडणुकीची घोषणा होण्यास

▶ पान ८ वर

nagpurpost@gmail.com

नागपूर मुख्य कार्यालय कॉटन मार्केट,नागपूर –४४००१८

संपादकीय : ९९२२९७००२३ वितरण : ८८८८६४७७५३

जाहिरात : ७४४७७३५८५१ /९३२६९०६०६२ नागपूर कार्यालय संपर्क : ७४४७७३५८५१

\* वर्ष ५४ \* अंक १७0 \*

गुरुवार, दिनांक २६ सप्टेंबर २०२४

Website: www.dainikmahasagar.in

Epaper: www.epaper.dainikmahasagar.in

किमत रू. २/-+ वितरण खर्च रू. १ = एकुण ३ रू.)

मराठी महाराष्ट्राचा बुलंद आवाज

# एन्काउंटरवर कोर्टाचे गंभीर प्रश्न!

### ४ अधिकाऱ्यांना १ आरोपी आवरला नाही बचावार्थ गोळी डोक्यात नव्हे, पायात मारतात

## महासागर प्रतिनिधी

मुंबई, दि. २५:

बदलापूर लैंगिक शोषण प्रकरणातील आरोपी अक्षय शिंदेच्या एन्काउंटरवर मुंबई उच्च न्यायालयाने अनेक गंभीर प्रश्न उपस्थित केलेत.

कोर्टाने महाराष्ट्र सरकारला विचारले की, ४ अधिकाऱ्यांना १ आरोपी आवरला नाही हे आम्ही कसे मान्य करावे? आरोपीला हातकडी लावली होती. त्यामुळे स्वसंरक्षणासारखी स्थिती असती तर आरोपीच्या पायावर गोळी

कोर्ट म्हणाले, गोळी चालवणारा एन्काउंटरविरोधात

मारली पाहिजे हे त्याला माहिती असले

कोर्ट पुढे म्हणाले, आरोपीने ट्रिगर दाबताच ४ जणांना त्याच्यावर सहजपणे नियंत्रण मिळवता आले असते. तो काही फार बलवान माणूस नव्हता. त्यामुळे पोलिसांचा युक्तिवाद मान्य करणे फार अवघड आहे. याला एन्काउंटर म्हणता येत नाही. पुढील सुनावणी ३ ऑक्टोबर

मृत अक्षय शिंदेचे वडील अण्णा मारुती यांनी आपल्या मुलाच्या अधिकारी एपीआय दर्जाचा आहे. तर न्यायालयात याचिका दाखल केली मग तो प्रत्युत्तरादाखल कोणती कारवाई आहे. त्यावर न्यायमूर्ती रेवती मोहिते -करायची हे आपल्याला माहिती डेरे व न्यायमूर्ती पृथ्वीराज चव्हाण



यांच्या द्विसदस्यीय खंडपीठापुढे सुनावणी सुरू आहे. अक्षयच्या वडिलांनी या घटनेच्या चौकशीसाठी विशेष तपास पथक (एसआयटी) स्थापन करण्याची मागणी केली आहे. अक्षय शिंदेचे एन्काउंटर विधानसभा निवडणुक डोळ्यापुढे ठेवून करण्यात आल्याचा आरोपही त्यांनी केला आहे.

बदलापूर लैंगिक >> पान ८ वर

### निवडणूक डोळ्यासमोर ठेवून एन्काउंटर

या याचिकेवर बुधवारी झालेल्या सुनावणीत अण्णा मारुती शिंदे यांच्या विकलांनी अक्षय शिंदेची हत्या निवडणूक डोळ्यापुढे ठेवून केल्याचा आरोप करत थेट राज्य सरकारलाच आरोपीच्या पिंजऱ्यात उभे केले. या प्रकरणाची उच्च न्यायालयाच्या निगराणीखाली एसआयटी चौकशी करण्याचीही मागणी केली.

माझ्या मुलामध्ये पिस्तुल हिसकावन घेण्याची हिंमत नव्हती. या प्रकरणातील मोठ्या माशांना वाचवण्यासाठी माझ्या मुलाचा निर्घृण खून करण्यात आला. महाराष्ट्रात लवकरच निवडणूक होणार असल्यामुळे कदाचित त्याचा राजकीय लाभ घेण्यासाठी त्याची हत्या करण्यात आली असावी, असा आरोप अक्षय शिंदेचे वडील यांनी केला आहे

# पॅरासिटामॉलसह ५३ औषधे क्वालिटी टेस्टमध्ये फेल

वृत्तसंस्था, नवी दिल्ली, दि. २५:

पॅरासिटामॉलसह ५३ औषधे क्वालिटी टेस्टमध्ये फेल झाली आहेत. जीवनसत्त्वे, शुगर आणि रक्तदाबाच्या औषधांशिवाय प्रतिजैविकांचाही समावेश आहे. देशातील सर्वात मोठी औषध नियामक संस्था सेंट्रल ड्रग्ज स्टॅडर्ड कंट्रोल ऑर्गनायझेशनने त्यांची यादी प्रसिद्ध केली आहे. यादीत व्हिटॅमिन सी आणि डी ३ टॅब्लेट शेल्कल व्हिटॅमिन बी कॉम्प्लेक्स आणि व्हिटॅमिन सी सॉफ्टजेल अँटिआसिड पॅन-डी, पॅरासिटामोल गोळ्या आयपी ५०० एमजी मधुमेहावरील औषध ग्लिमेपिराइड व उच्च रक्तदाब औषध टेलिमसार्टन टेस्टमध्ये फेल झाले.

बंदी असलेल्या औषधांच्या यादीमध्ये क्लोनाझेपम टॅबलेट, वेदनाशामक डायक्लोफेनाक, श्वसन रोगांसार्ठ वापरल्या जाणाऱ्या अँब्रोक्सोल, फंगलविरोधी फ्लुकोनाझोल आणि काही मल्टीविटामिन आणि कॅल्शियम गोळ्यांचा समावेश आहे. ही औषधे हेटेरो डुग्स, अल्केम लेबोरेट्रीज, हिंदुस्तान एंटीबायोटिक्स लि. कर्नाटक ॲंटिबायोटिक्स ॲंड फार्मास्युटिकल्स लिमिटेड यांसारख्या बड्या कंपन्या बनवतात.

चाचणीत अयशस्वी झालेल्या ५३ औषधांची यादी प्रसिद्ध केली आहे. त्यापैकी ५ औषधे बनावट होती. म्हणजेच

### जरांगेंचे उपोषण स्थगित काश्मिरात दुसऱ्या टप्प्यात ५९% मतदान

वृत्तसंस्था, श्रीनगर, दि. २५: जम्मू-काश्मीर विधानसभा निवडणुकीच्या दुसऱ्या टप्प्यात 6 जिल्ह्यांतील 26 विधानसभा जागांवर सकाळी 7 वाजल्यापासून मतदान सुरू होते

सायंकाळी 5 वाजेपर्यंत 59 टक्के मतदान झाले. रियासीमध्ये सर्वाधिक72% मतदान झाले, तर श्रीनगरमध्ये सर्वात कमी 27% मतदान झाले. मुख्य निवडणुक आयुक्त राजीव कुमार म्हणाले, जिथे एकेकाळी मतदानावर बहिष्कार टाकण्याची घोषणा होत होती, आज तिथे विक्रमी मतदान होत आहे.

दुसऱ्या टप्प्यातील 26 जागांपैकी 15 जागा मध्य काश्मीरमधील आणि 11 जागा जम्मूमधील आहेत. निवडणूक आयोगाच्या म्हणण्यानुसार दुसऱ्या टप्प्यात 239 उमेदवार रिंगणात आहेत. यामध्ये 233 पुरुष आणि 6 महिला आहेत.

दुसऱ्या टप्यात १३१ उमेदवार करोडपती असून ४९ जणांवर गुन्हे दाखल आहेत. जम्मू-काश्मीर भाजपचे अध्यक्ष रविंदर रैना यांनी आपली संपत्ती फक्त 1,000 रुपये असल्याचे जाहीर केले आहे. सर्व केंद्रावर तगडा पोलीस बंदोबस्त होता

### वृत्तसंस्था, जालना, दि. २५: मनोज जरांगे पाटील यांनी

आंदोलनाच्या ९ व्या दिवशी उपोषण स्थगित करत असल्याची घोषणा केली आहे.

मराठा समाजाच्या वतीने मला उपोषण न करण्याचा आग्रह करण्यात आला होता. माझ्या माय माऊल्यांनी त्यासाठी मला वारंवार विनंती केली. त्यामुळे आपण

उपोषण स्थगित करत असल्याचे जरांग पाटील यांनी सांगितले. इतकेच नाही तर ज्यांनी मराठा समाजाला त्रास दिला, त्यांना सोडणार नाही, असा इशारा देखील त्यांनी यावेळी दिला.



आदिवासी कुटुंबातील ८ सदस्यांना विषबाधा महासागर प्रतिनिधी नेमके कारण सांगता बुलढाणा, दि. २५: येईल असे स्पष्ट केले

अकोला येथील जिल्हा सामान्य

रुग्णालयात उपचार करण्यात येत

आरोग्य विभागाच्या वरिष्ठ सूत्रांनी

याला दुजोरा दिला असून दोघा

शवविच्छेदन

बहीण-भावाचा आदिवासी कुटुंबातील आहे. दुदैवी मृत्यू सदस्यांना जळगाव जामोद विषबाधा तालुक्यातील दादुलगाव होऊन दोन चिमुकले मृत्युमुखी येथे सध्या या परिवाराचे वास्तव्य पडले. उर्वरित सहा जणांवर

आहे. दादुलगाव गावा शेजारी शिवचरण घ्यार यांच्या शेतात बांधमकामात वापरायच्या विटा बनविल्या जातात. या आधुनिक विटभट्टीवर वेगवेगळ्या भागातील नातेवाईक असलेले आदिवासी कुटुंब कामाला आहेत. हे सर्व अहवाल प्राप्त झाल्यावरच मृत्यूचे मजूर आपल्या **≫पान८वर** 

अमरावती विधानसभा मतदार संघातील

# SIGO CIPICI

- छत्रपती शाहू महाराज संशोधन प्रशिक्षण मानव विकास संस्था (सारथी) पुणे, या संस्थेच्या अधिनस्त, मौजे-नवसारी, ता.जि.अमरावती चे
- सार्वजनिक बांधकाम विभागाच्या नायरा पेट्रोल पंप ते चांगापूर फाट्यापर्यंतच्या रस्त्याचे भूमिपुजन किंमत १५कोटी रुपये
- नगरोत्थान किंमत १०० कोटी रुपये
- अमृत सरोवर-२ वडाळी उद्यान विकसीत करणे किंमत १९.७२ कोटी रुपये


- राज्य उत्पादन शुल्क बिल्डींग बांधकामाकरीता किंमत ४ कोटी रुपये

सौ.सुलभा संजय खोडके आमदार-अमरावती विधानसभा

विविध विकास कामांच्या उद्घाटन सोहळ्यानिमित्य महाराष्ट्राचे लाडके उपमुख्यमंत्री मा.ना. या. आजतदादा पवार यांचे अंबानगरीमध्ये









जिल्हा स्त्री रुग्णालय अमरावती परिसरात २०० खाटांचे स्त्री रुग्णालयाचे बांधकाम करणे. - किंमत ६६.८४ कोटी रुपये

• पश्चिम वळण रस्त्यावर लालखडी येथे क्रासिंगवर चौपदरी उड्डाणपुलाचे बांधकाम करणे. - किंमत ११५ कोटी रुपये

• विभागीय क्रीडा संकुल येथे खेळाच्या मैदानाचे बांधकाम करणे - किंमत २९ कोटी रूपये

विभागीय कार्यालय, वसतीगृह, अभ्यासिका इत्यादीं बाबींच्या इमारतीचे बांधकाम करणे. - किंमत १७२ कोटी रुपये.

- जी.एस.टी. बिल्डींग बांधकाम, फर्निचर व विद्युतीकरणाकरीता किंमत १७ कोटी रुपये
- शासकीय विदर्भ ज्ञानविज्ञान संस्था अमरावती या संस्थेतील पायाभूत क्रीडा सुविधांचा विका<mark>स करणे किंमत १० कोटी रुपये</mark>

■ नागपूर ■ अकोला ■ अमरावती ■ खामगांव ■ यवतमाळ ■ वर्धा ■ गडचिरोली ■ वाशीम ■ भंडारा ■ गोंदिया ■ मुंबई ■ पालघर (ठाणे) ■ नाशिक आणि चंद्रपूर महासागर महासागर आवृत्त्या

# विजय वैद्य गेले; समाजसेवेचे एक पर्व संपले!

मञालय आणि विधिमंडळ वार्ताहर संघ

वर्षिक पत्रकास्ति। पुरस्कार वितरण सोहळा

ज्येष्ठ पत्रकार, अभ्यास् राजकीय विश्लेषक, समाजसेवेचा मानबिंदू, अनेक संस्था संघटनांच्या प्रसववेदनांच्या कळा सहन करुन त्या तब्बल बेचाळीस वर्षे अहोरात्र चालविणारे विजय दत्तात्रय वैद्य यांनी ऐन गणेशोत्सवात आपली

इहलोकीची यात्रा संपवन परलोकी प्रस्थान ठेवले. २५ दिवसांपूर्वी विजय शंकर केळुसकर यांनी इहलोकीची यात्रा संपविली. तो धक्का सहन होत नाही तोपर्यंत दुसरा जबरदस्त धक्का देणारे समाजसेवेचे एक पर्व विजय वैद्य यांच्या देहावसानाने संपले.

१९२१ च्या १६ ऑक्टोबर रोजी केशव सीताराम ठाकरे यांनी प्रबोधन नांवाचे नियतकालिक सुरु केले आणि १६ ऑक्टोबर २०२१ रोजी या 'प्रबोधन'ची शताब्दी संपन्न झाली. प्रबोधन हे केशवराव ठाकरे यांनी सुरु केले असल्याने ओघानेच त्यांच्या नावापुढे प्रबोधनकार ही उपाधी लागली.

प्रबोधनकार ठाकरे यांच्या आयुष्यातील चढ उतार, संयुक्त महाराष्ट्र चळवळीतील त्यांचा सहभाग, अंधश्रद्धा विरोधात केलेले कार्य कुठेही ते कमी पडले नाहीत. परखंड मते मांडतांना कुणाचाही मुलाहिजा त्यांनी बाळगला नाही. शाह् महाराज, कर्मवीर भाऊराव पाटील यांच्या पासून अनेक दिग्गज मंडळी त्यांच्या संपर्कात होती. हा सारा इतिहास आपल्याला त्यांच्या 'माझी जीवनगाथा'

ज्येष्ठ पत्रकार पंढरीनाथ सावंत आणि विजय वैद्य ही जोडगोळी प्रबोधनकार ठाकरे आणि बाळासाहेब ठाकरे यांच्या परीसस्पर्शाने पावन झालेली आहे. विजय वैद्य हे तसे जव्हारचे. चेंब्रुरला वास्तव्यास असतांना ते टाइम्स ऑफ इंडियाच्या जॉब डिपार्टमेंट मध्ये नोकरी करीत होते. जेमतेम ४६८ रुपये पगार होता. एकटा जीव सदाशिव. हरहुन्नरी आणि चळवळ्या स्वभाव. चेंब्रुरला असतांना त्यांनी बाळासाहेब ठाकरे यांचे व्याख्यान आयोजित केले होते. या व्याख्यानात विजय वैद्य यांनी एक बातमी शोधून काढली. गिरगाव गाठले. नवाकाळमध्ये निळ्भाऊ खाडिलकर यांना बातमी दिली. भाऊंनी ती पहिल्या पानावर छापली. 'बाळासाहेब ठाकरे मराठी माणसांची संघटना स्थापन करणार!' अशा आशयाची ती बातमी होती.

योगायोगाने बाळासाहेब ठाकरे यांनी त्यांना बोलावून घेतले आणि विचारले तुम्हाला ही बातमी कशी समजली? अहो साहेब, तुम्हीच भाषणात बोललात मराठी माणसाची संघटना स्थापन करणार १९ जून १९६६ रोजी बाळासाहेब ठाकरे यांनी शिवसेनेची स्थापना केली. मराठी माणसाच्या न्याय्य 'शिवसेना' हक्कांसाठी लढणारी अस्तित्वात आली.

या निमित्ताने विजय वैद्य यांची बाळासाहेब ठाकरे यांच्या घरी ये जा ठाकरे यांच्या समवेत संवाद साधण्याची संधी विजय वैद्य यांना मिळाली. प्रबोधनकार ठाकरे यांच्या 'माझी जीवनगाथा' या आत्मचरित्राचा प्रकाशन समारंभ झाला.

त्याचा हंशा, टाळ्यांसह वृत्तांत विजय वैद्य यांनी दिला. तो दादांना आणि बाळासाहेब ठाकरे यांना अतीशय आवडला. प्रबोधन शताब्दी निमित्ताने याचा बऱ्याच वेळा उल्लेख झाला. हाच वत्तांत डॉ. मनोहर जोशी यांच्या 'शिवसेना प्रबोधनकारांचा आशीर्वाद



खरोखरीच मी भाग्यवान! सामान्य कुटुंबातल्या माझ्यासारख्यास प्रबोधनकार ठाकरे यांच्या सहवासाचे काही क्षण लाभले. दादांचा असा आशीर्वाद हा माझ्या जीवनातील अमूल्य ठेवा आहे

: काल, आज आणि उद्या' या पुस्तकात आयोजित करण्यात आला होता परंतु संपूर्ण प्रसिद्ध करण्यात आला आहे. २००० साली बोरीवली येथे प्रबोधनकार सभागृहाकडे जमले होते. समारंभाची वेळ

ठाकरे नाट्य मंदिराचे उद्घाटन बाळासाहेब होण्यापूर्वीच सूर्यवंशी सभागृह भरगच्च ठाकरे यांच्या हस्ते करण्यात आले. झाले होते. प्रवेशद्वारावरच शिवसेनाप्रमुख त्यावेळी विजय वैद्य यांनी लिहिलेल्या बाळासाहेब ठाकरे, आमदार प्रमोद 'आठवणीतले प्रबोधनकार' या छोटेखानी नवलकर व नारायण पुस्तिकेचे प्रकाशन बाळासाहेब ठाकरे उपस्थितांचे स्वागत करीत होते. यांच्या हस्ते झाले होते.

एक पुस्तक आले म्हणून त्यांनी रवी म्हात्रे पु.दादासाहेब ठाकरे सभागृहात येताच यांच्या मार्फत विजय वैद्य आणि विनोद त्यांचे टाळ्यांचा गजरात व सनईवादनाने घोसाळकर यांना निरोप दिला की, उद्या प्रचंड स्वागत झाले. बाळासाहेबांनी सकाळी जेवढी पुस्तके असतील तेवढी प्रबोधनकारांच्या परवानगीने कार्यक्रमाची घेऊन या. दोघे हादरले.

करुन वैद्य आणि घोसाळकर मातोश्रीवर हेमचंद्र गुप्ते, सोमैया शेठ व्यासपीठावर पोहोचले. काय रे किती पुस्तके आणलीत? करड्या कठोर स्वरात बाळासाहेबांनी विचारणा केली. साहेब, पंचवीस आणलीत, चोवीस तुमच्यासाठी आणि एक सही करुन मला. एवढी पुस्तके काय करु? सही आणि माझी? अरे, तू दादांची सही जपून ठेवली नाहीस तिथे माझी काय जपून ठेवणार? साहेब? तुम्ही पुस्तक वाचलंत?

अरे, वाचलंच नाही तर पारायणं केलीत. मला प्रचंड आवडलं. बरं, ते जाऊ दे. मला याची तीन हजार पुस्तके छापून पाहिजेत. यात तुला काय आणखी घालायचे ते घाल. काय वाट्टेल ते कर. वैद्य आणि घोसाळकर लागले कामाला. 'आठवणीतले साली प्रबोधनकार'च्या दुसऱ्या आवृत्तीचे प्रकाशन बाळासाहेब ठाकरे यांच्या हस्ते

चिपळुणचे शिवसेना नेते भास्करराव जाधव यांनी विजय वैद्य यांच्याशी 'आठवणीतले प्रबोधनकार' हे पुस्तक महाराष्ट्रात प्रत्येक शिवसैनिकांनी वाचलेच पाहिजे, असे सांगितले उदय पै. चित्रकार वासुदेव कामत, सुदेश म्हात्रे अशा अनेकांच्या पयत्नातन पहे ९ दिसेंबर २०२१ रोजी मुंबई मराठी पत्रकार संघाच्या सभागृहात सुभाष देसाई यांच्या हस्ते आठवणीतले प्रबोधनकार या विजय वैद्य यांच्या पुस्तकाच्या आवृत्तीचे प्रकाशन झाले.

पत्रकार विजय वैद्य यांनी या प्रकाशन समारंभाचे अतिशय उत्तम वर्णन केले आहे. प्रबोधनकारांचा भव्य सत्कार : दोन पुस्तकांचा आलिशान प्रकाशन समारंभ 17 सप्टेंबर रोजी सार्यकाळी 6 वा.

महापौरांना येण्यास विलंब झाल पण बाळासाहेबांच्या वाट्याला जेमतेम तरीदेखील कमालीची शांतता होती. सूत्रे हाती घेतली. प्रा. धों वि.देशपांडे, इकडून तिकडून पंचवीस पुस्तके जमा श्री.शं. नवरे, प्रा. अनंत काणेकर, डॉ. स्थानापन्न झाले. काही वेळाने आमदार नवलकर, जोशी व चरित्रकार धनंजय कीरही स्टेजवर आले.

विद्वान हजर ! राजकारणी नाहीत ! प्रबोधनकार ठाकरे यांचे अत्यंत गाजलेले पुस्तक म्हणजे माझी जीवनगाथा. या पुस्तकाचे आणि ऊठ मऱ्हाठ्या ऊठ या त्यांच्या दुसऱ्या पुस्तकाचे, अशा दोन पुस्तकांचे प्रकाशन महापौर सुधीर जोशी यांच्या हस्ते थाटामाटात झाले.

तेव्हा प्रबोधनकारांनी ज्या शिवप्रभूंना आयुष्यभर आपलं दैवत मानलं त्या शिवप्रतिमेस सर्वांनी हार अर्पण करावेत. थोड्या वेळात हारांचा प्रचंड ढीग झाला. हारांचा कार्यक्रम सुरु असतानाच महापोर सुधीर जोशी सभास्थानी आले.

...आणि पुस्तकाचे प्रकाशन झाले यानंतर सौ. राजे यांनी प्रबोधनकारांवर रचलेले गौरवगीत म्हटले. मार्मिककारांनी पुस्तक प्रकाशनाची विनंती केल्यावर टाळ्यांच्या प्रदीघे महापौरांनी ऊठ मञ्हाठ्या ऊठ व माझी जीवनगाथा पुस्तकांचे प्रकाशन केले.

पुस्तकांविषयी माहिती बाळासाहेब ठाकरे म्हणाले, जीवनगाथा या पुस्तकांच्या वेगवेगळ्या एक लायबरी एडिशन व दुसरी पाप्युलर एडिशन आहे. हे पुस्तक सोमैया पब्लिकेशन्सने प्रसिद्ध केले तर ऊठ मऱ्हाठ्या ऊठ आमच्या नारायण आठवल्यांनी आराधना प्रकाशनातर्फ प्रसिद्ध केले आहे. ऊठ मऱ्हाठ्या ऊठ हे शिवसेनेचे बायबल आहे असे

प्रबोधनकारांनी सांगितले (टाळ्या). माझी खात्री आहे की, जो जो हे पुस्तक वाचेल तो तो शिवसैनिक झाल्याशिवाय राहणार नाही (टाळ्या). ही दोन्ही पुस्तके म्हणजे लेणे आहे (टाळ्या). आता मी दादरच्या सूर्यवंशी सभागृहात समारंभ

प्रथम प्रा. अनंत काणेकरांना तोफ पार्कवरील शिवाजीच्या पुतळ्यांचे जनक डागायला सांगतो (हंशा). प्रबोधनकारांनी मराठी भाषेचा

प्रबोधनकारांना महर्षी असे संबोधन प्रा.अनंत काणेकर म्हणाले, आठव्या वषार्पासूनच मी दादांची पुस्तकं वाचतो आहे. प्रबोधन हा शब्दही त्यांचाच! प्रबोधनकारांचं वाचकालाही उत्साहित करतं. हे काम येरागबाळ्याचं नव्हे, त्यांनी आपल्या भाषेचा इंगा अनेकांना दाखवला, मराठी भाषा काय आहे? आणि प्रबोधन लेखणीने कसं करता येतं हे त्यांनी दाखिवलं. सामाजिक सुधारणांची ज्योत प्रबोधनकारांनी प्रज्वलित केली.

इंगा दाखविला

हुंड्याविरुद्ध त्यांनी बंड पुकारलं आणि समाजाला धक्का दिला (हंशा). दादा वयोवृद्ध झालेत पण त्यांची वाणी व लेखणी यातील जोश मात्र कायम आहे. आज सकाळी मी त्यांना म्हटले, दादा तुम्हाला वाचता येतंय ही चांगली गोष्ट आहे. त्यावर लागलीच ते म्हणाले, अरे बाबा, मी वाचतोय म्हणनच अजन वाचलोय (हंशा व टाळ्या). असे हे शिवाजीचे, महाराष्ट्राचे प्रेमी दादा! कळेल.

जोपर्यंत महाराष्ट व मराठी

आपली गणना विद्वानात केली याचा प्रारंभीच निषेध करुन पत्रपंडित काकासाहेब नवरे प्रबोधनकारांचे महाराष्ट्रावर फार फार उपकार आहेत. ते आमच्या पत्रकारांतील खरे भीष्माचार्य आहेत . शिवाजी

हे! प्रबोधनकार वृद्ध झाले तरी त्यांची स्मृती नि डोकं शाबृत आहे. काहींची तरुणपणीच बिघडतात. सचिवालयात असे कितीतरी आहेत.

महाराष्ट्रभूषण प्रबोधनकारांचे जीवन मातुभक्ती, महाराष्ट्र धर्मभक्ती व शिवभक्ती यांमुळे पुनीत झाले आहे असे सांगृन सुप्रसिद्ध चरित्रलेखक धनंजय कीर म्हणाले, प्रबोधनकार आताच शतायुषी झाले आहेत. अनेक महान व्यक्ती शतायुषी झाल्या पण प्रबोधनकारांएवढ्या हालअपेष्टा कोणीच काढल्या नसतील. एखाद्या पदवीधरास लाजवील असं त्यांचं इंग्रजीचं ज्ञान आहे. प्रबोधनकार म्हणजे स्वाध्याय विद्यापीठ आहे . दादांचा महाराष्ट्राभिमान अत्यंत जाज्वल्य आहे.

स्वार्थ टाळून ते कृतार्थ जीवन जगले आहेत. लोकमान्य टिळकानंतर इतका ओजस्वीपणे लिहिणारा प्रबोधनकारांशिवाय दुसरा झालाच नाही . ज्यांना मराठी भाषा शिकायची असेल त्यांनी प्रबोधनकार आणि आचार्य अत्रे यांचं साहित्य वाचले पाहिजे. त्यांचं लिखाण वाचा आणि पाहा म्हणजे मराठी माणसाचे, मऱ्हाठी भाषेचे, ब्राह्मणेतर चळवळ म्हणजे काय ते

> मानवतावादी दृष्टिकोनातून लिखाण केले. सामान्य माणसाच्या अधिकारासाठी झगडावं हेच जीवनगाथेचं प्रबोधनकारांच्या पुस्तकास प्रस्तावना लिहिण्याची संधी मला मिळाली हे मी माझं समजतो. प्रबोधनकारांना वंदन करणं

म्हणजे महाराष्ट्र जनतेस

प्रा. धों. वि. देशपांडे म्हणाले, मला तर रुढीच्या नावाखाली त्यांच्यावर फार ते अगदी पक्क्या आंब्यासारखे - की जो अत्याचार होत होते त्याचा महिलांनी आंबा पिकतो-गोड होतो, कधी नासत नाही. नेहमी पिकतच राहतो असे महिलांनो, आणखी सुधारणा करा भासतात, दादा शरीराने थकले असले तरी मन मात्र अजून तरुण आहे नि या वयातही दादांची बुद्धी रोज नवनवे प्रांत शोधीत असते. वयाच्या ८९ व्या वर्षी बुद्धी अशी शाबूत ठेवणं हे तपश्चर्येचं काम

प्रा. देशपांडे यांच्यानंतर मार्मिककारांनी आपल्या मिस्कील शैलीत सांगितले की, हा आंबा नासला नाही, डागाळला नाही, नेहमी पिकतच राहिला, असे प्रा. देशपांडे म्हणाले. त्याचे कारण हा आंबा कधीच कोणत्या अढीत नव्हता.. तो स्वतंत्रपणे जगला! शिष्यही तसाच निघेल अशी आशा करु या !

महापौर सुधीर जोशी आणि या समारंभाला उपस्थित पाहण्यांच्या भाषणाचा विस्तृत वृत्तांतही विजय वैद्य यांनी दिला होता.

शिवप्रतिमेस पुष्पहार अर्पण करुन बाळासाहेब ठाकरे यांनी समारंभास प्रारंभ केला. उपस्थितांचे स्वागत केले. ते म्हणाले, आज व्यासपीठावर सारे विद्वान बसलेले आहेत, ते राजकारणी नाहीत . म्हणण्याचं लोकशाहीच्या जमान्यात तरी कोणी करणार नाही असो, आजच्या कार्यक्रमासाठी अनेक संदेश आले

सर्व मंत्र्यांना आजच्या समारंभाची आमंत्रणे पाठवली होती. फक्त ना. वसंतदादा पाटील यांचा संदेश आला आहे. महाराष्ट्राच्या विविध शाखांतून संदेश आले आहेत. आज असंख्य व्यक्तींनी हार आणले आहेत. प्रबोधनकारांनी आयुष्यभर अनेक भार सहन केले पण आज हारांचं ओझं पेलणं शारीरिकदृष्ट्या कठीण दिसतं..... आणि येथील निवासस्थानी हा स्वर्गरथ पढे बाळासाहेबांचे तडाखेबंद भाषण.... पुढे विजय वैद्य यांनी प्रबोधनकारांच्या

भाषणाचाही वृत्तांत दिला, तो असा...

दांभिकपणा आणि खोटं बोलणं याची मला फार चीड आहे म्हणूनच याविरुद्ध मी लेखणी उचलून समोर येईल त्याला उभा चिरला आहे. कसलीही पर्वा केली नाही. प्रबोधनकार म्हणाले, चार पिद्यांच्या संघषार्तुन, सहवासातुन तयार झालेला मी माणूस आहे. पूर्वीचा समाज आणि सध्याचा समाज यांत फार फरक आहे. विशेषतः महिलांनी सुधारणेची फार

चांगलाच सूड उगविला आहे. मी म्हणतो प्रबोधनकार शेवटी म्हणाले, माझ्यावर झालेले उपकार कसे फिटतील, याची मला चिंता आहे.

यानंतर राष्ट्रगीत झाले व कार्यक्रम संपला. सर्व समारंभ जवळजवळ अडीच तास चालला, तरीही कंटाळवाणा झाला नाही. शेवटी बाळासाहेबांनी आभार मानले. कार्यक्रमातील गोड आठवणी घेऊनच, कोकाकोला घेतल्यानंतर सर्व श्रोतुवर्ग आनंदी चेहऱ्याने सभागृहाबाहेर पडला. सबंध कार्यक्रम अगदी मऱ्हाठमोळ्या पद्धतीने पार पडला शिवसेनाप्रमुख बाळासाहेब ठाकरे यांनी प्रकाशन समारंभाचे सुत्रसंचालन केले.

हे जसे वैशिष्ट्य तसेच त्यांच्या आयुष्यातील सर्वात संस्मरणीय प्रसंग म्हणजे ते पुस्तक प्रकाशन असे केले जाते आणि तीच गोष्ट सुधीर जोशी सांगतात. या दोन पुस्तकांचं प्रकाशन करण्याची संधी मिळाली हे माझं परम

शनिवार १४ सप्टेंबर २०२४ चा दिवस उजाडला तोच दुःखद बातमीने. शुक्रवारी संपूर्ण दिवस उपनगरचा राजा सार्वजनिक गणेशोत्सव मंडळच्या आमंत्रणांचे वाटप करुन रात्री ९ वाजेपर्यंत उपनगरचा राजाच्या मांडवात बसून पुढच्या कार्यक्रमांची आखणी केली आणि रात्री वैभव या मोठ्या मुलाकडे गेले. सकाळी ६ च्या सुमारास प्रकृती अस्वास्थ्यामुळे डॉक्टरांकडे जायला निघाले. पण तिथेच ते कोसळले. वयाच्या ८२ व्या वर्षी त्यांनी अखेरचा श्वास घेतला.

विजय वैद्य यांच्या शेवटच्या इच्छेनुसार शनिवारची सर्व वर्तमानपत्रे आणून पार्थिवाजवळ ठेवली. महायात्रा सुरु झाली. जय महाराष्ट्र नगर आणण्यात आला आणि तेथे सर्वान हंबरडा फोडला. पण रडायचं नाही लढायचं, दुःखात नव्हे आनंदात मला निरोप द्या, असे त्यांनी सांगितले असल्याने बँड पथकाने भक्तीगीते वाजवून त्यांना मानवंदना दिली.

जय महाराष्ट्र नगरातील तब्बल बेचाळीस वर्षांचं पर्व अखेर १४ सप्टेंबर रोजी संपलं. हे ईश्वरा त्यांच्या आत्म्याल शांती दे एवढीच प्रार्थना !

#### हिंदी चित्रपट सृष्टीतील सदाबहार, चिरतरुण आणि चॉकलेट हिरो असे ज्यांचे वर्णन केले जायचे ते जेष्ठ सिनेअभिनेते दिवंगत देव आनंद यांची आज १०१ वी जयंती. १०१ वर्षांपूर्वी आजच्याच दिवशी

झाला. हे त्यांचे जन्मशताब्दी वर्ष आहे. देव आनंद यांचे मूळ नाव देवदत्त पिशोरीमल आनंद असे होते. लहानपणापासूनच त्यांना अभिनयाची आवड होती. लाहोरमधील कॉलेजमध्ये १९४२ साली त्यांनी संगीतात ग्रॅज्युएशन पूर्ण केले. तिथेच त्यांची खुशवंत सिंग व बलराज साहनी यासारख्या दिग्गज व्यक्तिमत्वाशी भेट झाली.

२६ सप्टेंबर १९२३ रोजी त्यांचा जन्म

शिक्षण पूर्ण झाल्यावर त्यांनी काहीकाळ नोकरीही केली मात्र नोकरीत त्यांचे मन रमले नाही. लवकरच त्यांनी नोकरी सोडून चित्रपटाची वाट धरली. प्रभात कंपनीच्या हम एक है या चित्रपटातून त्यांनी हिंदी चित्रपट सृष्टीत प्रवेश केला. मात्र त्यानंतर त्यांचे काही चित्रपट आपटले.

त्यांच्याच कंपनीचा म्हणजे नवकेतनचा अफसर हा चित्रपट देखील पडला. मात्र या अपयशाने ते डगमगले नाही. अपना भी टाइम आयेगा.... असे ते त्यावेळी निर्मात्यांना म्हणत असत. त्यांनी अभिनय केलेला बाजी हा चित्रपट पडद्यावर आला आणि त्यांचे हे बोल खरे ठरले.

बाजी हा चित्रपट तिकीट बारीवर यशस्वी ठरला. या चित्रपटातील गाणीही लोकप्रिय झाली या चित्रपटाने त्यांना नायक म्हणून मान्यता दिली. या चित्रपटानंतर त्यांनी मागे वळून पाहिले नाही. केसांचा तुरा, गुलछबू

## सदाबहार अभिनेते; देव आनंद



आणि देखणी चेहरेपट्टी यामुळे उठून दिसणाऱ्या व्यक्तिमत्त्वाने प्रेक्षकांच्या हृदयात स्थान मिळवले

ते प्रेक्षकांचे आवडते नायक बनले. त्यांचे सर्व चित्रपट हिट होऊ लागले. बाजी,

मुनीमजी, दुष्मन, कालाबाजार, सीआयडी, पेईंग गेस्ट, गॅम्बलर , तेरे घर के सामने, काला पाणी, जाल, गाईड, तेरे घर के सामने, छुपा रुस्तम, हरे रामा हरे कृष्णा, हिरा पन्ना, देस परदेस, ज्वेल थिप, जॉनी मेरा नाम, अञ्चल नंबर, स्वामी दादा असे त्यांचे सर्वच चित्रपट यशस्वी ठरले.

१९५० ते १९७० असे

जवळपास दोन दशके त्यांनी हिंदी चित्रपट सृष्टीवर अधिराज्य गाजवले. राज कपूर आणि दिलीप कुमार यांच्यासारख्या तगड्या नायकांसमोर त्यांनी मोठे आव्हान उभे केले. त्याकाळात या तिघांना हिंदी चित्रपट सृष्टीतील त्रिदेव असे म्हंटले जायचे कारण या तिघांनी तो काळ अक्षरशः गाजवून सोडला होता.

देव आनंद आणि राज कपूर यांच्यापेक्षा देव आनंद यांचे चाहते अधिक होते विशेषतः त्या काळातील तरुणाईने त्यांना डोक्यावर घेतले होते. त्यांचा चित्रपट फर्स्ट डे फर्स्ट शो पाहण्यासाठी तरुण कॉलेज सोडून चित्रपट गृहाबाहेर रांगेत उभे असायचे. तरुण मुली तर त्यांच्यासाठी अक्षरशः वेड्या झाल्या होत्या. त्यांची एक झलक पाहण्यासाठी मुली घरातून पळून मुंबईला येत असत.

त्यांच्या यशात त्यांच्या गाण्यांचा देखील

खुप मोठा वाटा आहे. त्यांच्या बहुतेक चित्रपटाला सचिन देव बर्मन यांचे संगीत लाभले. सदाबहार गायक किशोर कुमार हे त्यांच्यासाठी गाणी गात. संगीतकार सचिन देव बर्मन, गायक किशोर कुमार आणि पडद्यावरील नायक देव आनंद हे त्रिकुट असे काही जमले की त्यांच्या अनेक

श्याम ठाणेदार दौंड. जिल्हा पुणे. गाण्यांनी इतिहास घडवला. ९९२२५४६२९५ तू कहा ये बता, देखो रुठो

ना करो, एक घर बनाएंगे तेरे घर के सामने, दिल का भवर करे रे पुकार, गाता रहे मेरा दिल, मै जिंदगी का साथ निभाता चला गया, चुडी नहीं मेरा दिल दिल है दिल, फुलो का तारों का सबका कहना है, दिन ढल जाये, छोड दो आंचल जमाना क्या कहेगा यासारखी त्यांची असंख्य गाणी आजही लोकप्रिय आहेत. आजही ही गाणी आवर्जुन ऐकली जातात. देव आनंद यांनी केवळ चित्रपटात अभिनयच केला असे नव्हे तर त्यांनी काही चित्रपटांसाठी पटकथा लेखन केले तर काही चित्रपटांचे दिग्दर्शनही केले.

आधिया, हरे रामा हरे कृष्णा, हम नौजवान, अव्वल नंबर, प्यार का तराना, गँगस्टर, मै सोलह बरस की, सेन्सॉर या चित्रपटासाठी त्यांनी पटकथा लेखन केले तर हिरा पन्ना, देस परदेस, लूटमार, स्वामी दादा, सच्चे का बोलबाला, अव्वल नंबर अशा काही चित्रपटांचे दिग्दर्शनही केले. त्यांना अनेक पुरस्कारही मिळाले. अभिनयासाठी त्यांना अनेक फिल्मफेअर पुरस्कार तर मिळालेच. भारत सरकार कडून त्यांना पद्मभूषण पुरस्कार मिळाला.

चित्रपट सृष्टीतील सर्वोच्च पुरस्कार समजला जाणारा दादासाहेब फाळके पुरस्कारही त्यांना मिळाला. ३ डिसेंबर २०११ रोजी त्यांचे निधन झाले. जवळपास पाच दशकांहून अधिक काळ आपल्या अभिनयाने चित्रपट रसिकांच्या मनावर मोहिनी घालणाऱ्या या सदाबहार अभिनेत्याला त्याच्या १०१ जयंतीनिमित्त विनम्र अभिवादन!

......

### पपई हे एक स्वादिष्ट असे फळ आहे. ते पौष्टिक देखील आहे. कारण यामध्ये व्हिटॅमिन ए, सी आणि के, फॉलिक



योगेश वसंत त्रिवेदी

मुंबई

९८९२९३५३२१.

या पोषक तत्वांमुळे पपई आरोग्यासाठी

खूप फायदेशीर मानली जाते. अनेकांना रोज सकाळी रिकाम्या पोटी पपई खायला आवडते. यामुळे बद्धकोष्ठतेची समस्या दूर होते आणि त्वचा हा चांगली राहते. कोणाला वजन कमी करायचे असेल तरी पपई फायदेशीर ठरु शकते. पपई खाणे काही लोकांसाठी हानिकारक देखील असू शकते. पपईचे काही दुष्परिणाम देखील आहेत. त्यामुळे कोणत्या लोकांनी ते खाऊ नये जाणून

गर्भवती महिला : पपईमध्ये पॅपेन नावाचे एन्झाइम असते. ज्यामुळे गर्भाशयाला आकुंचन पावण्यास सुरुवात होते. त्यामुळे मुदतपूर्व प्रसूतीचा धोका वाढतो. काही प्रकरणांमध्ये, यामुळे गर्भपात होण्याचा देखील धोका असतो. स्तनपान करणारी महिला : पपई खाल्ल्याने पॅपेन एंझाइम स्तनपान

# हानीकारक



ऑक्सॅलिक ॲसिड असते. ज्यामुळे व्यक्तीला किडनी स्टोनची समस्या उद्भवू शकते. ज्यांना आधीच किडनी स्टोनचा

स्टोनचा त्रास

पपईमध्ये

करणाऱ्या महिलांच्या

एन्झाइम बाळाच्या

पचनसंस्थेला हानी

पोहोचव शकते.

दुधातही पोहोच् शकते. हे

त्रास आहे त्यांनी देखील पपई खाणे टाळले पाहिजे. कारण यामुळे तुमच्या समस्या आणखी वाढ् शकतात. पोटाच्या समस्या असलेले लोक पपईचे सेवन अतिसार, बद्धकोष्ठता किंवा पोटदुखी यांसारख्या पोटाच्या समस्या वाढवू शकते. त्यामुळे ज्यांना पोटाच्या समस्या आहेत त्यांनी पपई खाणे टाळले पाहिजे.

ॲलर्जी : काही लोकांना पपई खाल्ल्याने ॲलर्जी असु शकते. जसे की, तोंडात खाज येणे, पुरळ येणे, पोटदुखी किंवा श्वास घेण्यास अडचण येऊ शकते.

औषध: काही औषधे पपईवर घेतल्याने रिॲक्शन होऊ शकते. तुम्ही कोणतीही औषधे घेत असाल तर पपई खाण्यापूर्वी तुमच्या डॉक्टरांचा सल्ला घ्यावा.

## अशोकायन

अब तो जागो..!

करायचं ते करून घे आयुष्य राहीलय कमीच विधाता देई तिनदा वार्निंग पण दखल घेईना कुणीच..

केस होऊ लागता पांढरे पहिली नोटीस झाली जारी अंधुक लागते दिसाया समजावे दुसऱ्या नोटीसची किमया सारी

दात लागती पडाया बसवून घेतो कवटी ईश्वर करे स्मित हास्य पाहून मानवाच्या खटपटी..



प्रा. अशोक सारडा मेहकर (९४२१३९४३३९)





### Maharashtra Government PUBLIC WORKS DEPARTMENT Executive Engineer, Integrated Unit (Medical) Public Works, Near T.B. Ward Premises, Nagpur.-440003

Phone No 0712-2985737 e-mail: integratednagpur.ee@mahapwd.gov.in

No. /Tender/2024 Date:-2024

#### "Notice Calling For Quotation" Quotation Notice No. 38 of 2024-25

(Rate for Non CSR Item)
Sealed Quotation are invited (From Supplier) by the Undersigned so as to reach in this office on or before Date. 04.10.2024@ 15.00 P. M. For the following items. The Quotation will be open on the same date if possible and the intending parties may remain present at the time of opening of the quotation. The right to reject any or all quotations or to call the fresh quotations is reserved by the undersigned without assigning any reason thereof.

The rates should be quoted including all taxes and charges with delivery at Nagpur.

Quotations received after the prescribed date will not be accepted must be clearly written on

	nditional quotations will not be accepted. G.S.T,. shall be paid extra.	
В	For The Work of: Lineo WS, Cabin, and Conference Table For Super Specialty Houlding (G+5) for Govt. Dental Collage and Hospital at G.M.C.H., Nagpur. (Rate for Item)	
Sr. No.	Description	Rate (Rs. )
1	ADMIRAL TABLE (2900Lx2300Dx750Ht) DEANS TABLE ( FOR DEN )  Office table with a robust structure, good stability, and a curved edge for a classic look with	Rates quoted by agency Rates quoted
	leveiling adjustment to adjust with an uneven floor surface. TABLE MAIN TOP: 36mm thick curved shape table top made up of PVC foiled MDF in classic ack colour with curved edge which provide a classic look to the table. The table top is been supported with M.S horizontal understructure of size 50 X 20 x 1.2mm thickness which is powder-coated to prevent it from any reaction by air. LEG: The plus shape configuration of the leg is divided into two assemblies i.e upper gable end assembly and lower gable end assembly. The overall thickness of the gable end is 50mm which is made up MDF with proper profile wrapping on it. The overall dimension of plus shape configuration leg is of 625(W) X 704(H) X 50mm thickness. Out of 704mm height of leg, the below 75mm height is of dark shade i.e slate grey colour which provides an elegant duel colour finish to the leg. The leg provide complete support to the table top and can be sustain heavy loads. MODESTY- The slant modesty panel of dark shade i.e slate grey colour is made up of 18mm thick pre-laminated particle board. The dark shade modesty and light shade tabletop provides and elegant duel colour finish to the tabletop. The modesty provides proper stability to structure and allow sufficient leg privacy to user. RETURN STORAGE: The overall dimension of the return storage of size 255(W) X 569(W) X 675(H). The top panel and the bottom panel of the storage are made up of 25mm thick pre-laminated particle board. All these panels are fitted with the back panel by proper grooving on it which is of 9mm thickness made up of pre-laminated particle board. All these panels are fitted with the back panel by proper grooving on it which is of 9mm thickness made up of pre-laminated particle board. The storage is assemblied with the help of wooden dowel, knock down fittings drum with screw and corner fittings to ensure the stability of box structure formed. The storage is assembled with the help of wooden dowel, knock down fittings to make a storage with solid wooden dowel. School with the pre	by agency
2	Proper levellers are provided at the bottom of the storage to adjust in an uneven surface.  ADMIRAL FULL HEIGHT STORGAE @1200+900LX450DX2000HT	Rates quoted
	A Storage unit with bookcase and storage area enables visibility of reference books and Records, can be used as a back unit, complete Bookcase or stand-alone storage unit.  CARCASS:- The top panel and the bottom panel of the storage are made up of 25mm thick prelaminated particle board and the side panels and skriting are of 18mm thick made up of prelaminated particle board. All these panels are fitted with the back panel by proper grooving on it which is of 9mm thickness made up of pre-laminated particle board. The total depth of the skriting is 400mm leaving the space of 25mm depth from both side i.e front and back. The storage is assembled with the help of wooden dowel, knock down fittings drum with screw and corner fittings to ensure the stability of box structure formed.  SHELF AND SHUTTER:- The carcass is separated in two types of storage, the upper one with glass door and glass shelf and lower storage with solid wooden door and shelf. The thickness of the glass shelf is 8mm. The shutter of upper storage is made up of frosty glass of 4mm thickness is fitted inside the hollow aluminium frame which is powder-coated. The self and the shutter of the	by agency Rates quoted by agency
	storage is made up of 18mm thick pre-laminated particle board mounted on inlay cabinet hinge. Provision of S.S finish handle 96 CD are fitted on the shutter. The shutters are lockable. Proper levellers are provided at the bottom of the storage to adjust in an uneven surface. ADMIRAL FULL HEIGHT STORAGE 1200(W) X 450(D) X 2000(H)  A Storage unit with bookcase or showcase and storage area can be used as a back unit. CARCASS:- The carcass is separated in two types of storage. The upper storage consit of small shutter unit at the middle of the upper carcass. The lower storage is with solid wooden door and shelf. The top panel, bottom panel and middle top panel of the storage are made up of 25mm thick pre-laminated particle board and the side panels and skriting are of 18mm thick made up of pre-laminated particle board. All these panels are fitted with the upper back panel and lower back panel by proper grooving on it which is of 9mm thickness made up of pre-laminated particle board accordingly. The total depth of the skriting is 400mm leaving the space of 25mm depth from both side i.e front and back. The storage is assembled with the help of wooden dowel, knock down fittings drum with screw and corner fittings to ensure the stability of box structure formed. SHELF AND SHUTTER:- The upper storage cosist of small shutter storage unit at the middle of the carcass. The small shutter unit is of 1160(W) X 410(D) X 430(H) in size with all the panles i.e top, bottom panel and vertical panle are made up of 18mm thick pre-laminated particle board. The shutter is made up of 18mm thick pre-laminated particle board is mounted on inlay hinges having finger space at the bottom edge of the shutter to operate the shutter. Sufficient space of 400mm in height is left over the top panel of the small shutter unit which can be use shelf.  The lower storage having one adjustable shelf with three-point adjustment of 64mm from the lower position reference point, supported on shelf support lug. The shelf and the shutter of the storage is ma	
3	Provision of S.S finish handle 96 CD are fitted on the shutter. The shutters are lockable, Proper levellers are provided at the bottom of the storage to adjust in an uneven surface. ADMIRAL FULL HEIGHT STORAGE 1200(W) X 450(D) X 2000(H)  A Storage unit with bookcase or showcase and storage area can be used as a back unit. CARCASS:- The carcass is separated in two types of storage. The upper storage consit of small shutter unit at the middle of the upper carcass. The lower storage is with solid wooden door and shelf. The top panel, bottom panel and middle top panel of the storage are made up of 25mm thick pre-laminated particle board and the side panels and skriting are of 18mm thick made up of pre-laminated particle board. All these panels are fitted with the upper back panel and lower back panel by proper grooving on it which is of 9mm thickness made up of pre-laminated particle board accordingly. The total depth of the skriting is 400mm leaving the space of 25mm depth from both side i.e front and back. The storage is assembled with the help of wooden dowel, knock down fittings drum with screw and corner fittings to ensure the stability of box structure formed. SHELF AND SHUTTER:- The upper storage cosist of small shutter storage unit at the middle of the carcass. The small shutter unit is of 1160(W) X 410(D) X 430(H) in size with all the panles i.e top, bottom panel and vertical panle are made up of 18mm thick pre-laminated particle board. The shutter is made up of 18mm thick pre-laminated particle board is mounted on inlay hinges having finger space at the bottom edge of the shutter to operate the shutter. Sufficient space of 400mm in height is left over the top panel of the small shutter unit which can be use shelf.  The lower storage having one adjustable shelf with three-point adjustment of 64mm from the lower position reference point, supported on shelf support lug. The shelf and the shutter of the storage is made up of 18mm thick pre-laminated particle board mounted on inlay hinges with the	Rates quoted
3	Provision of S.S finish handle 96 CD are fitted on the shutter. The shutters are lockable. Proper levellers are provided at the bottom of the storage to adjust in an uneven surface. ADMIRAL FULL HEIGHT STORAGE 1200(W) X 450(D) X 2000(H)  A Storage unit with bookcase or showcase and storage area can be used as a back unit. CARCASS:- The carcass is separated in two types of storage. The upper storage consit of small shutter unit at the middle of the upper carcass. The lower storage is with solid wooden door and shelf. The top panel, bottom panel and middle top panel of the storage are made up of 25mm thick pre-laminated particle board and the side panels and skriting are of 18mm thick made up of pre-laminated particle board. All these panels are fitted with the upper back panel and lower back panel by proper grooving on it which is of 9mm thickness made up of pre-laminated particle board accordingly. The total depth of the skriting is 400mm leaving the space of 25mm depth from both side i.e front and back. The storage is assembled with the help of wooden dowel, knock down fittings drum with screw and corner fittings to ensure the stability of box structure formed. SHELF AND SHUTTER:- The upper storage cosist of small shutter storage unit at the middle of the carcass. The small shutter unit is of 1160(W) X 410(D) X 430(H) in size with all the panles i.e top, bottom panel and vertical panle are made up of 18mm thick pre-laminated particle board. The shutter is made up of 18mm thick pre-laminated particle board is mounted on inlay hinges having finger space at the bottom edge of the shutter to operate the shutter. Sufficient space of 400mm in height is left over the top panel of the small shutter unit which can be use shelf.  The lower storage having one adjustable shelf with three-point adjustment of 64mm from the lower position reference point, supported on shelf support lug. The shelf and the shutter of the storage is made up of 18mm thick pre-laminated particle board mounted on inlay hinges with the provision of	Rates quoted by agency Rates quoted by agency
3	Provision of S.S finish handle 96 CD are fitted on the shutter. The shutters are lockable. Proper levellers are provided at the bottom of the storage to adjust in an uneven surface. ADMIRAL FULL HEIGHT STORAGE 1200(W) X 450(D) X 2000(H) A Storage unit with bookcase or showcase and storage area can be used as a back unit. CARCASS:- The carcass is separated in two types of storage. The upper storage consit of small shutter unit at the middle of the upper carcass. The lower storage is with solid wooden door and shelf. The top panel, bottom panel and middle top panel of the storage are made up of 25mm thick pre-laminated particle board and the side panels and skriting are of 18mm thick made up of pre-laminated particle board. All these panels are fitted with the upper back panel and lower back panel by proper grooving on it which is of 9mm thickness made up of pre-laminated particle board accordingly. The total depth of the skriting is 400mm leaving the space of 25mm depth from both side i.e front and back. The storage is assembled with the help of wooden dowel, knock down fittings drum with screw and corner fittings to ensure the stability of box structure formed. SHELF AND SHUTTER:- The upper storage cosist of small shutter storage unit at the middle of the carcass. The small shutter unit is of 1160(W) X 410(D) X 430(H) in size with all the panles i.e top, bottom panel and vertical panle are made up of 18mm thick pre-laminated particle board. The shutter is made up of 18mm thick pre-laminated particle board is mounted on inlay hinges having finger space at the bottom edge of the shutter to operate the shutter. Sufficient space of 400mm in height is left over the top panel of the small shutter unit which can be use shelf.  The lower storage having one adjustable shelf with three-point adjustment of 64mm from the lower position reference point, supported on shelf support lug. The shelf and the shutter of the storage is made up of 18mm thick pre-laminated particle board mounted on inlay hinges with the provision of	by agency Rates quoted

94		
	Understructure made up of MS of Ø25.4 X 2mm thk Pipe powder coated with black color.BACKREST:The Back is made up of 12mm thick (7 layers) hot pressed plywood and moulded foam thickness 40 mm upholstered with fabric.  The seat is made up of 12mm thick (7 layers) hot pressed plywood and moulded seat foam upholstered with fabric.  • Density (IS-7888-1976): 50-55 Kg/m3. ARM PAD: FIXED ARM:	
5	The arm pad is injection moulded from Black polyurethane - size 250mm (L) x 50mm (W).  LINEAR SHARING & NON SHARING WS @1200LX600DX1200HT WITH PEDESTAL (OFFICE AREA, STAFF ROOM, ORAL INPLANTOLOGY STAFF, WAITING AREA, SEMINAR HALL, ELIBRARY AND	Rates quoted by agency
-	CENTRE RESEARCH LAB )  Work Top- Work top shall be made 25mm thick Prelam (OSL) particle board confirming to IS	Rates quoted
	12823: 1990 with 2mm thick PVC lipping glued with Kilberit-779.6 glue. Table top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section. Frame: -The frame shall be made of extruded aluminum sections having 60mm width and average wall thickness 1.6mm. The frame shall be powder coated with epoxy polyester powder with the average thickness 50 to 60 microns conforming to Is 13871: 1993. A-pole which is vertical supporting member of frame and horizontal members namely Top bar and Mid bar. Top bar shall be made of Aluminum extrusion having 60mm width and 1.6mm thickness and Mid bar is made up of MS pipe 15x15x1mm thick confirming the Is 13871:1993 end plates welded on both the ends. Mid bar end plate shall made up of CRCA sheet 50x20x2 mm thick confirming IS grade IS513: 2008. Tile holder used to incorporate the tile at specified location shall be made of Aluminum. Top bar holder and leveler foot shall be made of 2mm thick CRCA confirming to IS513: 2008 with zinc coated finish. The frame shall be joined together by Aluminum connectors and all visible aluminum shall be powder coated. Main Frame shall be of 60mm thickness offering various functional and decorative finishes as well as cable management capacity. Height of frame available: 1200mm. Width of frame available: 1200mm, 1200mm. Joints/ posts/ connectors/trims: - The Two frame shall be joined together in 90 degree by using post connector shall be made of CRCA sheet confirming to IS513:2008. Connectors shall be concealed by posts Covers, which shall be a half round Aluminum profiles made up of aluminum extrusion confirming IS733:1983. Posts cap shall be on upper side of post cove which are made of MAZAK die cast components. Height of post shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be matched to the A-pole of frame which is 12	by agency
	IS12823:1990 with 1mm post lamination over it(Marker).Metal pedestal made of 0.8mm thick CRCA and using Hettich make lock. Castor height should be 55mm. Using PVC flush drawer pull.	
6	BERLIN MID BACK CHAIR (OFFICE AREA, STAFF ROOM, ORAL INPLANTOLOGY STAFF, WAITING AREA, SEMINAR HALL, E-LIBRARY AND CENTRE RESEARCH LAB )	Rates quoted by agency
	Backrest: Mid back Upholstery: Backrest: Mesh (Black) Seat: Fabric (Black, Grey, Blue, Red), Armrest: 1D PU Armrest  Mechanism: Synchro 1P  Gaslift: Class 4, 112mm Stroke Base: Nylon Dia 660mm Castor: Nylon, Dia 60mm Lumber: Yes	Rates quoted by agency
7	LINEAR SHARING & NON SHARING WS @900LX600DX120HT (STAFF/PG READUING SECTION)	Rates quoted by agency
	Supply, Fitting & Fixing of SOS Make SL 60 Modular workstation.  Work Top- Work top shall be made 25mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Table top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section.  Frame: -The frame shall be made of extruded aluminum sections having 60mm width and average wall thickness 1.6mm. The frame shall be powder coated with epoxy polyester powder with the average thickness 50 to 60 microns conforming to IS 13871: 1993. A-pole which is vertical supporting member of frame and horizontal members namely Top bar and Mid bar. Top bar shall be made of Aluminum extrusion having 60mm width and 1.6mm thickness and Mid bar is made up of MS pipe 15x15x1mm thick confirming the IS 13871:1993 end plates welded on both the ends .Mid bar end plate shall made up of CRCA sheet 50x20x2 mm thick confirming IS grade IS513: 2008 .Tile holder used to incorporate the tile at specified location shall be made of Aluminum. Top bar holder and leveler foot shall be made of 2mm thick CRCA confirming to	Rates quoted by agency
	ISS13: 2008 with zinc coated finish. The frame shall be joined together by Aluminum connectors and all visible aluminum shall be powder coated. Main Frame shall be of 60mm thickness offering various functional and decorative finishes as well as cable management capacity. Height of frame available: 1200mm. Width of frame available: 1050mm, 1200mm.  Joints/ posts/ connectors/trims: - The Two frame shall be joined together in 90 degree by using post connector shall be made of CRCA sheet confirming to ISS13:2008. Connectors shall be fitted to A-Pole with the help of M6 x 16 pan-head machine screw and washer. The Corners shall be concealed by posts Covers, which shall be a half round Aluminum profiles made up of aluminum extrusion confirming IS733:1983. Posts cap shall be on upper side of post cove which are made of MAZAK die cast components. Height of post shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be covered with horizontal / vertical flat trims with round edges throughout the length, Curved trims on vertical and horizontal edges shall help to achieve smooth look, Trims shall be made of aluminum material Al6063-T6 with round edges throughout the length, Curved trims on vertical and horizontal edges shall help to achieve smooth look, Trims shall be made of aluminum material Al6063-T6 with the frames shall be fitted with Aluminum top trims of material Al6063-T6.  Understructure - Vertical support to the work top shall be achieved by gable ends made of 25mm thick Pvcl lipping glued with Kliberit-779-6 glue. Gable ends shall be fitted to the ground with M6 levelers Gable ends shall be straight and curved types. Gable end connect with the frame by using gable end bracket. Gable end bracket shall be made up of CRCA sheet 570 x 26 x 2 mm thick Voc Uipping glued with Kliberit-779-6 glue. Gable ends connect with the frame by using gable end bracket. Gable end bracket shall be made up of CRCA sheet 570 x 26 x 2 mm thick Confirming IS grade ISS13: 2008 with powder coated fi	
8	ISS13: 2008 with zinc coated finish. The frame shall be joined together by Aluminum connectors and all visible aluminum shall be powder coated. Main Frame shall be of 60mm thickness offering various functional and decorative finishes as well as cable management capacity. Height of frame available: 1200mm. Width of frame available: 1050mm, 1200mm.  Joints/ posts/ connectors/trims: - The Two frame shall be joined together in 90 degree by using post connector shall be made of CRCA sheet confirming to ISS13:2008. Connectors shall be fitted to A-Pole with the help of M6 x 16 pan-head machine screw and washer. The Corners shall be concealed by posts Covers, which shall be a half round Aluminum profiles made up of aluminum extrusion confirming IS733:1983. Posts cap shall be on upper side of post cove which are made of MAZAK die cast components. Height of post shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be covered with horizontal / vertical flat trims with round edges throughout the length, Curved trims on vertical and horizontal edges shall help to achieve smooth look, Trims shall be made of aluminum material Al6063-T6 with powder coated finish. All the frames shall be fitted with Aluminum top trims of material Al6063-T6. Understructure - Vertical support to the work top shall be achieved by gable ends made of 25mm thick Prelam (BSL) particle board confirming to IS 12823; 1990 with Zmm thick PVC lipping glued with Kliberit-779.6 glue. Gable ends shall be fitted to the ground with M6 levelers Gable ends shall be straight and curved types. Gable end connect with the frame by using gable end bracket. Gable end bracket shall be made up of CRCA sheet 570 x 26 x 2 mm thick PVC lipping glued with Kliberit-779.6 glue. Gable ends shall be fitted to the ground with M6 levelers Gable ends shall be straight and curved types. Gable end connect with the frame by using gable end bracket. Gable end bracket shall be made up of CRCA sheet 570 x 26 x 2 mm thick PVC lipping glued with Kl	Rates quoted
8	ISS13: 2008 with zinc coated finish. The frame shall be joined together by Aluminum connectors and all visible aluminum shall be powder coated. Main Frame shall be of 60mm thickness offering various functional and decorative finishes as well as cable management capacity. Height of frame available: 1200mm. Width of frame available: 1050mm, 1200mm. Joints/ posts/ connectors/frims: The Two frame shall be joined together in 90 degree by using post connector shall be made of CRCA sheet confirming to ISS13:2008. Connectors shall be fitted to A-Pole with the help of M6 x 16 pan-head machine screw and washer. The Corners shall be concealed by posts Covers, which shall be a half round Aluminum profiles made up of aluminum extrusion confirming IS733:1983. Posts cap shall be on upper side of post cove which are made of MAZAK die cast components. Height of post shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be fitted with Aluminum to profiles made up of aluminum with round edges throughout the length, Curved trims on vertical and horizontal edges shall help to achieve smooth look, Trims shall be made of aluminum material Al6063-T6 with powder coated finish. All the frames shall be fitted with Aluminum top trims of material Al6063-T6. Understructure - Vertical support to the work top shall be achieved by gable ends made of 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberi-T79.6 glue. Gable ends shall be fitted to the ground with M6 levelers Gable ends shall be straight and curved types. Gable ends shall be achieved with the frame by using gable ends shall be straight and curved types. Gable ends on connect with the frame by using gable end bracket. Sable end bracket shall be made up of CRCA sheet 570 x 26 x 2 mm thick confirming is grade ISS13: 2008 with powder coated finished in 50 to 60 micron Or C TYPE Gable LEG. Vertical member of leg 50X50X1.6mm thick and horizontal member of 40x40x1.6mm thick M.S. pipe confi	Rates quoted by agency Rates quoted by agency
8	ISS13: 2008 with zinc coated finish. The frame shall be joined together by Aluminum connectors and all visible aluminum shall be powder coated. Main Frame shall be of 60mm thickness offering various functional and decorative finishes as well as cable management capacity. Height of frame available: 1200mm. Width of frame available: 1050mm, 1200mm. Joints/ posts/ connectors/frims: The Two frame shall be joined together in 90 degree by using post connector shall be made of CRCA sheet confirming to ISS13:2008. Connectors shall be fitted to A-Pole with the help of M6 x 16 pan-head machine screw and washer. The Corners shall be concealed by posts Covers, which shall be a half round Aluminum profiles made up of aluminum extrusion confirming IS733:1983. Posts cap shall be on upper side of post cove which are made of MAZAK die cast components. Height of post shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be covered with horizontal / vertical flat trims with round edges throughout the length, Curved trims on vertical and horizontal edges shall help to achieve smooth look, Trims shall be made of aluminum material Al6063-T6 with powder coated finish. All the frames shall be fitted with Aluminum top trims of material Al6063-T6. Understructure - Vertical support to the work top shall be achieved by gable ends made of 25mm thick Prelam (BSL) particle board confirming to 15 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Gable ends shall be fitted to the ground with M6 levelers Gable ends shall be straight and curved types. Gable ends root connect with the frame by using gable end bracket. Gable end bracket shall be made up of CRCA sheet S70 x 26 x 2 mm thick confirming is Grade 4932 with powder coated finish up 50 to 60 Micron. Wire management: The modular system shall have raceways for electrical and data cables. Maximum wire management in all axes shall be achieved by flush mounted raceway cosigns and individually removable tiles. These raceways shall be	by agency Rates quoted
8	ISS13: 2008 with zinc coated finish. The frame shall be joined together by Aluminum connectors and all visible aluminum shall be powder coated. Main Frame shall be of 60mm thickness offring various functional and decorative finishes as well as cable management capacity. Height of frame available: 1200mm. Width of frame available: 1050mm, 1200mm.  Joints/ posts/ connectors/trims: - The Two frame shall be joined together in 90 degree by using post connector shall be made of CRCA sheet confirming to ISS13:2008. Connectors shall be fitted to A-Pole with the help of M6 x 16 pan-head machine screw and washer. The Corners shall be concealed by posts Covers, which shall be a half round Aluminum profiles made up of aluminum extrusion confirming IS733:1983. Posts cap shall be on upper side of post cove which are made of MAZAK die cast components. Height of post shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be covered with horizontal / vertical flat trims with round edges throughout the length, Curved trims on vertical and horizontal edges shall help to achieve smooth look, frims shall be made of aluminum material Al6063-T6 with powder coated finish. All the frames shall be fitted with Aluminum to trims of material Al6063-T6. Understructure - Vertical support to the work top shall be achieved by gable ends made of 25mm thick Prelam (BSL) particle board confirming to Is 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Gable ends shall be fitted to the ground with M6 levelers Gable ends shall be straight and curved types. Gable end connect with the frame by using gable end bracket. Gable end bracket shall be made up of CRCA sheet 570 x 26 x 2 mm thick confirming IS grade ISS13: 2008 with powder coated finish by 50 to 60 Micron. Wire management: The modular system shall be made of CRC sheet 570 x 26 x 2 mm thick confirming IS grade ISS13: 2008 with powder coated finish by 50 to 60 Micron. Wire management: The modular system shall be are received by flush	by agency Rates quoted
8	ISS13: 2008 with zinc coated finish. The frame shall be joined together by Aluminum connectors and all visible aluminum shall be powder coated. Main Frame shall be of 60mm thickness offering various functional and decorative finishes as well as cable management capacity. Height of frame available: 1200mm. Width of frame available: 1200mm. Joints/ posts/ connectors/frims: - The Two frame shall be joined together in 90 degree by using post connector shall be made of CRCA sheet confirming to ISS13:2008. Connectors shall be fitted to A-Pole with the help of M6 x 16 pan-head machine screw and washer. The Corners shall be concealed by posts Covers, which shall be a half round Aluminum profiles made up of aluminum extrusion confirming IS733:1983. Posts cap shall be on upper side of post cove which are made of MAZAK die cast components. Height of post shall be matched to the A-pole of frame which is 1200mm. The exposed sides of the frames shall be covered with horizontal / vertical flat trims with round edges throughout the length, Curved trims on vertical and horizontal edges shall help to achieve smooth look, Trims shall be made of aluminum material Al6603-T6 with powder coated finish. All the frames shall be fitted with Aluminum top trims of material Al6603-T6. Understructure - Vertical support to the work top shall be achieved by gable ends made of 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with Dmm thick PVC lipping glued with Kilberit-779.6 glue. Gable ends shall be fitted to the ground with M6 levelers Gable ends shall be straight and curved types. Gable end connect with the frame by using gable end bracket. Gable end bracket shall be made up of CRCA sheet 570 x 26 x 2 mm thick confirming IS grade ISS13: 2008 with powder coated finished in 50 to 60 micron Or. CTPC Eable LEG. Vertical member of leg 50X50X1.6mm thick and horizontal member of 40x40x1.6mm thick M.S. pipe confirming IS-Grade 4932 with powder coated finish up 50 to 60 micron Or. CTPC Eable LEG. Vertical member of leg 50X50X1.6	by agency Rates quoted

पान ३

मागर गुरुवार, दि. २६ सप्टेंबर २०२४ पान ४

हासाग	π	
	Work Top- Is made up of 37mm thick dual color edge in Sandwich of 25 thk Prelam particle board and 12 mm thk BSL Prelam particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Table top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load	Rates quoted by agency
	on weaker section. Understructure —Gable end is made up of 37mm thick dual color edge in Sandwich of 25 thk Prelam particle board and 12 mm thk BSL Prelam particle board confirming to IS 12823: 1990 in slate grey with 2mm & 0.45mm thick PVC lipping glued with Kliberit-779.6 glue. Sandwiching is done by using 10x12mm KD and 8x12mm Dowel. Gable end shall be fitted to the ground with M6x25 screw leveler with the height adjustment up to 12mm to 15mm.modesty is made up 18 mm thick Prelam particle board confirming to IS 12823: 1990 in slate grey with 2mm & 0.45mm thick PVC lipping glued with Kliberit-779.6 glue. Sandwiching is done at lower edge of	
	the modesty by adding 18 mm thick Prelam particle board confirming to IS 12823: 1990.WRAP Back storage assembly- Storage top - Top shall be made 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section. Storage body-Both the LH and RH side panel is made up of 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 0.45mm thick PVC lipping glued with Kliberit-779.6 glue. Back panel & Bottom is made up of	
	18mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm & 0.45 mm PVC lipping glued with Kliberit-779.6 glue. Back panel having height 715mm. Bottom support is also made up of 18mm thick Prelam particle board confirming to IS 12823: 1990. Bottom support is fixed with the bottom by M8x40 wooden dowel at the center of the bottom panel. side panel, back panel and bottom panel is fixed by using fittings such as Minifix & Dowels. At the storage base leveler bracket screwed to give more strength to the body. Leveler bracket is made up of	
	35x34x2mm thick CRCA sheet confirming to IS 513: 2008.M10x25mm leveler bolt is used in leveler bracket. Vertical panels 1 & 2 are made up of 18mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 0.45 mm PVC lipping glued with Kliberit-779.6 glue. Shutter-The complete storage shall have two shutters of 18mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue and are hinged shutter with equal width hung with 0 Crank on side panel and 9.5 crank hinges on middle	
10	vertical panel. Fingered groove type handle is used in all the shutters. Black color PVC door strip and multi-purpose square lock (Hettich or Ebco) is used.Return Storage- PRELAM CABIN TABLE 1350X600X750 AND SIDE STORAGE 900X450X750 AND BACK STORAGE	Rates quoted
	Work Top- Shall be made up of Work top shall be made 25mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Work top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section	Rates quoted by agency
33.5	Understructure- Modesty panel shall be made of 18mm thick Prelam BSL particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Gable ends shall be made of 25mm thick Prelam BSL particle board confirming to IS12823: 1990. The construction shall be aesthetically appealing completely knock down construction fitting is done by using the Minifix & Dowels. Gable end height will be 725mm and its depth varies as per the depth of work top. Standard depth of work top will be 600mm and 750mm.	Rates quoted
11	XLINE HIGH BACK CHAIR (FOR HOD )  High Back Dimension: Overall height - 1190 mm,overall width - 660 mm and Seat Height -540 mm  Back Height - 600 mm Seat Width - 485 mm. Headrest - 160 mm.	by agency Rates quoted by agency
	Head rest should be provided for high back. Head rest should be height adjustable. Back rest should be made up of mesh having 100% Polyester. Back rest shoud have adjustable lumbar support. Back design should have a X kind of support for better comfort. Back rest to be tested with 45 Kg, 120000 cycles @ 10-30 cycles / min  Seat should be made of HR Foam fitted on 12 mm ply with fabric upholstery and plastic cover and should have waterfall edge for ergonomic seating. Seat Depth adjustment should be provided. Seatrest should be tested with 55 kg on seat, 120000 cycles @ 10-30 cycles / min	
	Mechanism - Mechanism should be synchrony with 1:3 ratio. It should have Automatic weight sensing mechanism with seat slide. The return force of the backrest is adjusted automatically by the users body weight. It should have 4 point locking positions for backrest. It should be BIFMA Compliant and tested with 109 kg on seat for 3,00,000 Cycles.  Armrest - Armrest should be adjustable. 3D armrest with PU pad on top. It should be BIFMA compliant. Armrest should be tested with 41 kg on each arm, 60000 cycles	
	Gaslift - Gaslift should have minimum 100 mm stroke length and should be BIFMA Compliant and tested with 122kg on seat, for 60,000 cycles rotation @ 5-10 rotation / min.  Base - Base should be Aluminium die cast base and should be BIFMA compliant and tested for 1450 kg of load.  Castors- Castors should be twin wheel castors having 60 mm dia. It should be BIFMA Compliant and tested with 102 kg on seat for 1,00,000 Cycles.  Fabric - 100% Polyester. Fabric should be fire retardant and should have passed Cigarette Bud	
	test.  Foam - HR Foam and (*** FEW Supporting Specs as per our offering***).  Chair should be ANSI / BIFMA X5.1 Certified	
12	Supplier should be a BIFMA Member since past 7 years continuously.  XLINE VISITOR (FOR HOD)	Rates quoted by agency
	ELAN VISITOR - Overall Height - 950 mm  Seat Height - 470mm Seat Width - 520 mm. Back Height - 520 mm Back Width-500mm  Back rest should be made up of mesh having 100% Polyester. Back rest shoud have adjustable lumbar support. Back rest to be tested with 45 Kg, 120000 cycles @ 10-30 cycles / min  Seat should be made of HR Foam fitted on 12 mm ply with fabric upholstery and plastic cover and should have waterfall edge for ergonomic seating. Seat Depth adjustment should be provided. Seatrest should be tested with 55 kg on seat, 120000 cycles @ 10-30 cycles / min. Understructure made up of MS of Ø25.4 X 2mm thk Pipe powder coated with black color,	Rates quoted by agency
13	Armrest - fixed  FREE STANDING TABLE @1350LX600DX750HT WITH SIDE COMBO STORAGE  @900LX450DX750HT (FOR ASSISTANT PROFESSOR AND DEANS PA, STAFF ROOM, IHC ROOM	Rates quoted by agency
	AND PG CLNICAL ROOM, BOOK SECTION HOME ISSUE)  WORK TOP - Work top shall be made 25mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Table top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section.	Rates quoted by agency
	UNDERSRUCTURE C-type leg shall be made of vertical member 50X50X1.6mm thick and horizontal member of 40x40x1.6mm thick M.S. pipe confirming IS-Grade 4932 with powder coated finish up 50 to 60 Micron. Legs shall be fitted to the ground with M8 screw leveler with the height adjustment up to 12mm to 15mm.Cross member shall be made of 40mm X 40mm X 1.6mm LIP section with powder coated finish confirming to IS 4932. Cross members shall be mounted by end brackets. Cross member end bracket shall be made of 3mm thick IS MODESTY:- Modesty panel shall be made of 18mm thick Prelam BSL particle board confirming to	
ia 10	IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glueSupply, Fitting & Fixing of SOS Make  Prelam Storage Top- Shall be made of 25mm thick Prelam (OSL) particle board for low height  Prelam storage up to 750 Height and above 750mm height 18mm Thick prelam (OSI) particle board is used. Both the 25mm and 18mm thick Prelam (OSL) particle board confirming to IS  12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Storage top is under goes	
	from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section. Load carrying capacity of 18mm thick shelf shall be 25kgs UDL.  Storage Body- The construction shall be aesthetically appealing completely knock down construction .side panel and back panel is made from 18 mm Prelam (OSL) particle board	
	conforming to IS 12823:1990;. All the exposed edges are with 2mm PVC lipping& sealed edges are with 0.8mm thick PVC Lipping. Both the LH & RH side panel and back panel are connected with each other by using fittings such as Minifix & Dowels. Shelf can be made up of 18mm Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Shelf is mounted on shelf pin and self-height can be adjusted with in the limit. Prelam Shutter- The complete storage shall have two shutters of 18mm thick Prelam (OSL)	
920920	particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue and are hinged shutter with equal width hung with 0 Crank on side panel and 9.5 crank hinges on middle vertical panel. C type SS brush finish handle is used in both the shutter of 96mm CD(center to center distance handle hole)and Hettich make. Black color PVC door strip and multi-purpose square lock (Hettich or Ebco) is used.	Rates quoted
14	ONYX HIGH BACK (FOR ASSISTANT PROFESSOR)  High Back Dimension- Overall height - 1255 mm, Seat Height-565mm, Back Height- 640mm, Seat Width- 485mm, Headrest Height- 160mm Head rest should be provided for high back. Head	by agency Rates quoted by agency
	rest should be height adjustable.  Back rest should be made up of mesh having 100% Polyester. Back rest shoud have adjustable lumbar support. Back rest to be tested with 45 Kg, 120000 cycles @ 10-30 cycles / min Seat should be made of HR Foam fitted on 12 mm ply with fabric upholstery and plastic cover and should have waterfall edge for ergonomic seating. Seat Depth adjustment should be provided. Seatrest should be tested with 55 kg on seat, 120000 cycles @ 10-30 cycles / min Mechanism - Mechanism should be synchrony with 1:3 ratio. It should have Automatic weight sensing mechanism with seat slide. The return force of the backrest is adjusted automatically by	
	the users body weight. It should have 4 point locking positions for backrest. It should be BIFMA Compliant and tested with 109 kg on seat for 3,00,000 Cycles.  Armrest - Armrest should be adjustable. 3D armrest with PU pad on top. It should be BIFMA compliant. Armrest should be tested with 41 kg on each arm, 60000 cycles  Gaslift - Gaslift should have minimum 100 mm stroke length and should be BIFMA Compliant and tested with 122kg on seat, for 60,000 cycles rotation @ 5-10 rotation / min.  Base - Base should be Aluminium die cast base and should be BIFMA compliant and tested for	
	1450 kg of load.  Castors- Castors should be twin wheel castors having 60 mm dia. It should be BIFMA Compliant and tested with 102 kg on seat for 1,00,000 Cycles.  Fabric - 100% Polyester. Fabric should be fire retardant and should have passed Cigarette Bud test.	
	Foam - HR Foam and (*** FEW Supporting Specs as per our offering***). Chair should be ANSI / BIFMA X5.1 Certified Supplier should be a BIFMA Member since past 7 years continuously.	
15	UNI VISITOR CHAIR (FOR ASSISTANT PROFESSOR CABIN)  Chair Dimension-Overall Height-830mm	Rates quoted by agency Rates quoted
	Seat Size -495mm(W)X 495mm(D)  Backrest Size-385mm(H)X 480 mm (W)  Supplying and placing a visitor chair, Understructure is made up of Diameter 25.4 x 1.6 mm thk,  Diameter 22 x 2 mm thk and diameter 19 x 2 mm thk MS tube welded together. Powder Coating	by agency
	Diameter $22 \times 2$ mm thk and diameter $19 \times 2$ mm thk MS tube welded together. Powder Coating in Black Colour having DFT – 50 to 80 micron.	O H

	गुरुवार, दि. रद सञ्देश रागर	
	BACKREST: The frame of back rest made up of injection moulded in black PA +30 % GF and upholstered with mesh fabric make then assembled with outer frame SEAT: The seat is made up of 12mm thick (7 layers) hot pressed plywood and moulded seat foam upholstered with fabric. Seat Size 495 mm (W) X 495 mm (D). SEAT FOAM: Foam made out of moulded Polyurethane foam with the following properties:  • Density (IS-7888-1976): 50-55 Kg/m3.ARM REST: The arm rest made up of injection moulded from Black Polyurethane on metal - size 235mm (L) x 50mm (W). FOOT PAD: The foot pad is made up of injection moulded in polypropylene.	
16	FREE STANDING TABLE @1200LX600DX750HT WITH METAL PEDESTAL & PRELAM FASCIA (DEANS AREA ROOM,STAIRCASE AREA, PHOTOGRAPHY, PLASTER, STAFF, FORENSIC, CLINICAL	Rates quote by agency
	Work Top - Work top shall be made 25mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Table top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section.  Understructure- C-type leg shall be made of vertical member 50X50X1.6mm thick and horizontal member of 40x40x1.6mm thick M.S. pipe confirming IS-Grade 4932 with powder coated finish up 50 to 60 Micron. Legs shall be fitted to the ground with M8 screw leveler with the height adjustment up to 12mm to 15mm.Cross member shall be made of 40mm X 40mm X 1.6mm LIP section with powder coated finish confirming to IS 4932. Cross members shall be mounted by end brackets. Cross member end bracket shall be made of 3mm thick IS  MODESTY: Modesty panel shall be made of 18mm thick Prelam BSL particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glueSupply, Fitting & Fixing of SOS Make  METAL PEDESTAL WITH PRELAM FASCIA - Metal pedestal made of 0.8mm thick CRCA and using	Rates quote by agency
17	Hettich make lock. The castor height should be 55mm. Using PVC flush drawer pull.  VERO MID BACK CHAIR (DEANS AREA ROOM, STAIRCASE AREA, PHOTOGRAPHY, PLASTER, STAFF, FORENSIC, CLINICAL AND STAFF, DISCUSSION ROOM)	Rates quote
	Backrest : Mid back Upholstery : Backrest : Mesh (Black) Seat : Fabric (Black, Grey, Blue, Red), Armrest : Fixed PP, 1D PP Armrest  Mechanism : Synchro 1P  Gaslift : Class 4, 112mm Stroke	by agency Rates quote by agency
	Base : Nylon Dia 660mm Castor : Nylon, Dia 60mm	
18	RECEPTION TABLE (OFFICE AREA, ENTRANCE AND WAITING)	Rates quote
	Body-Top is made up 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Top is having over all dimension of 1800Wx400Dx25mm thick. Top is supported by the vertical panel side panels respectively called as LH and RH side Panel. LH and RH side panel is made up Top is made up 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Side panes having a height of 1115mm. Modesty and middle panel is made 18mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 0.45 mm thick PVC lipping glued with Kliberit-779.6 glue. Modesty having over all dimension of 1750Wx1115Dx18mm thick. Middle panel having dimension of 1115Wx332Dx18mm. Decorative panel is made up of 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick and 0.8mm PVC lipping glued with Kliberit-779.6 glue. Decorative panel having dimension 1140Wx500Dx25mm thick and having a radius of R72mm. Decorative panel is supported by vertical and horizontal baten made up of 18mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 0.45 mm thick PVC lipping glued with Kliberit-779.6 glue. Vertical baten is of 965Wx50Dx18mm thick & horizontal Baten Is of 325Wx50Dx18mm thick. Open shelf made up of 18mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 0.45 mm thick PVC lipping glued with Kliberit-779.6 glue. Having a dimension of 520Wx302D. construction is aesthetically appealing completely knock down construction. All the panels panel are connected with each other by using fittings such as Minifix & Dowels.  Storage –Shutters are mounted on middle panel and side panel. Shutters is made up of 18mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue and are hinged shutter with equal width hung with 0 Crank on side panel and middle. C type SS brush finish handle is used in both the shutter	Rates quoted by agency
19	MERIT CONFERENCE TABLE @4800LX1500DX750HT (DEANS CONFERENCE TABLE)	by agency
	Top: -54mm thick dual color edge in batten structure with melamine finish. Gable panel: -54mm thick dual color edge with melamine finish. Modesty: -18mm thick in melamine finish. Access flap: - Aluminum anodized 393(L) X 150(D) Cable tray: -0.8 mm thick CRCA powder coated.	Rates quoted by agency
20	GLIDE CONFERENCE ROOM CHAIR (BESIDES DEAN CABIN )	Rates quote by agency
	to1060mmSeat Rest Dimensions -490 mm (W) X 505 mm (D). Back Rest Dimensions - 450mm(W)X 500mm(H)The frame of back rest made up of injection moulded in black PA +30 % GF and upholstered with mesh fabric make then assembled with outer frame. Back rest to be tested with 45 Kg, 120000 cycles @ 10-30 cycles / minSeat should be made of HR Foam fitted on 12 mm ply with fabric upholstery and plastic cover and should have waterfall edge for ergonomic seating. Seatrest should be tested with 55 kg on seat, 120000 cycles @ 10-30 cycles / minMechanism -SMART CENTERTILT MECHANISM: Conventional mechanism with one lever control for lock and seat height adjustment. Mechanism made out of MS Plate thickness is 3mm and seat is tilting angle is 3°~10°. Also it has the back tension adjustment knob. It should be BIFMA Compliant and tested with 109 kg on seat for 3,00,000 Cycles.Armrest -FIXED INTEGRATED ARM: The arm rest made up of injection moulded from black polypropylene. Arm rest size 300mm (L) x 50mm (W), armrest should be tested with 41 kg on each arm, 60000 cyclesGaslift - Gaslift should have minimum 100 mm stroke length and should be BIFMA Compliant and tested with 122kg on seat, for 60,000 cycles rotation @ 5-10 rotation / min.Base - Base should be Nylon and should be BIFMA compliant and tested for 1150 kg of load.Castors- Castors should be twin wheel castors having 60 mm dia. It should be BIFMA Compliant and tested with 102 kg on seat for 1,00,000 Cycles.Fabric - 100% Polyester. Fabric should be fire retardant and should have passed Cigarette Bud test. Foam - HR Foam and (*** FEW Supporting Specs as per our offering***).Supplier should be a BIFMA Member since past 7 years continuously.	by agency
21	LINEO CONFERENCE TABLE (STAFF ROOM)	Rates quoted by agency
	Work Top - Work top shall be made 25mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Table top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section  Understructure -SPLAYED LEG constructed of 40X40X1.6 mm M.S. pipe confirming IS-Grade 4932 with powder coated finish up 50 to 60 Micron. Legs shall be fitted to the ground with M8 screw leveler with the height adjustment up to 12mm to 15mm.Cross member shall be made of 40mm X 40mm X 1.6mm MS LIP Section with powder coated finish confirming to IS 4932. Cross members shall be mounted by end brackets. Cross member end bracket shall be made of 3mm thick IS 513: 2008 CRCA sheet with powder coated finish up 50 to 60 Micron.  Wire management – Electrical wires shall be carried from 100x100mm vertical duct or Snake (Vertigo), vertical duct shall be made of 0.7mm CRCA sheet confirming to IS 513:2008. Horizontally wire shall float in switch mounted box 400LX174DX125H shall be made of 0.7mm CRCA sheet confirming to IS 513:2008. Switch plate is provided on Switch Mounting Box or cable tray for mounting electrical standard switch plate. Switch Plate shall be made up of 1.5mm CRCA sheet confirming to IS 513:2008 and switch plate can be screwed on switch mounting box or cable tray by using 8x15 mm Pan Head ST Screw. Access flap will be fitted on work top above to the switch mounting box or cable tray. Access flap and its components shall be made of aluminum extrusions of material AL6963-T6. The product must be from a Manufacturer having ISO 9001,ISO 14001,Latest BIFMA 5.1 certificates for few of its products.	Rates quoted by agency
22	MAGIK CONFERENCE TABLE @2400LX1200DX750HT (HISTOPATH LAB, SIMENAR, LIBRARY, SEMINAR/EXAM)	Rates quoted by agency
	TABLETOP - It is made of 25 mm thick Prelaminated particle board with machine pressed REVERSE CHAMFERED EDGE  UNDERSTRUCTURE - Aluminium designer die casted leg with leveller in powdercoating with the thickness of 50-60 μ. Position of Legs is Inclined by 45 deg and neccessorry horizontal members are provide for stability .  WIRE MANAGEMENT - The Vertical (snake) & Horizontal(cable tray) wire carriers are placed below worktop, made up of CRCA with Powder Coating & Fixed to the understructure with specially designed brackets. Provision of placing switch plates in the cable tray which is easily accessible through a Access Flap (450L) .	Rates quote by agency
23	CONFERENCE TABLE @1800LX900DX750HT (STAFF READING SECTION AND DISCUSSION)  Work Top - Work top shall be made 25mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Table top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section  Understructure -SPLAYED LEG constructed of 40X40X1.6 mm M.S. pipe confirming IS-Grade 4932 with powder coated finish up 50 to 60 Micron. Legs shall be fitted to the ground with M8 screw leveler with the height adjustment up to 12mm to 15mm.Cross member shall be made of 40mm X 40mm X 1.6mm MS LIP Section with powder coated finish confirming to IS 4932. Cross members shall be mounted by end brackets. Cross member end bracket shall be made of 3mm thick IS 513: 2008 CRCA sheet with powder coated finish up 50 to 60 Micron.  Wire management – Electrical wires shall be carried from 100x100mm vertical duct or Snake	Rates quote by agency Rates quote by agency

20	SDADK G SEMINAD (MEETING DOOM CHAID)	Rates quoted
24	SPARK- G SEMINAR (MEETING ROOM CHAIR )  BACKREST: The frame of back rest made up of injection moulded in black PP with 20 % GF and	by agency Rates quoted
	upholstered with mesh fabric make then assembled with outer frame. The back has lumber support for achieving comfortable seating posture.	by agency
	SEAT:The seat is made up of 12mm thick (7 layers) hot pressed plywood and moulded seat foam	
	upholstered with fabric. Seat Size 495 mm (W) X 495 mm (D). SEAT FOAM: Foam made out of moulded Polyurethane foam with the following properties:	
	Density (IS-7888-1976): 50-55 Kg/m3., Hardness: 28+/-3 Kgf. Compression set (IS-7888-1976): 10% Max. Tensile strength (IS-7888-1976): 0.9-1.2 Kg/cm2, Tear strength (Min) (IS-8067): 0.6	
	Kg/cm(min), Resilience (IS-7888-1976): 40% - 60% and Elongation (IS-7888-1976): 110 % ARM REST: ADJUSTABLE ARM: The arm rest made up of injection moulded from black	
	polypropylene. Arm pad size 250mm (L) x 95mm (W).  1D arm rest with height adjustable up to 65mm.MECHANISM: SINGLE POINT SYNCHRO	
	MECHANISM: Conventional mechanism with one lever control for lock and seat height	
	adjustment. Mechanism made out of MS Plate thickness is 3mm. Also it has the back tension adjustment knob. BASE: NYLON BASE: The base made up of injection moulded in black Nylon-6	
	(GF black 30%) and fitted with 5 Nos twin wheel castors. The base is 640mm pitch circle diameter. CASTERS: NYLON CASTORS: The twin wheel castors are injection moulded in Nylon-6	
	and diameter of Castor 55 mm. SEAT FABRIC PROPERTIES: Content: 100% Polyester	
	Weight: 170 GSM Abrasion Resistance: Over 30000 cycle.	
	Bursting Strength:19.1 kg/cm <sup>2</sup> .	
	Tear Strength (NF): Wrap - 30.58; Weft - 29.97. Breaking Strength (NF): Wrap - 375; Weft - 479.	
	Elongation - Wrap - 36.60; Weft - 75.90. Colour Fastness to Light: Adheres to Grade 5 [BS 1006 : 1990]	
	Colour Fastness to Rubbing; Adheres to Dry: Grade 5 [ISO 105*12] Adheres to Wet: Grade 3-4 [ISO 105*12]	
	BACK MESH PROPERTIES:Content: 100% Polyester Weight: 268 GSM	
	Abrasion resistance (End Point Thread Break): 73000 cycle Tear Strength (NF): Wrap – 97.64; Weft – 61.81.	
	Breaking Strength (NF): Wrap – 916.92 ; Weft – 765.90.	
	Elongation %: Wrap – 67.30 ; Weft – 39.55. Colour Fastness to Light: Adheres to Grade 5 [BS 1006 : 1990]	
	Colour Fastness to Rubbing; Adheres to Dry: Grade- 4 [ISO 105*12] Adheres to Wet: Grade -4 [ISO 105*12]	
25	SHIKSHA (CLASSROOM)	Rates quoted by agency
	Material Specification : Shiksha, Lecture Hall Seating	Rates quoted by agency
	Desk top, Shelf: Made up of 18mm THK Post laminated HDHMR Board.	≥y agency
	Modesty & Seat : Made up of 12mm THK Molded ply Metal Understructure : Vertical leg are made up of 8mm & 6mm thk MS Plate and the frame	
26	finished with powder coat up to 50 -60 MICRON.  CAFÉ TABLE @1800LX900DX750HT (COMMON DINING AREA)	Rates quoted
-0	CAFE TABLE @1800LX900DX750HT (COMMON DINING AREA)  Café Top –Is made up of Work top shall be made TOP 18MM THK HDHMR POSTLAM PB WITH	by agency Rates quoted
	STR EDGE BAND with Kliberit-779.6 glue. Table top is under goes from distributed load test for	by agency
	deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section.	
	Understructure-Café table leg base is made up of laser cut 1.6mm SS sheet confirming IS grade 202 in mirror finish. On both the end 28mm dia MS solid bar is welded and M10 Taping is done of	
	M10 leveler. Legs are fitted to the ground with M10 screw leveler with the height adjustment up to 12mm to 15mm. leg vertical member is made up of 50mm dia x 1.6mm SS sheet confirming IS	
	grade 202 in mirror finish and having a 635mm height. Legs are re supported with 2 Nos. horizontal cross member and Top supporting frame is made up of 25X25X1.6 thick SS pipe	
	confirming grade 202 in mirror finish. Construction is full welded with MIG welding confirming to	
27	IS standard IS 816:1969 and it is welding also tested by confirming to IS 816:1970.  MITO (COMMON DINING AREA)	Rates quoted
F-60	Shell : Moulded plastic (PP)	by agency Rates quoted
	Colour : Yellow / Orange / Red	by agency
28.1	OPENABLE STORAGE @600LX400DX750HT (DEANS PA BACK STORAGE)	Rates quoted
28.2	OPENABLE STORAGE @750LX400DX750HT (CO-CR LAB)	by agency Rates quoted
28.3	OPENABLE STORAGE @900LX400DX750HT (PLASMA ROOM, AP REAR STORAGE, CERAMIC, CO-	by agency Rates quoted
	CR LAB, GRANITE PLATFORM)	by agency Rates quoted
28.4	OPENABLE STORAGE @1050LX400DX750HT (HOD ROOM)	by agency Rates quoted
28.5	OPENABLE STORAGE @1200LX400DX750HT (CAD CAM AND CO-CR ROOM)	by agency
	Storage Top- Shall be made of 25mm thick Prelam (OSL) particle board for low height Prelam storage up to 750 Height and above 750mm height 18mm Thick prelam (OSI) particle board is	Rates quoted by agency
	used. Both the 25mm and 18mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Storage top is under goes from	
	distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section. Load carrying capacity of 18mm thick shelf shall be	
	25kgs UDL. Storage Body- The construction shall be aesthetically appealing completely knock down	
	construction .side panel and back panel is made from 18 mm Prelam (OSL) particle board conforming to IS 12823:1990;. All the exposed edges are with 2mm PVC lipping& sealed edges	
	are with 0.8mm thick PVC Lipping. Both the LH & RH side panel and back panel are connected	
	with each other by using fittings such as Minifix & Dowels. Shelf can be made up of 18mm Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-	
	779.6 glue. Shelf is mounted on shelf pin and self-height can be adjusted with in the limit.  Prelam Shutter- The complete storage shall have two shutters of 18mm thick Prelam (OSL)	
	particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue and are hinged shutter with equal width hung with 0 Crank on side panel and 9.5 crank	
	hinges on middle vertical panel. C type SS brush finish handle is used in both the shutter of 96mm CD(center to center distance handle hole)and Hettich make. Black color PVC door strip	
	and multi-purpose square lock (Hettich or Ebco) is used.	D. A.
29	COMBO STORAGE @900LX450DX750HT( MEETING ROOM AND SPORTS DENTISTRY)	Rates quoted by agency
	Storage Top- Shall be made of 25mm thick Prelam (OSL) particle board for low height Prelam storage up to 750 Height and above 750mm height 18mm Thick prelam (OSI) particle board is	Rates quoted by agency
	used. Both the 25mm and 18mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Storage top is under goes from	
	distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section. Load carrying capacity of 18mm thick shelf shall be	
	25kgs UDL.	
	Storage Body- The construction shall be aesthetically appealing completely knock down construction side panel and back panel is made from 18 mm Prelam (OSL) particle board	
	conforming to IS 12823:1990;. All the exposed edges are with 2mm PVC lipping& sealed edges are with 0.8mm thick PVC Lipping. Both the LH & RH side panel and back panel are connected	
	with each other by using fittings such as Minifix & Dowels. Shelf can be made up of 18mm Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-	
	779.6 glue.  OVERHEAD STORAGE @750LX400X600HT ( CO-CR, CERAMIC LAB, STERLIZATION, GRANITE	Rates quoted
30	PLATFORM )	by agency
31	OVERHEAD STORAGE @900LX400X600HT (SPORTS DENTISTRY AND DEANS ROOM, CO-CR, CERAMIC LAB, GRANITE PLATFORM, PLASTER ROOM)	Rates quoted by agency
32	OVERHEAD STORAGE @900LX400X600HT (CAD CAM AND CO-CR ROOM)	Rates quoted by agency
	Storage Top- Shall be made of 25mm thick Prelam (OSL) particle board for low height Prelam storage up to 750 Height and above 750mm height 18mm Thick prelam (OSI) particle board is	Rates quoted by agency
	used. Both the 25mm and 18mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Storage top is under goes from	60 102K 18
	distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 9.08kg load on weaker section. Load carrying capacity of 18mm thick shelf shall be	
	25kgs UDL.Storage Body- The construction shall be aesthetically appealing completely knock	
	down construction .side panel and back panel is made from 18 mm Prelam (OSL) particle board conforming to IS 12823:1990;. All the exposed edges are with 2mm PVC lipping& sealed edges	
	are with 0.8mm thick PVC Lipping. Both the LH & RH side panel and back panel are connected with each other by using fittings such as Minifix & Dowels. Shelf can be made up of 18mm Prelam	
	(BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Shelf is mounted on shelf pin and self-height can be adjusted with in the limit.	
	Prelam Shutter- The complete storage shall have two shutters of 18mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6	
	glue and are hinged shutter with equal width hung with 0 Crank on side panel and 9.5 crank	
	hinges on middle vertical panel. C type SS brush finish handle is used in both the shutter of 96mm CD(center to center distance handle hole)and Hettich make. Black color PVC door strip	
	and multi-purpose square lock (Hettich or Ebco) is used.	Rates quoted
	8	GATTER THE STATE OF THE STATE O
SUBJECT STATES	METAL STORAGE 600X450X1980 (OFFICE AREA AND PLASMA ROOM )	by agency Rates quoted
200000 800000	8	Rates quoted by agency
3.2	METAL STORAGE 600X450X1980 (OFFICE AREA AND PLASMA ROOM )	Rates quoted by agency
33.1 33.2 33.3	METAL STORAGE 600X450X1980 (OFFICE AREA AND PLASMA ROOM )  METAL STORAGE 750X450X1980 (OFFICE AREA, AP AND MEETING ROOM)  METAL STORAGE 900X450X1980 (AP ROOM)  Storage body- The construction and material of storage body shall be of 0.8mm thick CRCA and	Rates quoted by agency Rates quoted by agency Rates quoted
3.2	METAL STORAGE 600X450X1980 (OFFICE AREA AND PLASMA ROOM )  METAL STORAGE 750X450X1980 (OFFICE AREA, AP AND MEETING ROOM)  METAL STORAGE 900X450X1980 (AP ROOM)  Storage body- The construction and material of storage body shall be of 0.8mm thick CRCA and skirting shall be of 1.2mm thick CRCA sheet confirming to IS 513: 2008 with powder coated finish up to 50 to 60 Micron. The storage top shall be made up of 2mm thick CRCA sheet with 0.7 mm	Rates quoted by agency Rates quoted by agency
3.2	METAL STORAGE 600X450X1980 (OFFICE AREA AND PLASMA ROOM )  METAL STORAGE 750X450X1980 (OFFICE AREA, AP AND MEETING ROOM)  METAL STORAGE 900X450X1980 (AP ROOM)  Storage body- The construction and material of storage body shall be of 0.8mm thick CRCA and skirting shall be of 1.2mm thick CRCA sheet confirming to IS 513: 2008 with powder coated finish up to 50 to 60 Micron. The storage top shall be made up of 2mm thick CRCA sheet with 0.7 mm thick CRCA sheet T-HAT for extra support. Shelf shall be made up of 0.8mm CRCA sheet confirming to IS 513: 2008 with 0.8mm Thick CRCA sheet T-HAT is given for extra support. Shelf	Rates quoted by agency Rates quoted by agency Rates quoted
3.2	METAL STORAGE 600X450X1980 (OFFICE AREA AND PLASMA ROOM )  METAL STORAGE 750X450X1980 (OFFICE AREA, AP AND MEETING ROOM)  METAL STORAGE 900X450X1980 (AP ROOM)  Storage body- The construction and material of storage body shall be of 0.8mm thick CRCA and skirting shall be of 1.2mm thick CRCA sheet confirming to IS 513: 2008 with powder coated finish up to 50 to 60 Micron. The storage top shall be made up of 2mm thick CRCA sheet with 0.7 mm thick CRCA sheet T-HAT for extra support. Shelf shall be made up of 0.8mm CRCA sheet	Rates quoted by agency Rates quoted by agency Rates quoted
3.2	METAL STORAGE 600X450X1980 (OFFICE AREA AND PLASMA ROOM )  METAL STORAGE 750X450X1980 (OFFICE AREA, AP AND MEETING ROOM)  METAL STORAGE 900X450X1980 (AP ROOM)  Storage body- The construction and material of storage body shall be of 0.8mm thick CRCA and skirting shall be of 1.2mm thick CRCA sheet confirming to IS 513: 2008 with powder coated finish up to 50 to 60 Micron. The storage top shall be made up of 2mm thick CRCA sheet with 0.7 mm thick CRCA sheet T-HAT for extra support. Shelf shall be made up of 0.8mm CRCA sheet confirming to IS 513: 2008 with 0.8mm Thick CRCA sheet T-HAT is given for extra support. Shelf shall be mounted with the Metal shelf support pin made of 2mm thick CRCA sheet with Nickel or	Rates quoted by agency Rates quoted by agency Rates quoted

	to screw hinges on shutter. Shutter is hinged shutter with equal width hung with 0 Crank on side panel. Multipurpose square lock is used to lock the shutter. PVC flush handles are used in metal shutter.	
34	METAL LOCKER UNIT 6 SHUTTER WITH LEVELLER 380X380X1840M (PASSAGE SIDE, BOYS AND GIRLS CHANGING ROOM)  Body-LH and RH Side and back panel is made up of 0.8mm thick CRCA sheet confirming to IS 513:2008 which is having standard dimension 1831 x380mm. Shelf hanging bracket is welded on both the side panel by spot welding. Shelf hanging bracket is made up of 0.8mm thick CRCA sheet confirming to IS 513:2008. front frame top and bottom part made up 0.8mm thick CRCA sheet confirming to IS 513:2008 and horizontal part is made up 1mm thick CRCA sheet confirming to IS 513:2008. On a front frame horizontally provision is given at a common distance to hold shutter bracket. Locker's top is made up of 0.8mm thick CRCA sheet confirming IS 513:2008 which is having standard dimension 375 x378mm. Shelf is also made up of 0.8 mm	Rates quoted by agency Rates quoted by agency
	CRCA sheet confirming to IS 513:2008.  Shutter- Is made up on 0.7mm thick CRCA sheet confirming to IS 513:2008. All the shutter are hung on shutter pin and shutter bracket, louvers are given shutter for air flow. PVC flush handle and name plate is used for handling and for name plate tagging. Standard PAD/CAM lock is used for locking each shutter. The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Oxsilan pre-treatment consisting of Hot water degreasing, cold water rinse I & cold water rinse II, iron phosphating, cold water rinse, passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (+\-5) microns. The material is then oven baked with a controlled temperature of 180 deg.C to 200 deg.C. Lockers-	
35	The product must be from a Manufacturer having ISO 9001,ISO 14001,Latest BIFMA 5.1 certificates for few of its products.  METAL STORAGE WITH GLASS SHUTTER (REFERENCE BOOK AREA)	Rates quoted
35	Storage body- The construction and material of storage body shall be of 0.8mm thick CRCA and skirting shall be of 1.2mm thick CRCA sheet confirming to IS 513: 2008 with powder coated finish up to 50 to 60 Micron. The storage top shall be made up of 2mm thick CRCA sheet with 0.7 mm thick CRCA sheet T-HAT for extra support. Shelf shall be made up of 0.8mm CRCA sheet confirming to IS 513: 2008 with 0.8mm Thick CRCA sheet T-HAT is given for extra support. Shelf shall be mounted with the Metal shelf support pin made of 2mm thick CRCA sheet with Nickel or Chrome plating. Load bearing capacity of the shelf shall be 30Kgs UDL. The construction shall be aesthetically appealing completely welded. M10 screw leveler is given with height adjustment up to 12mm to 15mmGlass shutter- Glass shutter can be offered with 4mm toughened clear glass which is surrounded with 1mm thick Aluminum Extrusion frame confirming the IS 733:1983.Shutter is hinged shutter with equal width hung with 0 Crank side panels. Multipurpose square lock is used to lock the shutter. SS C type SS brush finish handle is used in both the shutter	by agency Rates quoted by agency
36	of 96mm CD (center to center distance of handle hole  SLOTTED ANGLE RACK (STORE AND CORRIDOR)	Rates quoted by agency
	Supply and installation of slotted angle rack- Slotted angle- Slotted angle is made up 2mm thick CRCA sheet confirming the IS grade IS 513:2008 coated with final finish consisting of epoxy polyester powder coat of approved color & shade with a Dry Film Thickness of minimum 50 to 60 microns. Angle length is equivalent to the height of the storage which is approx. 2100mm or 1830mmShelf-Is made up of 0.8mm CRCA sheet confirming the IS grade IS. 513:2008. All the four edge is having a bend of 25mm. Shelf is supported by T-Hat in the middle portion. T-hat is made up of 0.8mm CRCA sheet confirming the IS Grade IS 513:2008. Each shelf is having loading carrying capacity of 18kg UDL and total load carrying capacity of unit is 50kg UDL. Finish- The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Oxsilan pre-treatment consisting of Hot water degreasing, cold water rinse I & cold water rinse II, iron phosphate, cold water rinse, and passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (+\- 5) microns. The material is then oven baked with a controlled temperature of 180 deg.C to 200 deg.C.Fasteners:- Assembly is done with the help	Rates quoted by agency
37	of M8 NUT nuts & HEX BOLT M8 X 16.  BOOK RACK (REFERENCE BOOKS)  Made of 18 MM thick E2 Board with Natural Wood Grain Finish. which makes Durable and it comes in Classic walnut colour. Unique style - Unique shape, like a tree extension, to stand alone, no longer need to rely on the wall, a unique color Spacious and compact - Despite large storage space, the wooden shelf takes up little space - Fits also in narrow corridors and small rooms - You can put it in any place or as awall mounted shelves. , it does not occupy the place, and you can move it easy, and you can follow your preferences adjust your position. The top is made up of 25mm thick ISI marked Commercial plywood (Moisture Resistant grade plywood) veneer with PU finish having scratch resistance of 2H & under structure is made up of 18mm thick ISI marked Commercial plywood (Moisture Resistant grade plywood) veneer with PU finish having scratch resistance of 2H, all exposed edges sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 2000 C with hot melt glue on special. The back unit below storage shall be provided with wooden shutters & the upper left & right side of the back unit shall also be provided with wooden shutters. The middle 3 door shutters should be of glass of minimum 5mm thick for display purpose. The Back unit with proper locking arrangement, All Hardware Make ( Handles, Slides , Hinges ) Hettich/Ebco.	Rates quoted by agency Rates quoted by agency
38	TILE BASED PARTITION @1200HT (SPORTS DENTISTRY, ORAL INPLANTOLOGY, ASTHETIC DENTISTRY, MAXILLO FACIAL CLINIC, CLINICAL, IHC ROOM, FORENSIC, MANNEQUINES PRECILINICAL LAB, CENTRE REASERCH LAB)	Rates quoted by agency
	TILE BASED PARTITION SYSTEM:- The partition Main 60 mm thick and 1200mmht with Upper Tile in Pinup/Lam Marker /per WS 1 Nos & rest in Plain Fabric. Lower Tile in Laminated finish on both sides. All trims in anodized / Powder Coated finish. Partition system have adequate raceway at single / Double level for	Rates quoted by agency
39.1	running data & power cables. (Above TT Raceway Considered )  2BAY COMPACTOR SINGLE MOVABLE	Rates quoted by agency
39.2	2BAY COMPACTOR SINGLE FIXED  2BAY COMPACTOR DOUBLE FACE MOVABLE	Rates quoted by agency Rates quoted
39.3 39.4	RAIL	by agency Rates quoted
		by agency
	Main Body: Rigid Knock Down construction made out of 0.8mm thk. CRCA Steel conforming to IS: 513 Grade. Each body block (SFF/SFM/DFM) building consists of 1 Main unit & then Add-on units (0, 1, 2, 3, 4 - depending on no. of bays 1, 2, 3, 4 & 5). Each unit has 5 loading levels formed by 4 nos. adjustable shelves. Body units are bolted to undercarriage.  Compactor Height from ground is 2115 mm (1980 body + 100 under-structure + 35 channel system).  SFF- SINGLE FACE FIX UNIT  SFM- SINGLE FACE MOBILE UNIT  DFM- DOUBLE FACE MOBILE UNIT  Finish- The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Oxsilan pre-treatment consisting of Hot water degreasing, cold water rinse ! & cold water rinse !I, iron phosphating, cold water rinse, passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (+\- 5) microns. The material is	by agency Rates quoted by agency
	513 Grade. Each body block (SFF/SFM/DFM) building consists of 1 Main unit & then Add-on units (0, 1, 2, 3, 4 - depending on no. of bays 1, 2, 3, 4 & 5). Each unit has 5 loading levels formed by 4 nos. adjustable shelves. Body units are bolted to undercarriage.  Compactor Height from ground is 2115 mm (1980 body + 100 under-structure + 35 channel system).  SFF- SINGLE FACE FIX UNIT  SFM- SINGLE FACE MOBILE UNIT  DFM- DOUBLE FACE MOBILE UNIT  Finish- The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Oxsilan pre-treatment consisting of Hot water degreasing, cold water rinse I & cold water rinse II, iron phosphating, cold water rinse, passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (+\-5) microns. The material is then oven baked with a controlled temperature of 180 deg.C to 200 deg.C.  Shelf-It is made of 0.8 thk CRCA steel conforming to IS: 513 Grade or DD. Shelves are having 10 bends & its max load bearing capacity is 70-80 Kg uniformly distributed per shelf for drive Type of Configuration. Shelves are mounted on support brackets & shelf level can be adjusted at approx. 25.4 pitches. There are 4 adjustable shelves per body giving 5 loading levels, if no Cradle pair is provided.  Shelf Depth for various options  1. Unit Depth(mm)381- Shelf Depth352mm  2. Unit Depth(mm)457- Shelf Depth352mm  Box Files (our Box file size is 275 mm Wide x 345 mm High x 90 mm Thick) can be accommodated in both 381mm and 457mm deep units. Total 8 file can accommodate in one shelf  Under framing carrier: The Under framing carrier is a welded frame made of HR sheet 2 & 3.25 mm thk conforming to IS: 1079 suitably fabricated to take the loads based on configuration Sizes of under framing carrier - Single face fix / Last - 915 x (no. of bays) (Width) X 457 / 381 (Depth) X 100 (Height)	Rates quoted
	513 Grade. Each body block (SFF/SFM/DFM) building consists of 1 Main unit & then Add-on units (0, 1, 2, 3, 4 - depending on no. of bays 1, 2, 3, 4 & 5). Each unit has 5 loading levels formed by 4 nos. adjustable shelves. Body units are bolted to under-carriage.  Compactor Height from ground is 2115 mm (1980 body + 100 under-structure + 35 channel system).  SFF- SINGLE FACE FIX UNIT  SFM- SINGLE FACE MOBILE UNIT  DFM- DOUBLE FACE MOBILE UNIT  DFM- DOUBLE FACE MOBILE UNIT  Thish- The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Oxsilan pre-treatment consisting of Hot water degreasing, cold water rinse I & cold water rinse II, iron phosphating, cold water rinse, passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (+\-5) microns. The material is then oven baked with a controlled temperature of 180 deg.C to 200 deg.C.  Shelf-It is made of 0.8 thk CRCA steel conforming to IS: 513 Grade or DD. Shelves are having 10 bends & its max load bearing capacity is 70-80 Kg uniformly distributed per shelf for drive Type of Configuration. Shelves are mounted on support brackets & shelf level can be adjusted at approx. 25.4 pitches. There are 4 adjustable shelves per body giving 5 loading levels, if no Cradle pair is provided.  Shelf Depth for various options  1. Unit Depth(mm)381- Shelf Depth352mm  2. Unit Depth(mm)381- Shelf Depth428mm  Box Files (our Box file size is 275 mm Wide x 345 mm High x 90 mm Thick) can be accommodated in both 381mm and 457mm deep units. Total 8 file can accommodate in one shelf  Under framing carrier: The Under framing carrier is a welded frame made of HR sheet 2 & 3.25 mm thk conforming to IS: 1079 suitably fabricated to take the loads based on configuration Sizes of under framing carrier - Single face fix / Last - 915 x (no. of bays) (Width) X 457 / 381 (Depth) X 100 (Height)  Finish: The undercarriage, after pre	Rates quoted
	513 Grade. Each body block (SFF/SFM/DFM) building consists of 1 Main unit & then Add-on units (0, 1, 2, 3, 4 - depending on no. of bays 1, 2, 3, 4 & 5). Each unit has 5 loading levels formed by 4 nos. adjustable shelves. Body units are bolted to undercarriage.  Compactor Height from ground is 2115 mm (1980 body + 100 under-structure + 35 channel system).  SFF- SINGLE FACE FIX UNIT  SFM- SINGLE FACE MOBILE UNIT  DFM- DOUBLE FACE MOBILE UNIT  Finish- The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Ossilan pre-treatment consisting of Hot water degreasing, cold water rinse I & cold water rinse II, iron phosphating, cold water rinse, passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (4+-5) microns. The material is then oven baked with a controlled temperature of 180 deg. C to 200 deg. C.  Shelf-It is made of 0.8 thk CRCA steel conforming to IS: 513 Grade or DD. Shelves are having 10 bends & its max load bearing capacity is 70-80 Kg uniformly distributed per shelf for drive Type of Configuration. Shelves are mounted on support brackets & shelf level can be adjusted at approx. 25.4 pitches. There are 4 adjustable shelves per body giving 5 loading levels, if no Cradle pair is provided.  Shelf Depth for various options  1. Unit Depth(mm)331- Shelf Depth428mm  Box Files (our Box File size is 275 mm Wide x 345 mm High x 90 mm Thick) can be accommodated in both 381mm and 457mm deep units. Total 8 file can accommodate in one shelf.  Under framing carrier: The Under framing carrier is a welded frame made of HR sheet 2 & 3.25 mm thk conforming to 15: 1079 suitably fabricated to take the loads based on configuration Sizes of under framing carrier - Single face fix / Last - 915 x (no. of bays) (Width) X 457 / 381 (Depth) X 100 (Height)  Finish: The undercarriage, after pre-treatment, is coated with final finish consisting of epoxy polyester	Rates quoted
	513 Grade. Each body block (SFF/SFM/DFM) building consists of 1 Main unit & then Add-on units (0, 1, 2, 3, 4 & 5). Each unit has 5 loading levels formed by 4 nos. adjustable shelves. Body units are bolted to undercarriage.  Compactor Height from ground is 2115 mm (1980 body + 100 under-structure + 35 channel system).  SFF-SINGLE FACE FIX UNIT  SFF-SINGLE FACE MOBILE UNIT  DFM-DOUBLE FACE MOBILE UNIT MOBILE UNIT MOBILE AND MOBILE TO MOBILE THE M	Rates quoted
40.1	513 Grade. Each body block (SFF/SFM/DFM) building consists of 1 Main unit & then Add-on units (0, 1, 2, 3, 4 & 5). Each unit has 5 loading levels formed by 4 nos. adjustable shelves. Body units are bolted to undercarriage.  Compactor Height from ground is 2115 mm (1980 body + 100 under-structure + 35 channel system).  SFF-SINGLE FACE FIX UNIT  SFM-SINGLE FACE MOBILE UNIT  DFM-DOUBLE FACE MOBILE UNIT  DFM-DOUBLE FACE MOBILE UNIT  Finish- The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Oxsilan pre-treatment consisting of Hot water degreasing, cold water rinse I & cold water rinse II, iron phosphating, cold water rinse, passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (+\-5) microns. The material is then oven baked with a controlled temperature of 180 deg. Cto 200 deg. C.  Shelf-It is made of 0.8 thk CRCA steel conforming to 15: 513 Grade or DD. Shelves are having 10 bends & its max load bearing capacity is 70-80 Kg uniformly distributed per shelf for drive Type of Configuration. Shelves are mounted on support brackets & shelf level can be adjusted at approx. 25 A pitches. There are 4 adjustable shelves per body giving 5 loading levels, if no Cradle pair is provided.  Shelf Depth for various options  1. Unit Depth(mm)345- Shelf Depth352mm  2. Unit Depth(mm)345- Shelf Depth428mm  2. Unit Depth(mm)345- Shelf Depth428mm  2. Unit Depth(mm)347- Shelf Depth428mm  2. Unit Depth(mm)347- Shelf Depth428mm is a welded frame made of HR sheet 2 & 3.25 mm thk conforming carrier: The Under framing carrier is a welded frame made of HR sheet 2 & 3.25 mm thk conforming to IS: 1079 suitably fabricated to take the loads based on configuration Sizes of under framing carrier - Single face fix / Last - 915 x (no. of bays) (Width) X 457 / 381 (Depth) X 100 (Height) x 100 (Hei	Rates quoted

गुरुवार, दि. २६ सप्टेंबर २०२४ महासागर

mm Height from bisch top ps 19c0/ seat to Rood (2002 mm Height from back top to Floor) A 608 mm (b) X 425 mm Height from Seat to Rood (2002 mm Height from Seat to Rood) (2002 mm Height from Seat to Rood) (2002 mm Height from Seat top 19c) A 425 mm Height from S	) X	
Center to center: 21.8.22 inches Phywood (Individuod) with individuol heating and high pressure pressed. ASS moulded housing for seat 8 back costhons. Seat numbering at side of the chair. LED lights on sides along with alides (additional cost) POLYURE/HAME FOAMS Polyure/thane injection moulded flexible Foam Seat and SPRINGS Torsion spring/ spring steel (s. 4454 1981 Grade III SHEET METAL COMPNORM) FIGCA/ECA Sheet moulded flexible Foam Seat and SPRINGS Torsion spring/ spring steel (s. 4454 1981 Grade III SHEET METAL COMPNORM) FIGCA/ECA Sheet metal Is: 1079 1994. Rectangular pions Rectangular pions Grade (S. 4454 1981 Grade III) AUTH 7 SEATTS SOFA FOR DEANS CHAMBER  Frame : Commercial ply and Hard wood Upholstery : Fabric Colour : Black Legs : Sizolines Steel (matt ) / MS (black)  TURF 2 SEATER (DEAN'S OFFICE AREA, PHOTOGRAPHY, HOD, SEMINAR/UBRARY AND Frame : Commercial ply and Hard wood Upholstery : Fabric Colour : Black Legs : Wood / Szianless Steel (matt) / MS (black)  43.1 TURF 2 SEATER (DEAN'S OFFICE AREA, PHOTOGRAPHY, HOD, SEMINAR/UBRARY AND Frame : Commercial ply and Hard wood Upholstery : Fabric Colour : Black Legs : Wood / Szianless Steel (matt) / MS (black)  44 HUDSON 2 SEATER SOFA (FOR VIP CLINIC)  Frame : MS  Upholstery : Fabric Colour : Black Legs : Wood / Szianless Steel (matt) / MS (black)  45 U SHAPE CONFERENCE TABLE  TABLETOP & GABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band no all sides.  WIRE MANAGEMENT The Vertical Grade) & Horizontal(Switch mounting box) wire carriers are placed below worktop, made up of CRA's with Prome having a projecting box wire carriers are placed below worktop, made up of CRA's with Prome having a projecting box of wire carriers are placed below worktop, made up of CRA's with Prome having a projecting box of the machine rectangular place of 2 mm thickness, with Prame having a projecting pion section of 30 mm x	Rates quo	
Upholstery: Fabric Colour: Black Legs: Statiless Steel (matt.) / MS (black) 43.1 TURF 2 SEATER (DEAN'S OFFICE AREA.)  43.2 TURF 2 SEATER (DEAN'S OFFICE AREA.)  43.2 TURF 2 SEATER (DEAN'S OFFICE AREA.)  43.3 TURF 2 SEATER (DEAN'S OFFICE AREA.)  43.4 TURF 2 SEATER (DEAN'S OFFICE AREA.)  44.5 TURF 2 SEATER (DEAN'S OFFICE AREA.)  45.6 TURF 2 SEATER (DEAN'S OFFICE AREA.)  46.6 TURF 2 SEATER SOFA (FOR VIP CLINIC)  47.6 TURF 2 SEATER SOFA (FOR VIP CLINIC)  48.6 TURF 2 SEATER SOFA (FOR VIP CLINIC)  49.6 TURF 2 SEATER SOFA (FOR VIP CLINIC)  40.7 SEATER SOFA (FOR VIP CLINIC)  40.8 TURF 2 SEATER SOFA (FOR VIP CLINIC)  41.6 TURF 2 SEATER SOFA (FOR VIP CLINIC)  42.7 SEATER SOFA (FOR VIP CLINIC)  43.8 TURF 2 SEATER SOFA (FOR VIP CLINIC)  44.8 TURF 2 SEATER SOFA (FOR VIP CLINIC)  45.9 USHAPE CONFERENCE TABLE  46.9 SEATER SOFA (FOR VIP CLINIC)  47.0 SEATER SOFA (FOR VIP CLINIC)  48.0 SEATER SOFA (FOR VIP CLINIC)  49.0 SEATER SOFA (FOR VIP CLINIC)  49.0 SEATER SOFA (FOR VIP CLINIC)  40.0 SEATER SOFA (FOR VIP CLINIC)  41.0 SEATER SOFA (FOR VIP CLINIC)  42.0 SEATER SOFA (FOR VIP CLINIC)  43.0 SEATER SOFA (FOR VIP CLINIC)  44.0 SEATER SOFA (FOR VIP CLINIC)  45.0 SEATER SOFA (FOR VIP CLINIC)  46.0 SEATER SOFA (FOR VIP CLINIC)  47.0 SEATER SOFA (FOR VIP CLINIC)  48.0 SEATER SOFA (FOR VIP CLINIC)  49.0 SEATER SOFA (FOR VIP CLINIC)  49.0 SEATER SOFA (FOR VIP CLINIC)  40.0 SEATER SOF	Rates que	oted y
43.1 TURF 2 SEATER (DEAN'S OFFICE AREA)  43.2 REPORTING ROOM,  Frame : Commercial ply and Hard wood Upholstery : Fabric Colour : Black Legs : Wood / Stainless Steel (matt ) / MS (black)  44 HUDSON 2 SEATER SOFA (FOR VIP CLINIC)  Frame : MS Upholstery : Fabric Colour : Black Legs : Wood / Stainless Steel (matt ) / MS (black)  45 USHAPE CONFERENCE TABLE  TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides. TABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides.  Table CABLETOP & CABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band by the prelaminated particle board on the pressed PVC edge band by the prelaminated particle pressed pressed by the prelaminated pressed p	Rates que by agence	oted
### REPORTING ROOM,	Rates que by agence	У
Upholstery: Fabric Colour: Black Legs: :Wood / Stainless Steel (matt ) / MS (black)  ### HUDSON 2 SEATER SOFA (FOR VIP CLINIC)  Frame: :MS  Upholstery: Fabric Colour: Black Legs: :Wood / Stainless Steel (matt ) / MS (black)  ### USHAPE COMFRERNCE TABLE  TABLETOP & GABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides.  WIRE MANAGEMENT The Vertical (tracks) & Horizontal(Switch mounting box) wire carriers are placed below worktop, made up of ECAN with Provider Coating & Fixed to the understructure easily accessible through a Access Flap (450L)  ### GLIDE CHAIR FOR U SHAPE CONFRENCE TABLE  Backrest: Mid back Upholstery: Backrest: Mesh (Black) Seat: Fabric (Black, Grey, Red, Bluc) Armrest: Fixed Arm Armset: Fixed Arm Gaster: Nylon, Dia 660mm Caster: Nylon, Dia 660mm Caster: Nylon, Dia 660mm Caster: Nylon, Dia 660mm Lumber: Yes  #### LIB PLININTURE (WET AND DRY LAB AT 1467.67 SQFT AREA)  #### Providing and Fixing SEFA -BM/SEFA-10 Compilant: "C' Frame System made up of 60 mm s 30 m excess responsible system of symmetry and system of system made up of 60 mm s 30 m excess responsible system of symmetry and system of system made up of 60 mm s 30 m excess responsible system of symmetry and system made up of 60 mm s 30 m excess responsible system of symmetry and system made up of 60 mm s 30 m excess responsible system of symmetry and system made up of 60 mm s 30 m excess responsible of fully carrying the load of worktops. Its superior strength combined with aesthetical appealing end caps shall give maximum flexibility and modularity while making a layout. Providing and Fixing SEFA -BM/SEFA 10 Compilant ("Frame System made up of 60 mm s 30 m reteated with superior pure epony powder coating of 50 -60 micro. L-500 mm s H or reteated with superior pure epony powder coating of 50 -60 micro. L-500 mm s H or reteated with superior pure epony powder coating of 50 -60 micro. L-500 mm s H or reteated with superior pure epony powder coating of 50 -60 micro. L-500 mm s H or re	by agence	У
## HUDSON 2 SEATER SOFA (FOR VIP CLINIC)  Frame : MS  Upholstery : Fabric  Colour : Black  Legs : Wood / Stainless Steel (matt ) / MS (black)  45	Bates que by agence	
Frame: MS  Upholstery: Fabric  Colour: Black  Legs: Wood / Stainless Steel (matt) / MS (black)  45  U SHAPE COMFRERNCE TABLE  TABLETOP & GABLE END to be made of 25 mm thick Prelaminated particle board with machine presence PVC dege band on all sides.  WIRE MANAGEMENT The Vertical (Snake) & Horizontal(Switch mounting box) wire carriers are placed below worktop, made up of CRAC with Powder Coating & Fixed to the understructure with specially designed brackets. Provision of placing switch plates in the cable tray which is easily accessible through a Access Place (As with Powder Coating & Fixed to the understructure with specially designed brackets. Provision of placing switch plates in the cable tray which is easily accessible through a Access Place (Black)  46  GLIDE CHAIR FOR U SHAPE CONFERENCE TABLE  Backrest: Mid back Upholstery: Backrest: Mesh (Black) Seat: Fabric (Black, Grey, Red, Blue) Armest: Fixed Arm Mechanism: Centre Tilt Mechanism (Seat to back Angle fixed) Gasilit: Class 4, 11 Jimm Stroke Castor: Nylon, Dia 60mm Lumber: Yes  47  LAB FURNITURE (WET AND DRY LAB AT 1467.67 SQFT AREA)  Providing and Fixing SEFA -BM/SFEA-10 Complant: "C' Frame System made up of 60 mm x 30 m retangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must be retated with superior pure epoxy powder coating of 50 - 60 micro. L-590 mm x H - 875 x D -30 mm. The C - Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aesthetical appealing end caps shall give maximum flexibility and modularity while making a layout. Providing and Fixing SEFA -MM/SEFA-10 Complant (" Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2		
Colour : Black  Legs ::Wood / Stainless Steel (matt ) / MS (black)  45  U SHAPE CONFERENCE TABLE  TABLETOP & GABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides.  WIRE MANAGEMENT The Vertical (snake) & Horizontal (Switch mounting box) wire carriers are placed below worktop, made up of CRCA with Powder Coating & Fixed to the understructure with specially designed brackets. Provision of placing switch plates in the cable tray which is easily accessible through a Access Flap (450L)  46  GUDE CHAIR FOR U SHAPE CONFERENCE TABLE  Backrest : Mids back  Upholstery : Backrest : Mesh (Black)  Seat : Fabric (Black, Grey, Red, Blue)  Armest : Fixed Arm  Mechanism : Centre Tilt Mechanism (Seat to back Angle fixed)  Gasifits : Class 4, 1212mm Stroke  Base : Nylon Dia 660mm  Castor : Nylon, Dia 600mm  Lumber : Yes  14  LAB FURNITURE (WET AND DRY LAB AT 1467.67 SQFT AREA)  Providing and Fixing SEFA -8M/SEFA-10 Compliant 'C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre -treated with superior pure epoxy powder coating of 50 - 60 micron. LS90 mm x 1 - 875 x x D -30 mm. The C -frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aesthetical appealing end caps shall give maximum flexibility and modularity while making al appout. Providing and Fixing SEFA -8M/SEFA-10 Compliant 'C' Frame System made up of 60 mm x 3 m m with thickness of 2 mm on the back; with the leveller at the Bottom. All frame work must in the superior strength or suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aesthetical appealing end caps shall give maximum flexibility and modularity while making al algout. Providing a fixing SEFA -8M/SEFA-10 Compliant 'C' Frame Sy	by agence Rates que by agence	y oted
TABLETOP & GABLE END to be made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides.  WIRE MANAGEMENT The Vertical (snake) & Horizontal (Switch mounting box) wire carriers are placed below worktop, made up of CRCA with Powder Coating & Fixed to the understructure with specially designed brackets. Provision of placing switch plates in the cable tray which is easily accessible through a Access Flap (4501)  46 GUDE CHAIR FOR U SHAPE CONFERNCE TABLE  Backrest: Mid back Upholstery: Backrest: Mesh (Black) Seat: Fabric (Black, Grey, Red, Blue) Armrest: Fixed Arm Mechanism: Centre Tilt Mechanism (Seat to back Angle fixed) Gasilft: class 4, 112mm Stroke Base: Nylon Dia 60mm Castor: Nylon, Dia 60mm Lumber: Yes  47 LAB FURNITURE (WET AND DRY LAB AT 1467.67 SQFT AREA)  Providing and Fixing SEFA -8M/SEFA-10 Compliant *C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m m with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre-treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x 1 - 875 n x D -30 mm. The C-Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aesthetical appealing end caps shall give maximum flexibility and modularity while making a layout. Providing and Fixing SFFA -8M/SFFA-10 Compliant *C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2 mm th		
pressed PVC edge band on all sides.  WIRE MANAGEMENT The Vertical (snake) & Horizontal (Switch mounting box) wire carriers are placed below worktop, made up of CRCA with Powder Coating & Fixed to the understructure with specially designed brackets. Provision of placing switch plates in the cable tray which is easily accessible through a Access Flap (450L)  46 GLDE CHAIR FOR U SHAPE CONFERENCE TABLE  Backrest: Mid back  Upholstery: Backrest: Mesh (Black) Seat: Fabric (Black, Grey, Red, Blue) Armrest: Fixed Arm Mechanism: Centre Tilt Mechanism (Seat to back Angle fixed) Gasilit: Class 4, 112mm Stroke Base: Nylon Dia 660mm Castor: Nylon, Dia 660mm Lumber: Yes  47 LAB FURNITURE (WET AND DRY LAB AT 1467.67 SQFT AREA)  Providing and Fixing SEFA -8M/SEFA-10 Compliant: "C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre - treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x 1 - 875 x x D -30 mm. The C- Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aestheticall appealing and caps shall give maximum flexibility and modularity while making a layout. Providing and Fixing SEFA -8M/SEFA-10 Compliant: "C' Frame System made up of 60 mm x 3 on rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 on rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 on rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 on rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 on producing and Fixing SEFA -8M/SEFA-10 Compliant: "C' Frame System made up of 60 mm x 3 on producing and Fixing SEFA -8M/SEFA-10 Compliant: "C' Frame System made up of 60 mm x 1 mm with thickness of 2 mm o	Rates que	
Backrest : Mid back Upholstery : Backrest : Mesh (Black) Seat : Fahric (Black, Grey, Red, Blue) Armest : Fixed Arm Mechanism : Centrer Tilt Mechanism (Seat to back Angle fixed) Gaslift : Class 4, 112mm Stroke Base : Nylon Dia 660mm Castor : Nylon, Dia 60mm Lumber : Yes  47 LaB FURNITURE (WET AND DRY LAB AT 1467.67 SQFT AREA)  Providing and Fixing SEFA -8M/SEFA-10 Compliant 'C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m mwith thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre - treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x H - 875 n x D -30 mm. The C - Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aestheticall appealing end caps shall give maximum flexibility and modularity while making a layout. Providing and Fixing SEFA -8M/SEFA-10 Compliant 'C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must I pre - treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x H - 875 n x D -30 mm. The C - Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aestheticall appealing end caps shall give maximum flexibility and modularity while making a layout. Providing & Fixing Horizontal Connecting Sets should comprise of 4 elements. One Front Connecting Beam & One Back Connecting Beam, each made up of 2 mm thick Sheet formed in  "C' section, Beams are removable. One Bottom Skirting type connecting Bar & One Gentre Bea should be placed between Back Beam & Skirting Beam. Together with the C Frames & Horizon Members connected together, the skeletal structure of the work-bench is formed	Rates quo	oted y
Providing and Fixing SEFA -8M/SEFA-10 Compliant 'C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 30 m rectangular pipe of 2 mm thickness, with the leveller at the bottom. All frame work must mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre - treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x H - 875 r x D -30 mm. The C - Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aestheticall appealing end caps shall give maximum flexibility and modularity while making a layout. Providing and Fixing SEFA -8M/SEFA-10 Compliant 'C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre - treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x H - 875 n x D -30 mm. The C - Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aestheticall appealing end caps shall give maximum flexibility and modularity while making a layout. Providing & Fixing Horizontal Connecting Sets should comprise of 4 elements. One Front Connecting Beam & One Back Connecting Beam, each made up of 2 mm thick Sheet formed in "C" section, Beams are removable. One Bottom Skirting type connecting Bar & One Centre Bea should be placed between Back Beam & Skirting Beam. Together with the C Frames & Horizon Members connected together, the skeletal structure of the work-bench is formed on which the worktop can be placed & the hanging-type storage cabinets can be suspended. Supply & Fixing Sink Storage Boxes fitted with Sink, made up of 5 mm thick  SOCIO 1 SEATER(UG AND PG READING SECTION )  Shell: The shell is made from	by agence Rates que by agence	y oted
rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre - treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x H - 875 n x D -30 mm. The C - Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aestheticall appealing end caps shall give maximum flexibility and modularity while making a layout. Providing and Fixing SEFA -8M/SEFA-10 Compliant 'C' Frame System made up of 60 mm x 30 m rectangular pipe of 2 mm thickness, with Frame having 3 projecting pipe sections of 60 mm x 3 mm with thickness of 2 mm on the back; with the leveller at the bottom. All frame work must pre - treated with superior pure epoxy powder coating of 50 - 60 micron. L-590 mm x H - 875 n x D -30 mm. The C - Frames should have enough strength for suspending storage cabinets capable of fully carrying the load of worktops. Its superior strength combined with aestheticall appealing end caps shall give maximum flexibility and modularity while making a layout. Providing & Fixing Horizontal Connecting Sets should comprise of 4 elements. One Front Connecting Beam & One Back Connecting Beam, each made up of 2 mm thick Sheet formed in "C" section, Beams are removable. One Bottom Skirting type connecting Bar & One Centre Beas should be placed between Back Beam & Skirting Beam. Together with the C Frames & Horizont Members connected together, the skeletal structure of the work-bench is formed on which the worktop can be placed & the hanging-type storage cabinets can be suspended. Supply & Fixing Sink Storage Boxes fitted with Sink, made up of 5 mm thick  SOCIO 1 SEATER(UG AND PG READING SECTION )  Frame : The shell is made from solid, sustainable wood and commercial ply Foam: 25mm Supersoft foam  Upholstery: The stools are upholstered in fabric  Gilde: Nylon  HEXAGONAL POUF (UG AND PG READING SECTION )	Rates quo	
Frame: The sofa's frame is made from dia 25.4x2mm thk SS pipe  Upholstery: Fabric upholstered back and seat  Finish: Powder coating (black) / Brushed finish  Modules: with backrest  CARRY STOOL (UG AND PG READING SECTION)  Shell: The shell is made from solid, sustainable wood and commercial ply  Foam: 25mm Supersoft foam  Upholstery: The stools are upholstered in fabric  Glide: Nylon  HEXAGONAL POUF (UG AND PG READING SECTION)  Shell: The shell is made from solid, sustainable wood and commercial ply  Foam: 50mm thk foam (density: 50)  Upholstery: The poufs are upholstered in fabric	by agence	
Upholstery: Fabric upholstered back and seat  Finish: Powder coating (black) / Brushed finish  Modules: with backrest  49 CARRY STOOL (UG AND PG READING SECTION )  Shell: The shell is made from solid, sustainable wood and commercial ply  Foam: 25mm Supersoft foam  Upholstery: The stools are upholstered in fabric  Glide: Nylon  50 HEXAGONAL POUF (UG AND PG READING SECTION )  Shell: The shell is made from solid, sustainable wood and commercial ply  Foam: 50mm thk foam (density: 50)  Upholstery: The poufs are upholstered in fabric	Rates que by agenc	у
Shell: The shell is made from solid, sustainable wood and commercial ply Foam: 25mm Supersoft foam Upholstery: The stools are upholstered in fabric Glide: Nylon  HEXAGONAL POUF (UG AND PG READING SECTION )  Shell: The shell is made from solid, sustainable wood and commercial ply Foam: 50mm thk foam (density: 50)  Upholstery: The poufs are upholstered in fabric	Rates que by agenc	
Shell: The shell is made from solid, sustainable wood and commercial ply Foam: 25mm Supersoft foam  Upholstery: The stools are upholstered in fabric  Glide: Nylon  HEXAGONAL POUF (UG AND PG READING SECTION )  Shell: The shell is made from solid, sustainable wood and commercial ply Foam: 50mm thk foam (density: 50)  Upholstery: The poufs are upholstered in fabric	Rates que	oted
50 HEXAGONAL POUF (UG AND PG READING SECTION )  Shell: The shell is made from solid, sustainable wood and commercial ply  Foam: 50mm thk foam (density: 50)  Upholstery: The poufs are upholstered in fabric	by agence Rates que by agence	y oted
Foam: 50mm thk foam (density: 50)  Upholstery: The poufs are upholstered in fabric	Rates que	
Upholstery: The poufs are upholstered in fabric	Rates que by agenc	oted
Gilde: Nylon		
51 PENTAGONAL POUF (UG AND PG READING SECTION )	Rates que	
Shell: The shell is made from solid, sustainable wood and commercial ply  Foam: 50mm thk foam (density: 50)	Rates que by agence	oted
Upholstery: The poufs are upholstered in fabric  Glide: Nylon		
NEST CHAIR (UG AND PG READING SECTION )  Shell: Steel Frame Manufactured in CNC machines and joined on fixture with Metal Inert Gas welding with accuracy and low tolerance.  Foam: Molded PU foam with average density of 50-55 kg/m3  Upholstery: Fabric / Leatherette  Understructure: 8mm thk MS plate welded understructure	Rates que by agenc Rates que by agenc	y oted
Understructure finish: Powder coating (black)	I	
53 COZY CHAIR (UG AND PG READING SECTION )  Shell: Steel Frame Manufactured in CNC machines and joined on fixture with Metal Inert Gas		oted

# लुटपाट करणारी आंतरराज्यीय टोळी गजाआड

### वाहन चोरीचेही गुन्हे उघडकीस

welding with accuracy and low tolerance

मोठ्या शिताफिने जबरी चोरी व वाहन आहेत. चोरी करणाऱ्या आंतरराज्यीय टोळीच्या मुसक्या आवळल्या. मेडिकल चौक येथील स्टेट बँक येथून गोपनिय माहितीच्या आधारे नंदनवन पेंशनची ४० हजार रुपयांची रक्कम परिसरातून ताब्यात घेतले. सखोल घेवून ईरिक्षाने शताब्दी चौकात आले. चौकशीत त्यांच्यावर अजनी तेथून पायदळ घरी जात असताना ठाण्यासह झारखंड, छत्तीसगढ काळ्या रंगाच्या दुचाकीवर असलेले राज्यात वाहन चोरी व लुटपाटचे गुन्हे दोन तरुण समोरून त्यांच्याजवळ नोंद असल्याची माहिती मिळाली. आले. मागे बसलेल्या तरुणाने सोनूकुमार नट (३२), आकाशकुमार त्यांच्या हातातील

तिन्ही राहणार पत्थलगांव, छत्तीसगड गुन्हे शाखा युनिट ४ च्या पथकाने अशी अटकेतील आरोपींची नावे

फिर्यादी प्रल्हाद पाटील (८२) हे पिशवी नट (३०) आणि वासुदेव नट (४७) हिसकावली आणि दोघेही पळून गेले.

पाटील यांच्या तक्रारीवरून अजनी चोरी व वाहन चोरीच्या गुन्ह्यात पोलिसांनी गुन्हा नोंदविला. गुन्हे पाहिजे असल्याचे निष्पन्न झाले. शाखा युनिट ४चे पथकही गुन्ह्याचा पोलिसांनी आरोपींजवळून रोख ६६ समारंतर तपास करीत होते. दरम्यान हजार, दुचाकी वाहन, तीन जोड नवीन आरोपी नंदनवन परिसरात असल्याची कपडे, दोन बॅग असा एकूण २ लाख गोपनिय माहिती पथकाला मिळाली. १२ हजार रुपये किंमतीचा मुद्देमाल पथकाने मोठ्या शिताफिने जप्त केला. पुढील कारवाईसाठी तिघांच्याही मुसक्या आवळल्या. अजनी पोलिसांच्या ताब्यात देण्यात सखोल चौकशीत त्यांनी गुन्ह्याची आले. ही कामगिरी पोलिस उपायुक्त कबुली दिली. सखोल चौकशीत राहुल माकणिकर, सहायक पोलिस प्रतापनगर ठाण्यांतर्गत जबरी चोरी, आयुक्त डॉ. अभिजित पाटील यांच्या झारखंड आणि छत्तीसगढमध्ये वाहन मार्गदर्शनात पोलिस निरीक्षक रमेश चोरीसह एकूण ६ गुन्हे केल्याची तोले, उपनिरीक्षक अविनाश कबुली दिली. आरोपींचा गुन्हे जायभाये, सुनील ठवकर, रोशन अभिलेख तपासला असता पोलिस तिवारी, अजय देवेंद्र नवघरे यांनी ठाणे सरखंडा, तोरवा येथील जबरी केली.

by agency

	Upholstery: Fabric / Leatherette	
	Understructure: Canadian hemlock wooden legs	
	and the state of t	
	Understructure finish: Clear acrylic coat  CELIO	Rates quot
54		by agency
	CELIO FLOOR MOUNTED STANDARD MARKING SCREEN 36MM THICKNESS WITH PVC LIPPING WITH CASTOR	Rates quote by agency
55	ACOSTIC (SEMINAR HALL, AUDITORIUM, DEANS CHAMBER, CLASSROOM, LAB AND	Rates quot
33	DISCUSSION ROOM)	by agency
	PET Panel- 9MM THICKNESS— 2400x1200 . These PET Acoustic Panels can be applied for both Wall Panelling and False Ceiling. TACET PET Polyester Acoustic Panel comprises of flame-retardant fibers and is an Eco-friendly product. PET Acoustic panels are lighter, easy to handle and easy to install. These panels also have a pre-finished surface when compared to other Acoustic Panels.	Rates quote by agency
56	WOODEN PODIUM	Rates quote
	Size- PODIUM WITH FINGER GROOVE HANDLE	by agency Rates quote
	600WX500DX1050HT BSL	by agency
	2. Structure –Is made up of 18mm thk prelaminated particle board.	
57	Audio Podium	Rates quote
3/	Andia Dadina is book with different and the second	by agency
	Audio Podium is best suited for use in conference rooms, auditoriums, classrooms, offices, banquet halls, restaurants, valets, and other public spaces. Includes gooseneck dynamic microphone and gooseneck LED lamp, one tweeter with Built-in 60-watt amplifier and high quality speakers. The podium is 43 inch in height which makes it accessible for almost every person of average height to have a clear view of the audience in front.  Smart & Robust design with two VHF handheld wireless mic with range 15-20M, One Button ON/OFF, Built in Control Panel, 1 AUX input independent control, Short circuit clipping and high temp protection, 24V phantom power, 3 MIC input independent control. Minimalist design to compliment any room décor or stage set. It has an attractive look and eloquent design.	Rates quote by agency
58	SKILL LAB RACK	Rates quote
-	Storage Top- Shall be made of 25mm thick Prelam (OSL) particle board for low height Prelam	by agency Rates quote
	used. Both the 25mm and 18mm thick Prelam (OSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Storage top is under goes from distributed load test for deflection by applying 0.027kg/mm load on Top and concentric load test by applying 90kg load on weaker section. Load carrying capacity of 18mm thick shelf shall be 25kgs UDL.  Storage Body- The construction shall be aesthetically appealing completely knock down construction .side panel and back panel is made from 18 mm Prelam (OSL) particle board conforming to IS 12823:1990;. All the exposed edges are with 2mm PVC lipping& sealed edges are with 0.8mm thick PVC Lipping. Both the LH & RH side panel and back panel are connected with each other by using fittings such as Minifix & Dowels. Shelf can be made up of 18mm Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick PVC lipping glued with Kliberit-779.6 glue. Shelf is mounted on shelf pin and self-height can be adjusted with in the limit.	
	Prelam Shutter- Glass shutter. Black color PVC door strip and multi-purpose square lock (Hettich	
	or Ebco) is used.  BUDDY CENTRE TABLE	Rates quote
59	DODDI CLITICE INDIL	by agency
	TOP:-25 mm Thick Prelam Particle Board with Rev Chamfer Edge.	Rates quote
	UNDERSTRUCTURE :-MS under structure/MS under structure  BUDDY SIDE TABLE	by agency Rates quote
60		by agency
	TOP:-25 mm Thick Prelam Particle Board with Rev Chamfer Edge.	Rates quote
	UNDERSTRUCTURE :-MS under structure/MS under structure  WORKSMART MEETING	by agency Rates quot
61		by agency
	<ul> <li>WORKTOP - It is made of 25 mm thick Prelaminated particle board with machine pressed PVC edge band on all sides.</li> <li>UNDERSTRUCTURE -Splayed Leg made of 40X40X1.6 mm thick MS Pipe with caps &amp; levellers .Cross member are made of 40mm X 40mm X 1.6mm MS pipe with powder coated finish with the thickness of 50-60 μ DFT .Cross members are mounted on end brackets.</li> <li>WIRE MANAGEMENT The Vertical (VERTICAL DUCT/ELECTIRCAL LEG) &amp; Horizontal(cable tray) wire carriers are placed below worktop, made up of CRCA with Powder Coating with the thickness of 50-60 μ &amp; Fixed to the understructure with specially designed brackets. Switch plates placed in the cable tray, easily accessible through a Access Flap(450L) .</li> </ul>	Rates quote by agency
		The last section of the last
		Rates quote

### ग्रा.पं. अधिकारी पदास मंत्रिमंडळ बैठकीत

महासागर

महासागर प्रतिनिधी,

धामणगावरेल्वे, दि. २५: शेतकरी,

शेतमजूर, अंगणवाडी सेविका, डाटा एन्ट्री

ऑपरेटर यांच्या हिताच्या गोष्टी करत

शेतकऱ्यांची थट्टा करणाऱ्या केंद्र व राज्य

शासनाला जागेक्रण्यासाठी माजी आमदार

प्रा. वीरंद्र जगताप यांच्या नेतृत्वात सोमवारी

महाविकास आघाडीच्या वतीने येथील

छ्वपतीशिवाजी महाराज चौकातून तहसील

कार्यालयावर धडक मोर्चा काढला. या

मोर्चात भाकपचे जिल्हा सहसचिव सुनील

घटाळे उपस्थित होते. या वर्षीची ई-पीक

पाहणीची अट रद्द करावी, सरसकट

शेतकन्यांना हेक्सी हजारांची तत्काळ मदत

द्यावी.पावसाअभावीक्रपलेल्यासोयाबीन

पिकाचे पंचनामे करून हेक्ट्री १० हजारांची

तत्काळ मदत द्यावी, हवामान बदलामुळे

झालेल्या संत्र्याच्या नुकसानीचे तत्काळ

पंचनामे करून हेक्टरी १० हजार रुपये मदत

द्यावी, सततच्या पावसामुळे झालेल्या

नुक्रमानीचे पंचनामे करत हेक्ट्री २५ हजार

रुपये देण्यात यावे, यासह घरकुल,

अंगणवाडी सेविका, डाटा एन्ट्री ऑपरेटर

यांच्याविविधमागण्यांसाठीहामोर्चाकाढला

होता. तालुका काँग्रेस कमिटीचे पंकज

वानखंडे, प्रदीप मुंधडा, जिल्हा बँकेचे

संचालकश्रीकांतगावंडे, चंदुङ्हाणेआदींसह

#### मान्यता

शासन निर्णयाचे ग्रामसेवक संघटनेकडून स्वागत

महासागर प्रतिनिधी. अकोला, दि. २५ : ग्रामसेवक, ग्रामविकास अधिकारी पदांचे एकत्रीकरण करून ग्रामपंचायत अधिकारी पदास सोमवारी मुख्यमंत्री एकनाथ शिंदे यांच्या अध्यक्षतेखाली झालेल्या मंत्रिमंडळ बैठकीत मान्यता देण्यात आली. या निर्णयानंतर जिल्हा ग्रामसेवक युनियन डीएनए १३६ चे वतीने ग्रामपंचायत

अधिकाऱ्यांनी ढोल ताशाच्या गजरात

फटाकेफोड्न आनंद व्यक्त केला. या निर्णयामुळे ग्रामसेवक व ग्रामविकास अधिकारी ही दोन्ही पदे एकत्र करून त्यांना नेमलेल्या वेतन श्रेणीतील ग्रामसेवक हेमुळ पदकायम ठेवून या पदाचे नावग्रामपंचायतअधिकारीअसेकरण्यात येईल. तसेच नव्याग्रामपंचायत अधिकारी पदास दहा वर्षांनंतरच्या सेवेचा पहिला लाभ विस्तार अधिकारी, वीस वर्षांच्या सेवेनंतरचा दूसरा लाभ सहायक गटविकासअधिकारीवतीसवर्षांनंतरच्या सेवेचा तिसरा लाभ गटविकास अधिकारी असा मिळणार आहे. निर्णयाचे स्वागत करताना रवी काटे. चांद करेशी. गावणार. बबन सदाशिव, महेंद्र अहिर, संजयगावंडे आदी उपस्थित होते.

### **Change Of Name**

MY OLD NAME WAS MUT-TABARK ARIF MIRZA / MUT-TABARK. NOW MY NEW NAME IS MUTTBARRAK ARIF

BEG MIRZA. ADD: WARD NO. 06, TAKIES CHAUK NAGBHID CHANDRAPUR MY OLD NAME WAS ARIF MIRZA. NOW MY NEW NAME

IS ARIF BEG KADAR BEG MIRZA.
ADD: WARD NO. 06, TAKIES
CHAUK NAGBHID CHANDRAPUR

MY OLD NAME WAS ANJUM / ANJUM ARIF MIRZA. NOW MY NEW NAME IS NISHAD PATHAN ARIF BEG MIRZA. ADD: WARD NO. 06, TAKIES CHAUK NAGBHID CHANDRAPUR

TAUSIN ABBAS. NOW MY NEW NAME IS SHEENA SOHEL SHEIKH. ADD: PLOT NO.20, TAJ NAGAR TUKDOJI PUTLA NAGPUR.

MY OLD NAME WAS SHEENA

MY OLD NAME WAS PRERANA PALIWAL. NOW MY NEW NAME IS PRERNA PALIWAL. ADD: WARD NO. 06, SONNAR MOHALLA AT POST PARSHIV-NI NAGPUR.

MY OLD NAME WAS FAT-MUNNISA. NOW MY NEW NAME IS FATEMUNNISA SHA-

KEEL SHEIKH.

ADD: HOUSE NO 267, MAR-WADI CHOWK, MIRCHI BAZAR, NAGPUR, 440002

SUNELWALA. NOW MY NEW NAME IS MUSTAFA HAKIMI. ADD: FLAT NO 102 JAGNATH 440002.

MY OLD NAME WAS MUSTAFA

NAME BURHANUDDIN TAHERALI SUNELWALA. NOW MY NEW BURHANUDDIN TAHERALI HAKIMI.

ADD: FLAT NO 102 JAGNATH BUDHWARI ITWARI NAGPUR 440002. MY OLD NAME WAS FARIDA

SUNELWALA. NOW MY NEW NAME IS FARIDA HAKIMI. ADD: FLAT NO 102 JAGNATH BUDHWARI ITWARI NAGPUR 440002.

MY OLD NAME WAS MESA RAM DEWASI. NOW MY NEW NAME IS MESHARAM MAD-HAJI DEWASI.

ADD : PLOT NO 142 FLAT NO 402, GANESHA APARTMENT NEAR SHIVAJI PARK ANMOL NAGAR, WATHODA, NAGPUR

ALI. NOW MY NEW NAME IS HATIM ALI ALTAF HUSAIN. ADD: FLAT NO. 101, MAN-SOOR MANSION SHANT NAGAR NAGPUR 440002 (MS)

MAHAVITARAN

MY OLD NAME WAS HATIM

## शेतकरी, शेतमजुरांसह महाविकास आघाडीचा मोर्चा

मोठ्या संख्येने शेतकरी, शेतमजूर मोर्चामध्ये सहभागी झाले होते.

मागण्यांचे दिले निवेदन, समस्या सोडवण्याचे आश्वासन

🔳 महासागर प्रतिनिधी, यवतमाळ, दि. २५ : भोसा परिसरातील मेमन कॉलनीमध्ये अंगणवाडीची सोयी सुविधा द्यावी

दिनांक : २५/०९/२०२४

### कार्यालय नगर परिषद वाडी

ता.व जि. नागपूर

ईमेल आय डी :-comewadi@gmail.com जावक क्र.नपवा/लेखा/कावि/ ८९२/२०२४

### निविदा सुचना

वाडी नगर परिषदे चे खालीलप्रमाणे कामे अनुभवी सनदी लेखापालाकडून करून घेणे आहे. याबाबत रोखीने निविदा फॉर्म फी रुपये ५००/ – भक्तन निविदा फॉर्म दिनांक २६/०९/२०२४ पासून कार्यालयीन वेळात लेखापाल यांचेकडून प्राप्तकरता येईल. निविदा फी लिफाफा पद्धतीने सिलबंद लिफाफ्यात खालील दर्शविलेल्या प्रमाणे रकमेसह दिनांक- 03/90/2028 ला दुपारी ५.०० वाजेपर्यंत सादर करावी

#### विवरण

अ. क्र	कामाचे विवरण	अनामत रक्कम	निविदा फॉर्म फी	शेरा
٩.	नगर परिषद वाडी चे सन २०२४-२५ ते २०२६-२७ या तीन आर्थिक वर्षाकरिता आयकर, जी.एस.टी, लेबर सेस, लेबर विमा, रॉयल्टी, कर्मचारी आयकर, व्यवसायकर व कर्मचारी भविष्य निर्वाह निधी यांचे मासिक, त्रेमासिक व वार्षिक चालान भरणे व रिटर्न फाईल करणे.	4000/-	400/-	दर वर्ष निहाय सर्व शासकीय करासह सादर करावे.

टिप - निविदेच्या अटी व शर्ती नगर परिषद कार्यालयाच्या लेखा विभागामध्ये कार्यालयीन वेळेत पाहायला मिळेल.

स्वा/-मुख्याधिकारी नगर परिषद वाडी ठेवण्यात आला होता. भोसा परिसर शाळेला संरक्षण भिंत नाही.

शैक्षणिक समस्यांना वैतागून विद्याध्यांचे अर्धनग्न आंदोलन

यासह जि. प. उर्दु शाळेला सरंक्षण नगरपालिकेत समाविष्ठ करण्यात भिंत द्यावी अशी मागणी उद्भव आला. परंतू समस्या जैसे ते असल्याने बाळासाहेब ठाकरे गटाच्या वतीने नागरीकांना मोठ्या अडचणींचा शाळेच्या खुल्या जागेवर घाणीचे करण्यात आली. या मागणीकरीता सामना करावा लागत आहे. सोमवारी दि. २३ सप्टेंबर रोजी जिल्हा शहरातील प्रभाग क्रमांक २० मध्ये परिषद मुख्य कार्यकारी अधिकारी जिल्हा परिषदेची उर्दू मााध्यमिक यांच्या दालनात अर्धनम्र आंदोलन शाळा आहे. या शाळेत अनेक केले. यावेळी चोख पोलिस बंदोबस्त विद्यार्थी शिक्षणाकरिता येतात. मात्र,

आढळन येत आहेत. त्याचप्रमाणे साम्राज्य मोठ्या प्रमाणात पसरले

त्यामुळे विद्यार्थ्यांचे आरोग्य धोक्यात आले आहे. त्याच परिसरातील अंगणवाडी मध्ये मोठ्या प्रमााणात असुविधा आहेत.

कार्यालय

#### ग्राम पंचायत सालई पंचायत समिती रामटेक जिल्हा परिषद नागपुर

ई - निविदा सुचना क्रमांक १ - २०२४-२०२५

गटग्रामपंचायत सालई येथे M.R.G.S अंतर्गत सन २०२४–२५ मध्ये येणाऱ्या सर्व कामाकरिता साहित्य खरेदी करीता जिल्हा परिषद वेबसाईटवर www.mahatenders.gov.in या संकेत स्थळावर निविदा प्रसिद्ध करण्यात आलेली आहे.

अ.	तपशील	दरपत्रक विक्रीचा	दरपत्रक स्वीकृतीचा	दरपत्रक उघडण्याचा	निविदा
क्र		दिनांक	दिनांक	दिनांक	फी
9	Supply Materials for All type Work (FY 2024-25) Under M.R.G.S At GP Salai Th. Ramtek	दि २६/०९/२०२४ सकाळी ११.०० वाजतापासून	दि ०२/१०/२०२४ दुपारी ०२.०० वा पर्यंत	दि ०३/१०/२०२४ दुपारी ०२.०० वा नंतर	400/-

निवेदेतील अटी व शर्ती जि. प. नागपूर च्या www.mahatenders.gov.in या संकेत स्थळावर उपलब्ध आहे. निविदा सादर करण्यासाठी डिजीटल सही अनिवार्य आहे.

सचिव/सरपंच ग्रा.प. सालई



### नागपूर गृहनिर्माण व क्षेत्रविकास मंडळ, नागपूर (महाराष्ट्र गृहनिर्माण व क्षेत्रविकास प्राधिकरणाचा प्रादेशिक घटक)

गृहनिर्माण भवन, सिव्हील लाईन्स, टेंपल रोड, नागपूर

महाराष्ट्र गृहनिर्माण व क्षेत्रविकास अधिनियम १९७६, महाराष्ट्र गृहनिर्माण व क्षेत्रविकास (जमिनीचा विनियोग) नियम १९८१, महाराष्ट्र गृहनिर्माण व क्षेत्रविकास (जमिनीचा विनियोग) नियमावली १९८२ व महाराष्ट्र गृहनिर्माण व क्षेत्रविकास प्राधिकरण (मिळकत व्यवस्थापन, गाळे विक्री, हस्तांतरण व अदलाबदल) विनियम १९८१ च्या तरतुदीनुसार व त्यात वेळोवेळी झालेल्या सुधारणाच्या अधिन राहुन व कलमाअंतर्गत मुख्य अधिकारी, नागपूर गृहनिर्माण व क्षेत्रविकास मंडळ, नागपूर यांनी कळमेश्वर, येथील एक भुखंड करीता वाटपाकरिता मोहरबंद निविदा इच्छुक व पात्र व्यक्तीकडून मागविण्यात येत आहे.

### निवासी भुखंड ४९२ अत्यल्प उत्पन्न गट, कळमेश्वर, नागपुर.

अ.क.	भुखंड क.	भुखंडाचे स्थळ	भुखंडाचे अंदाजित सरासरी क्षेत्रफळ	भुखंडाचे निन्मतर दर प्रति भुखंड	भुखंडाची वाटपाची पध्दत
9	भुखंड कमांक ३७९	भुखंड ४९२ अत्यल्प उत्पन्न गट, कळमेश्वर, नागपूर.	५१.०० चौ.मी.	3,२८,६४४/-	निविदा पध्दतीने

- निविदा अर्जाची किमती रुपये १०००/- सह जीएसटी रु. १८०/- एकुण रु. १९८०/- असून निविदा सोबत भूखंड करिता भरावयाची अनामत रक्कम रुपये १०,०००/- चा धनाकर्ष (डी.डी.) व्दारे **मुख्य लेखा अधिकारी, नागपूर गृहनिर्माण व क्षेत्रविकास मंडळ, नागपूर** याँचे नावाने सादर करावा.
- निविदा अर्ज विक्रीचा **दिनांक २६/०९/२०२४ पासून ते दिनांक ०३/१०/२०२४ पर्यंत सकाळी ११.०० ते दुपारी १.३० वाजे पर्यंत** राहील. निविदा अर्ज विक्री ठिकाण नागपूर गृहनिर्माण व क्षेत्रविकास मंडळ, गृहनिर्माण भवन, सिव्हील लाईन्स, नागपूर कार्यालय येथे कामकाजाचे दिवशी
- निविदाकराला ऐकापेक्षा जास्त निविदा भरावयाच्या असल्यास प्रत्येक भुखंडा करीता वेगवेगळी निविदा व त्यासोबत वेगवेगळी अमानत रक्कम भरावी लागेल.
- निविदा स्विकृती **दिनांक ०४/१०/२०२४ पासून ते दि. ०५/१०/२०२४ पर्यंत सकाळी ११.०० ते दुपारी १.३० वाजेपर्यंत** असून निविदा मंडळाच्या कार्यालयात निविदाकार समक्ष उघडण्यात येईल व तसे निविदा उघडण्यापूर्वी निविदाकार यांना कळविण्यात येईल.
- वस्तु सेवाकर (GST) व इतर कर स्वतंत्रपणे भरणे बंधनकारक राहील. अर्जदाराला स्वतः प्रमाणित केलेले पॅनकार्डवी प्रत सादर करणे बंधनकारक राहील. तसेच देकार पत्राानुसार विहित मुदतीत रकमेचा भरणा करणे अनिवार्य राहील, तसे न केल्यास देकार पत्र रद्द करून भरणा केलेली अनामत रक्कम मंडळाच्या खात्यात वळती (जमा) करण्यात येईल.
- निविदाकाराला भुखंड वाटप पत्राचे दिनांकापासून भूभाडे (Ground Rent) व गैरकृषीकर (NAA) नियमानुसार भरावे लागेल. निविदा, कोणतेही कारण न दर्शविता अथवा रद्द करण्याचे अधिकार मुख्य अधिकारी, नागपूर गृहनिर्माण व क्षेत्रविकास मंडळ, नागपूर यांनी राखून ठेवले आहे. भुखंड वाटपाचा तपशील, अटी व शर्तीसह माहिती निविदा अर्जासोबतच्या माहितीपत्रकात नमुद केलेल्या असून त्या निविदाकाराला बंधनकारक राहतील.

१०. अर्जासोबत देण्यात येणारे अटी व शर्तीचे माहिती पत्रक निविदाकराला बंधनकारक राहतील

महेशकमार मेघमाळे मुख्य अधिकारी दिनांक : २५/०९/२०२४ नागपुर गृहनिर्माण व क्षेत्रविकास मंडळ, नागपुर

### मिशन अभ्यासिका महासंघाचे धरणे

महासागर प्रतिनिधी. अकोला, दि. २५ : ग्रामीण भागात भारतरत्न डॉ. बाबासाहेब आंबेडकर यांच्या नावाने विद्यार्थ्यांना अभ्यास करण्यासाठी गावागावांत दोन मजली डिजिटल अभ्यासिका व्हाव्यात, या प्रमुख मागणीसाठी मिशन अभ्यासिका महासंघाचे अध्यक्ष शंकर कंकाळ यांच्या नेतृत्वात जिल्हाधिकारी कार्यालयासमोर सोमवारी धरणे आंदोलन करण्यात आले.

गाव व शहरी वस्त्यांमध्ये डिजिटल अभ्यासिका करता५० लाखांचा निधी शासनाने राखीव ठेवून तो उपलब्ध करून देण्यात यावा. अकोला जिल्ह्यातील सर्वेक्षण झालेल्या २०४ गावांमध्ये संविधान सभागृह योजनेचे बांधकाम त्वरित करण्यात यावे. तसेच जिल्ह्यात सर्वेक्षण झाले नसेल तर त्वरित सर्वेक्षण करून संविधान सभागृह योजनेअंतर्गत बांधकाम करण्यात यावे अशी मागणी धरणे आंदोलनाच्या माध्यमातून केली.

### **E-Tender Notice**

Proposals are invited on by this office from Registered & Experienced Firms/ Contractors in the prescribed Tender Form for preventive maintenance of HT, LT OH Line & Underground Cables & DTC under O&M MSEDCL Bramhapuri Division vide tender No. EE/DIV/BRAMHAPURI/PM-HT./T-03/2024-25 To EE/DIV/BRAMHAPURI/PM-DTC/T-11/2024-25 for EACH Tender Amount of 10.00 Lakhs (Excl. GST). Details of this Tenders is available on http://works.mahadiscom.in/eTender/etender Website Dt.25.09.2024. Any Changes in Tender Schedule, Corrigendum, Amendment, Extension of due dates etc, if any shall be available in our website only and will not be published in the Newspapers Separately. The last Date for Sale of the bidding document is Dt. 04.10.2024 up to 15:00 hrs..

PR NO. 56 Date: - 24.09.2024

**Executive Engineer O&M Division, MSEDCL, Bramhapuri** 

महाराष्ट्र शासन कार्यकारी अभियंता सार्वजनीक बांधकाम विभाग क्र. १ ई मेल : div1nagpur.ee@mahapwd.com

ई निविदा सुचना क्र. एस /४८/२०२४ — २०२५

Estt. cost (Rs. in

blank

tender form

कार्यकारी अभियंता सा. बां. विभाग क्र १ नागपूर हे अनुभवी व महाराष्ट्र अस्थापनेच्या नोंदणीचा दाखला असलेल्या एजन्सीकडून खालील कामाकरीता ई निविदा प्रणालीद्वारे ऑफ्लाईन) विहीत नमुन्यामध्ये (बाबवार दर) निविदा मागवित आहेत. निवदा कागदपत्र शासनाच्या संकेतस्थळावर v.in येथन डाउनलोड करण्यात यावी. अट असलेली निवि नाही.

Name of Work

1	Providing & Supplying Various Type Of Office Furniture In	12.00	590.00
-	Buildings Offices At Vidhanbhavan, Nagpur.		1
2	Providing labour at Nag bhavan premises Nagpur	12.00	590.00
Providing Services of Houskeeping ,catering and Management of Household affairs of Minister Cottag no.1 to 21,Before,During & After RAC Session at Ravibhvan Nagpur (during assemblly period only)  Providing Services of Houskeeping , Management of Household affairs and catering (including kitchen no. 1 and 2 ) to building no. 1,2,3,4,40 suited building of Ravibhvan Nagagur. (during		15.00	590.00
4	affairs and catering (including kitchen no. 1 and 2) to building no. 1,2,3,4, 40 suited building of Ravibhvan Naagpur. (during assembly period only)  Providing and supplying labour for Room Services (Fasting Snacks,Lunch Dinner etc) at Canteen premises at Ravibhvan Nagpur  Providing and Supplying Wooden Bed, Side table, dressing table, and allied Furniture for 5 Room of building no. 4 at at Ravibhvan premises Nagpur  Providing Room Services Shifting & Arranging Furniture Before,		590.00
5			590.00
6	table , and allied Furniture for 5 Room of building no. 4 at at Ravibhvan premises Nagpur	15.00	590.00
7	Providing Room Services Shifting & Arranging Furniture Before, During and After Assembly in Barrack No. 1 to 8 At Vidhanbhavan, Nagpur.	18.00	590.00
8	Providing Room Services Shifting & Arranging Furniture Before, During and After Assembly in Barrack No. 9 to 16 At Vidhanbhavan, Nagpur.	18.00	590.00
9	Providing Room Services Shifting & Arranging Furniture Before, During and After Assembly in Old Building At Vidhanbhavan, Nagpur.	18.00	590.00
10	Providing Room Services Shifting & Arranging Furniture Before, During and After Assembly in Old Anex Building At Vidhanbhavan, Nagpur.	18.00	590.00
11	Providing Room Services Shifting & Arranging Furniture Before, During and After Assembly in New Building At Vidhanbhavan, Nagpur.	18.00	590.00
12	Providing Room Services Shifting & Arranging Furniture Before, During and After Assembly in New Anex Building At Vidhanbhavan, Nagpur.	18.00	590.00
13	Providing House keeping and Room Services management of Household affairs various Barracks & Offices at premises of old and new Hy House Nagpur.	20.00	590.00
14	Providing Cots In Various Barracks At 160 Teanament, Nagpur.	20.00	590.00
15	Providing House Keeping services of Skilled and Unskilled workers Providing managements of household affairs for Hon'ble C.M. Bunglow Ramgiri, Nagpur.	25.00	590.00
16	Providing Services of Houskeeping ,catering and Management of Household affairs for Deogiri Bunglow ,Before,During & After RAC Secssion at Nagpur (during assembly period only)	20.00	590.00
17	Providing labour at Deogiri premises Nagpur	12.00	590.00

https://mahatenders.gov.in या संकेतस्थळावर उपलब्ध आहे. सदर

निविदा सुचनेची प्रत या कार्यालयातील सुचना फलकावर पहायला मिळेल. व्या अटी / शर्ती. प्रारूपात दर्शविल्याप्रनाणे राहील.

 या निविदा सुचनेत काही बदल होत असल्यास वरील वेबसाईटवरती शध्दीपत्रक प्रकाशित होईल. ४) कोणतेही कारण न दर्शविता अंशतः किंबा संपूर्ण निविदा रद्य अथवा फेरफार करण्याचा अधिकार सक्षम

अधिकाऱ्याने राखन ठेवलेला आहे.

m. १२९१२ दि. २३.०९.२०.२४ आरओसी-2024-25/क्र-5/C३३६४

कार्यकारी अभियंता सार्वजनिक बांधकाम विभाग क्र.१

#### NAGPUR MUNICIPAL CORPORATION **Tender Notice** Commissioner NMC invites Offline tenders for the following works. These tenders can be submitted by the

Registered Contractors of NMC. The Terms and Conditions of tenders are available in the tender Forms. The sale and purchase of Tender Form can be done at E.E. (DPDC) Office, 5th Floor, B-Wing NMC, Nagpur Tender BOQ Cook (Do.)

Tender No.	Name of the work	BOQ Cost (Rs.)	EMD
1	Prov. & Fixing I block at Premises of Durgamata Mandir in Prabhag no. 20(22)	828789	8400
2	Prov. & Laying CC Pavement Near Vindhya Vasini Mandir at Badkas Chowk and at Various places In Pr. No. 20(22)	836361	8400
3	Prov. & Laying CC Flooring & Sewer Line At Golibar Chowk From Rajesh optical to h/o Prabhakar Bandhekar in Pr. No. 20	832264	8400
4	Various Devlopement Work at NMC's Sane Guruji Urdu Medium School, Siraspeth in Prabhag no. 18	836680	8400
5	Devlopement Work at Chandrashekhar Azad Chowk in Prabhag no. 18(22)	839188	8400
6	Devlopement Work at Telephone Exchange Metro Station Chowk, Central Nagpur Assembly Constituency	839836	8400
7	Devlopement Work at Kolbaswami Chowk, Central Nagpur Assembly Constituency	838678	8400
8	Development Work at Bhawsar Chowk in Central Nagpur Assembly Constituency	839308	8400
9	Devlopement Work at Gandhi Putla Chowk, Central Nagpur Assembly Constituency	839858	8400
10	Prov. & Fixing I block Beside road From Lalganj Khairipura to Gupta Chowk Bangladesh in Prabhag no. 20	830441	8400
11	Prov. & Fixing I Block Beside Road At Vakilpeth Area in Pr. No. 18	413832	4200
12	Providing & Laying Sewer Line Behind Ganeshpeth police Quarter in Prabhag no. 17	834291	8400
13	Providing & Laying CC Pavement At Ghadge Taka, Tulsibagh, Mahal In Front of Jayhind Hardware in Prabhag no. 18	836008	8400
14	Rennovation Of Toilet & Repairing Of Compound Wall At Milind Vidyalaya in prabhag No. 17	829269	8400
15	Providing & Fixing I block & Repairing Of Compound Wall At Dr. Babasaheb Ambedkar School ,Untakhana in Prabhag no. 17	827673	8400
16	Prov. & Laying CC Flooring And Sewer Line At Bangali Panja From h/o Ramesh Paunikar to Tayari Manzil in prabhag no. 20	831677	8400
17	Providing & Laying CC Pavement At Mattipura Near h/o Guddu Umredkar At Mattipura, Juni Mangalwari In pr.No. 22	832052	8400
18	Prov. & Laying CC Flooring at Bhujade Mohalla Juni Mangalwari Near h/o Tushar Ahirkar in prabhag no. 22	832149	8400
19	Prov. & Fixing FRP Cover & DI Covers At Juni Mangalwari, Itwari, Aychit Mandir, Nawabpura Area in pr.No. 22	833654	8400
20	Prov. & Laying CC Pavement Near Lakdapul Police Chauki, Hattinallah Area in pr.no. 22	835792	8400
21	Prov. & Fixing I Block In Front of Bajrang Complex, Premises of Hanuman Mandir at Vakilpeth in Prabhga no. 18	828644	8400
22	Construction of Shed at Lal Bahadur Shastri Garden Pachpaoli in prabhag no. 20	832495	8400
23	Prov. & Laying CC Flooring Behind h/o Abhay Ghatole at Juni Mangalwari in Pr. no. 22	832184	8400
24	Various Devlopment Work at Chinteshwar School, Gangajamuna Area in Pr no. 22	830966	8400
25	Construction Of Store Room & Various Repairing Work At Bhim Jyoti Samaj Bhawan ,Barse Nagar in prabhag no. 20	834062	8400
26	Prov. & Fixing I block At Zenda Chowk Juni Mangalwari In Pr. No. 22	828625	8400
27	Prov. & Fixing I block Beside Road Near H/o Ganesh Bhandarkar, Gangabaighat Road In Pr. No. 22	830340	8400
28	Prov. & Fixing I block Beside Road From Gujri Chowk to Patilwada In Pr. No. 22  Prov. & Fixing I block Beside Road At Mattipura Road In pr. No. 22	830456	8400
30	Providing & Fixing I Block At Sane Guruji School, Rahatekar Wadi in prabhag no. 18	830780 837216	8400 8400
31	Construction of I-Block Pavement infront of H/o Taksande at Kh. No. 41 Vitthalwadi Mz-Hudkeshwar in Prabhag No. 29	816268	8200
32	Construction of I-Block Pavement infront of H/o Meshram at Kh. No. 138 Mauli Mz Narsala in Prabhag No. 29	814320	8200
33	Construction of I-Block Pavement H/o Patil to H/o Wasnik at Kh. No. 138 Mzuli Nagar Mz Narsala in Prabhag No. 29	814390	8200
34	Construction of I-Block Pavement H/o Patil to H/o Lokhande at Kh. No. 150 Swagat Nagar Mz Narsala in Prabhag No. 29	688668	7000
35	Construction of I-Block Pavement H/o Chadurkar to H/o Pillewar at Kh. No. 150 New Ajanta H. Society Swagar Nagar Mz Narsala in Prabhag No. 29	814686	8200
36	Construction of I-Block Pavement H/o Gaikwad to H/o Dekate at Kh. No. 150 New Ajanta H. Society Mz Narsala in Prabhag No. 29	823401	8500
37	Construction of cement concrete road in front of Chaitanya Hardware at Kh. No. 135 Sariputra C.H.S Sudarshan Nagar Mz Narsala in Prabhag No. 29	821570	8500
38	Construction of I-Block Pavement H/o Motghare at Kh. No 138 Mauli Nagar Mouza Narsala in Prabhag No. 29	815095	8200
	Const, of I-Block Pavement near H/o Ramteke at Kh. No. 126	817873	8200
39		017010	
39 40	Meshram Layout Swagat Nagar Mouza Narsala in Prabhag No. 29  Const. of I-Block Pavement near H/o Ramteke at Kh. No. 138 Mauli Nagar Mouza Narsala in Prabhag No. 29	814865	8200

Note:-1) Cost of Blank Tender form each Rs. 590/-2) Tender sale & submission start date: 26/09/2024. Tender submission and date/sales end date 03/10/2024. up to 5.00 pm. 4) Date of opening of Tender (if possible) 04/10/2024 up to 5.00 pm. 5) Eligibility criteria and mode of Submission shall be as stated in tender document.

Advt No. 544 PR Date 25.09.2024

**Executive Engineer (DPDC) Nagpur Municipal Corporation** 

मालक, मुद्रक, प्रकाशक श्रीकृष्ण तनसुखदास चांडक यांनी अरुणोद्य प्रेस,कॉटन मार्केट, नागपूर १८ येथे छापून दैनिक महासागर कार्यालय, टेकडी रोड, सिताबर्डी, नागपूर येथे प्रकाशित केले. संपादक श्रीकृष्ण तनसखदास चांडक महासागर नागपूर मुख्य कार्यालय फोन७४४७७३५८५१/९९२२९७००२३/७४४७७३५८५३ |RNINo-20789/7*\** 

पान १ वरून....

शोषण प्रकरणातील मुख्य आरोपी अक्षय शिंदेवर २ चिमुकल्यांचे लैंगिक

शोषण केल्याचा आरोप होता. त्याचे सोमवारी सायंकाळी एन्काउंटर

करण्यात आले. सत्ताधारी महायुतीच्या नेत्यांनी या प्रकरणी न्याय

झाल्याची भावना व्यक्त केली आहे. तर विरोधी पक्षांनी हे एन्काउंटर

संशयास्पद असल्याचा आरोप केला आहे. या पार्श्वभूमीवर अक्षयच्या

वडील अण्णा शिंदे यांनी मुंबई उच्च न्यायालयात याचिका दाखल करून

कंपन्यांनी सांगितले की ही त्यांची औषधे नसून त्यांच्या नावाने बनावट

औषधे बाजारात विकली जात आहेत. ऑगस्टमध्ये 156 फिक्स्ड डोस

कॉम्बिनेशन औषधांवर बंदी घालण्यात आली. केंद्र सरकारने या वर्षी

ऑगस्टमध्ये 156 फिक्स्ड डोस कॉम्बिनेशन (ऋड) औषधांवर बंर्द

घातली आहे. ताप आणि सर्दी व्यतिरिक्त, हे सामान्यतः वेदनाशामक

मल्टी-व्हिटॅमिन आणि प्रतिजैविक म्हणून वापरले जात होते. त्यांच्य

वापरामुळे मानवाला धोका निर्माण होण्याची शक्यता असल्याचे सरकारने

म्हटले आहे. त्यामुळे देशभरात या औषधांचे उत्पादन, सेवन आणि

केंद्र सरकारने जारी केलेल्या आदेशानुसार, अमायलेस, प्रोटीज

ग्लुकोअमायलेज, पेक्टिनेज, अल्फा गॅलॅक्टोसिडेस, लैक्टेज, बीटा-

ग्लुकोनेज, सेल्युलेज, लिपेस, ब्रोमेलेन, झायलेनेज, हेमिसेल्युलेज, माल्ट

डायस्टेस, इनव्हर्टेज आणि पॅपेन यांच्या वापरामुळे मानवाला धोका निर्माण

होण्याची शक्यता आहे. बंदी घातलेल्या औषधांच्या यादीमध्ये केसांच्या

उपचारांसाठी वापरल्या जाणाऱ्या औषधांचा समावेश आहे

या संपूर्ण प्रकरणाची विस्तृत चौकशी करण्याची मागणी केली आहे.

पॅरासिटामॉलसह ५३...

वितरण यावर बंदी घालण्यात येणार आहे.

आदिवासी कुटुंबातील...

## थोडक्यात

### लिंगपिसाटांचे एन्काऊंटर... घटनाबाह्य सत्तापिसाटांचे काय?

 मुंबई: महाराष्ट्राच्या बाबतीत सध्या जे घडवले जात आहे ते भयंकर आहे. राज्यात जसे लिंगपिसाट आहेत तसे सत्तापिसाटही आहेत. लिंगपिसाटांचे एन्काऊंटर होते, पण घटनाबाह्य सत्तापिसाट खोक्यांवर उभे राहून



सरन्यायाधीशांशी हास्यविनोद करतात. कायद्याची भीती राहिलेली नाही व न्यायदेवता खोकेबाजांची बटीक बनली असल्याची टीका उद्धव ठाकरे गटाने केली आहे त्यांनी सामनाच्या माध्यमातून सरकावर निशाणा

ठाकरे गटाने म्हटले की, महाराष्ट्रातील एकूणच माहोल विद्यमान सत्ताकाळात बिघडला आहे. जरांगे पाटलांनी शिंदे-फडणवीसांच्या खुचीर्खाली वात पेटवली आहे. जनता त्रस्त आहे. जनतेचे लक्ष मुख्य प्रश्नावरून विचलित करण्यासाठी बदलापूरच्या आरोपीस गोळ्या घातल्या, पण गृहमंत्र्यांचे संरक्षण असलेले सूत्रधार आपटे, कोतवाल, आठवले मात्र मोकळेच राहिले.. असा आरोपही त्यांनी यामध्ये केला आहे.

### मोहित कंबोज यांना दिलासा

मुंबई: भारतीय जनता पक्षाचे नेते मोहित

कंबोज आणि इतरांविरोधातील सेंट्रल बँक ऑफ इंडिया फसवणूक प्रकरणात केंद्रीय अन्वेषण ब्युरो म्हणजेच सीबीआयचा 'क्लोजर रिपोर्ट' मुंबईच्या न्यायदंडाधिकारी



गेल्या वर्षी ऑक्टोबरमध्ये न्यायदंडाधिकारी न्यायालयाने सीबीआयचा 'क्लोजर रिपोर्ट' फेटाळताना म्हटले होते की, सर्व आरोपींविरुद्ध गुन्हेगारी कट, फसवणूक आणि खोटारडीचा खटला प्रथमदर्शनी स्थापित झाला आहे. मात्र आता हा रिपोर्ट न्यायालयाने स्वीकारला असल्याने कंबोज यांचा मोठा दिलासा मिळाला आहे.

अशीच महाराष्ट्रातील जळगाव जिल्ह्यातील आशादीप'महिला शासकीय वसतिगृह हि संस्था समाजातील विधवा, कौटुंबिक हिंसाचाराला बळी पडलेल्या तसेच कुमारी माता, मुली, अनाथ मुलं याना आधार देते. त्यांच्या फक्त समस्या सोडविण्यापुरते हे काम मर्यादित नसन अनेक मुलींचे संसार याच

१९८३ साली, आशादीप' या संस्थेची स्थापना जळगावात झाली<sub>.</sub> २००६ पासून या संस्थेस आश्रयगृह म्हणून घोषित करण्यात आले. आज येथील महिला आणि मुली यात त्या यशश्वी देखील झालेल्या आहेत. या

महिलांना आधार देऊन त्यांच्या जातो. शासनाच्या अनुदानाने येथील संस्थेचा कारभार व्हायरल केला. जेव्हा आपण MMS viral हा शब्द ऐकत

चालतो. या आश्रयगृहातील निराधार महिला आणि मुलींना अन्न, वस्त्र आणि निवारा याची मोफत सोय करून देण्यात

'वाचाल तर वाचाल 'ही उक्ती आजवर आपण अनेक माध्यमातून अनेकदा ऐकलेली आहे आणि वाचलेली देखील आहे, परंतु लोकांना प्रत्यक्ष वाचनाची आवड लागावी यासाठी फार क्वचितच प्रयत्न होताना दिसतात.

महाराष्ट्रातील लातूर जिल्हा हा आपल्या राज्याचे माजी मुख्यमंत्री दिवंगत विलासराव देशमुख यांचा जिल्हा. अर्थातच आपल्या

वडिलांच्या आदशार्चा वसा घेत विलासरावांचे सुपुत्र आमदार धीरज देशमुख आणि स्नुषा दीपीशिखा देशमुख यांनी जिल्ह्यात चळवळी सारखा

अभिनव उपक्रम 'रीड लातूर केला आहे,ज्या 'सुरु उपक्रमाला लातूर जिल्हयातील शाळाशाळातून अगदी भरभरून प्रतिसाद देखील मिळत आहे

वाचन संस्कृती जोपासली जावी आणि त्या माध्यमातून व्यक्तिमत्तवाचा विकास व्हावा करण्यात

आलेल्या 'रीड लातूर 'उपक्रमाच्या माध्यमातून खूप चांगला सकारात्मक बदल समाजामध्ये दिसून येत असून ग्रामीण भागातील जिल्हा

# महायुतीमध्येही भुखंडाचे श्रीखंड!

# बावनकुळेंच्या संस्थेला अत्यल्प दरात शासकीय भूखंड

### जमीन लुटारु सरकार म्हणत निशाणा

 महासागर प्रतिनिधी नागपूर, दि. २५:

भारतीय जनता पक्षाचे शिक्षण यांच्या संस्थेला शासकीय भुखंड देण्याचा निर्णय राज्यातील महायुती सरकारने घेतला आहे.

विशेष म्हणजे बावनकुळे यांच्या संस्थेला भूखंड देण्यास उपमुख्यमंत्री अजित पवार तसेच देण्याचा होता. असे असताना देखील आली

गजबजलेले मंत्रालय

खरीखरी....

काही कालावधी असतानाची, तोच काळ सध्या चालू आहे. या

काळात आम्ही वर वर्णन केल्याप्रमाणे लाखो लोक, हजारो

कामे घेऊन शेकडो अधिकारी आणि मंत्र्यांना भेटत असतात.

ज्याचे नशीब फळते त्याचे काम होते. मात्र, ज्याच्या नशिबी

प्रतीक्षा लिहिलेली असते. तो पुन्हा मंत्रालयातील नव्या

मालकाच्या प्रतीक्षेत आशाळभूतपणे आपले काम करण्यासाठी

पुन्हा तत्पर होतो. अनेकांसाठी हे सुगीचे दिवस आहेत.

नंत्रालयाच्या टप्प्याटप्प्यावर गप्पा मारताना जणूकाही

आश्वासनांचे गिरसप्पा धरण प्रचंड गतीने जलप्रेक्षण करीत

असते. या जलाभिषेकास ज्याला ज्याला तर्पण करायचे

असते. त्याला त्याला मंत्रालयातील महा पुरोहितांना महाअर्पण

करून आपले प्रेमार्पण अगदी शुद्ध हृदयाने प्रदर्शित करावे

लागते. यात ज्याचे जमते, त्याचे फावते आणि मग असलेल्या

किंवा नसलेल्या मिशीवर असे मिशी बहाद्दर लोक ताव मारीत

विजयी वीराच्या अविभार्वात अभिमंत्रीत होऊन मंत्रालयातून

आपल्या विजयाचा घोडा वायू वेगाने पळवीत असतात. अशी

ही मंत्रालयातील कहाणी आहे. ती सफळ, सुफळ होऊन, जो

जे वांछील तो ते पावो आणि समाधानाने आपल्या गावाला

जावो. हीच आमची सत्ताधीशांच्या चरणी प्रार्थना आहे. हाच

गजबजलेल्या मंत्रालयाचा मतितार्थ आहे. भारताच्या

निराधार महिलांचा आशादीप

असलेल्या महालक्ष्मी जगदंबा संस्थान, कोराडी या संस्थेला तंत्र आणि प्रदेशाध्यक्ष चंद्रशेखर बावनकुळे) महाविद्यालय उभारण्यासाठी हा पाच हेक्टरचा भखंड अत्यल्प दरात देण्याचा निर्णय आला आहे.

महालक्ष्मी जगदंबा संस्थान कोराडी या संस्थेला निर्णय राधाकष्ण विखे पाटील यांच्या मंत्रिमंडळाच्या बैठकीत घेण्यात महसल खात्याचा देखील विरोध आला असल्याची माहिती समोर तरी असली बावनकुळे यांच्याशी संबंधित मंत्रिमंडळाच्या बैठकीत यावर

### मी तर केवळ विद्यमान कार्यकारणीचा अध्यक्ष... बावनकुळे

या बाबत भाजप नेते चंद्रशेखर बावनकुळे यांनी स्पष्टीकरण दिले आहे. भूखंड देण्यात आलेली महालक्ष्मी जगदंबा संस्था ही माझी संस्था नसून मी केवळ या धमार्दाय संस्थेच्या विद्यामान कार्यकारणीचा

अध्यक्ष असल्याचे त्यांनी म्हटले आहे. तसेच ही संस्था प्रदीर्घ काळापासून शिक्षण क्षेत्रात काम करीत असून शाळाही चालविली

कोणती चर्चा झाली नाही.

निर्णयाप्रमाणे हा निर्णय केवळ कागदोपत्री रेडीरेकनरच्या दरानसार भखंड बावनकळे यांच्या संस्थेला घेण्यात आला असल्याचे समोर देण्यात यावा, असा अभिप्राय अत्यल्प दरात हा भूखंड देण्यात आले आहे. 2019 शासन महसूल विभागाने दिला होता. आला आहे.

आणि दुर्बल घटकांसाठी तसेच दिव्यांगासाठी संस्था धार्मिक कार्यक्रम राबविते. सेवानंद शाळेत होतकरू विद्यार्थ्यांना प्रतिवर्षी 365 रुपये एवढ्या जाते. या भागात संस्थेचे सर्व क्षेत्रांत मोठे कार्य

असून शिक्षणासाठीच संस्थेने सरकारकडे जागा मागितल्याचे बावनकुळे यांनी म्हटले आहे. खरेदीरास त्यानंतरही भाजप नेते चंद्रशेखर

परिसरात दाखल झाले. त्यांनी थेट

येथील आमदार निवासामध्ये घुसत

त्याचा ताबा घेतला. नंतर हे

आंदोलक टेरेसवर दाखल झाले

आणि आंदोलन सुरु केले. या वेळी

घोषणाबाजी केली.

#### अँटीपॅरासायटिक , स्किनकेअर, अँटी-लर्जिक इ. सरकारने सांगितले की, या औषधांच्या जागी इतर औषधे बाजारात उपलब्ध आहेत. त्यांच्यावर कोणतेही बंधन राहणार नाही

परिवारासह घ्यार यांच्या शेतातच राहतात. लहान मोठे मिळून जवळपास साठ जण शेतातच वास्तव्याला असल्याची माहिती आहे. प्राप्त माहितीनुसार मागील २२ सप्टेंबरच्या रात्री उशिरा यातील कमीअधिक आठ जणांना उलट्या, मळमळ, हगवण असा त्रास सुरू झाला. आठ बधितांवर अगोदर दादुलगाव मधील एका खाजगी डॉक्टरने उपचार केले घटनेची माहिती मिळताच तालुका आरोग्य अधिकारी डॉ. उज्वला पाटील सहकाऱ्यांसोबत घटनास्थळी दाखल झाल्या. त्यांचेसमवेत जिल्हा साथ रोग अधिकारी डॉ. प्रशांत तांगडे, उपजिल्हा आरोग्य अधिकारी डॉ मिलींद जाधव, डॉ. काळे, डॉ. थिगळे, डॉ. रुपाली घोलप यांचार्ह समावेश होता. या आरोग्य पथकाने बाधित रुग्णांवर उपचार केले त्यानंतर आरोग्य विभागाच्या रुग्णवाहिकेने सर्व रुग्णांना खामगाव येथील उप जिल्हा सामान्य रुग्णालयात दाखल करण्यात आले. मात्र उपचार दरम्यान दोन चिमुकल्या भावंडाचा मृत्यू ओढावला.

रोशनी सुनील पावरा (वय २ वर्षे ) आणि अर्जुन सुनील पावरा (वय ६ वर्षे) अशी बहिण- भावाची नावे आहेत. दरम्यान इतर ६ जणांची प्रकृती गंभीर झाल्याने त्यांना अकोला येथील जिल्हा शासकीय रुग्णालयात पुढील उपचारसाठी हलविण्यात आले आहे. त्यातील एकाची प्रकृती गंभीर असून इतर रुग्णांची प्रकृती स्थिर असल्याचे आरोग्य

विभागाच्या वरिष्ठ सूत्रांनी सांगितले.

# कडुंच्या प्रहार दिव्यांग संघटनेचे मंत्रालयासमोर आंदोलन

 महासागर प्रतिनिधी मुंबई, दि. २५:

दिव्यांग कल्याण मंत्रालय प्रमुख प्रहार दिव्यांग संघटनेचे संस्थापक अध्यक्ष आमदार बच्चू कडू यांच्या नेतृत्वाखाली दिव्यांगांच्या विविध प्रश्नावर मंबईत मंत्रालयावर आंदोलन आले.

या आंदोलकांनी आकाशवाणी आमदार निवासस्थानाचा ताबा घेतला. त्यानंतर ते इमारतीच्या टेरेसवर पोहोचले. या घटनेमुळे चोख बंदोबस्त तैनात करण्यात आला होता. दिव्यांगांना सहा हजार रुपये मानधन देण्यात यावे, दिव्यांगांना घरकुल देण्यात यावे, दिव्यांगांची कर्जमाफी झालीच पाहिजे, दिव्यांगांना व्यवसायासाठी गाळा आणि जागा मिळालीच पाहिजे यासह इतर प्रमुख मागण्यांसाठी दिव्यांग बांधवांच्या वतीने हे आंदोलन पुकारण्यात आले. राज्यभरातून आलेल्या दिव्यांगांनी या आंदोलनात सहभाग



दिव्यांग कल्याण मंत्रालय प्रमुख प्रहार दिव्यांग संघटनेचे संस्थापक अध्यक्ष आमदार बच्चू कडू यांच्या नेतृत्वाखाली या आंदोलनाचे आयोजन करण्यात आले होते. दुपारी एक वाजता आंदोलकांनी मंत्रालयासमोर

### पिचड पितापुत्र पुन्हा राष्ट्रवादीत?

 महासागर प्रतिनिधी मुंबई, दि. २५:

भारतीय जनता पक्षाचे ज्येष्ठ नेते मधुकर पिचंड हे पुन्हा एकदा शरद पवार यांच्या गटामध्ये प्रवेश करणार असल्याची शक्यता वर्तवली जात आहे. या संदर्भात मधुकर पिचड आणि त्यांचे चिरंजीव वैभव पिचड यांनी शरद पवार यांची भेट घेतली.

पवारांच्या सिल्वर ओक या निवासस्थानी पिचड पितापत्र आणि पवार यांच्या अर्धा तास चर्चा झाली. अहमदनगर जिल्ह्यात हा भारतीय जनता पक्षाला मोठा धक्का मानला जात आह. ापचड कुटुब भाजपमध्ये असले तरी ते तुतारी हातात घेण्याच्या तयारीत असल्याचे बोलले जात आहे.

### Hon. Balasaheb Thackeray Agribusiness and Rural Transformation (SMART) Project

### E-TENDER NOTICE NO 2024 DOAWB 1092597 Construction of 1500 MT Warehouse and Processing Shed 396 Sq. M

The Government of Maharashtra is implementing the World Bank-funded SMART Project. Kaneriram Mahila Shetkari Producer Company Limited, Gondia is one of the beneficiaries under the project and inviting online bids on https://mahatenders.gov.in for above mentioned works. The estimated cost of work is Rs.229.67 lakhs (Including GST). The bid document is also available on the project website www.smart**mh.org**, in tender and procurement section. The last date for submission of online bid is 09/10/2024 up to 12 PM. Any updates or notices shall be published on aforementioned websites only.

District Implementation Unit,

आपल्या समाजात अंग त्या अंगांचे विविध पैल आपल्याला पाहायला मिळतात. मात्र य पैलूंमध्ये खूप काही गोष्टी दडलेल्या असतात त्या कधी आपल्या दृष्टीसही पडत नाहीत. आपल्या याच समाजातील अबला महिलांच्या मुलींच्या समस्या जे सोडविण्याचे आपल्या परीने काम करतात ते आपल्या याच समाजातील घटक असतात, हे काम मग सामृहिक प्रयत्नातून असो किंवा सामाजिक

संस्थेच्या माध्यमातून

संस्थेच्या प्रयतातून थाटले गेले आहेत. स्वबळावर उभ्या राहण्याचे प्रशिक्षण घेत असून

आश्रयगृहात निराधार, निराश्रीत समस्या सोडविण्याचा प्रयत्न केला

आलेली आहे. एखादी

असतो तेव्हा आपल्याला MMS म्हणजे काय? हे माहित नसते. MMS चा फुलफाँर्म हा multimedia messaging service असा होत असतो. MMS ही messaging service असते. MMS द्वारे कुठलाही multimedia format message आपण send तसेच receive करू शकतो. MMS द्वारे आपण एखाद्या व्यक्तीला फोटो, व्हिडिओ क्लीप, आँडिओ, ग्राफीक्स, ईमेजेस फाईल इत्यादी send करू शकतो.

मुलगी येथे आल्यानंतर तिची २४ तासांच्या

आत वैद्यकीय तपासणी पूर्ण केली जाते आणि

आधार दिला जातो. महिलांना कायद्याची मदत

आपण MMS हा शब्द खुपदा

टिव्हीवर सोशल मिडियावर वर्तमानपत्रात

असते अमुक व्यक्तीने तमुक व्यक्तीचा

MMS तयार करून सोशल मिडियावर

ऐकला तसेच वाचला देखील आहे. खुप

ठिकाणी आपल्याला असे ऐकायला मिळत

आवश्यक उपचार करून तिला आश्रयगहात

देण्यासाठी येथे स्थानिक समिती स्थापन

करण्यात आली आहे. शहरातील

नामांकित वकील आणि

सामाजिक

शब्दार्थ

MMS

आत्मविश्वास मोठ्या प्रमाणात वाढलेला आहे. याच पार्शवभूमीवर आता रीड लातूर हा उपक्रम संपूर्ण जिल्हा स्तरावर पोहचविण्यासाठी धीरज

देशमुख प्रयत्न करत आहेत.

परिषद शालनामधील विद्यार्थी मराठी, हिंदी

आणि इंग्रजी भाषेतील अवांतर वाचनाची

पुस्तक नियमितपणे वाचत असल्याने त्यांचा

लातूर 'उपक्रमात सहभागी होऊन वाचन चळवळीला आकार देत असलेल्या शिक्षक आणि शाळांचा या निमित्ताने लातुरात गौरव सोहळा देखील आयोजित करण्यात आला होता.या कार्यक्रमात 'रीड लातूरच्या वतीने पहिला जीवन गौरव पुरस्कार जेष्ठ शिक्षणतज्ज्ञ शंकर सदाकाळे याना मान्यवरांच्या हस्ते देण्यात वाचन संस्कृतीला चालना देत असताना 'रीड आला.

मिळवून देण्यासाठी झगडतात. याच माध्यमातून

या मलींना स्वतःच्या पायावर उभे करण्यासाठी

योग्य ते प्रशिक्षण देण्यात येते. तसेच शहरातील

येथील निरक्षर महिलांना साक्षर

करण्यासाठी साक्षरता वर्ग देखील

विविध प्रकारच्या वस्तु बनविण्याचे

प्रशिक्षण देऊन त्यांना आर्थिक मदतीचा मार्ग

शोधून दिला जातो आणि आत्मनिर्भर बनवलं

जात. एकूणच, समाजातील तमाम निराधार,

आयुष्यात आशेचा नवा दीप पेटवणारी

पीडित महिलांना आधार देणारी आणि त्यांच्या

आहे हे नक्की. 🔳 📕

आशादीप संस्था एक आदर्श संस्था

इनरव्हील क्लब तसेच विविध

सामाजिक संस्थांचे कार्यक्रम या

चालवले जातात. महिलांचे कौटुंबिक

आयुष्य सुरळीत होण्यासाठी प्रसंगी

त्यांच्या कुटुंबियांचे समुपदेशन देखील

केले जाते. याच आश्रयगृहात महिलांना

आश्रयगृहात आयोजित केले जातात.

अनेक महिला मंडळ, रोटरी क्लब,

लोकजागर

### : अक्षरधारा :

### वाचन चळवळीसाठीचा उपक्रम रीड लातूर



: संकलन व संयोजन : सुबोध रणशेवरे, ९८३३१४६३५६ subodh.ranshevre @rediffmail.com कार्य करणारी शाळा, रीड लातूर उपक्रमातील उत्कृष्ट शाळा आणि शिक्षकांचा यावेळी विविध पुरस्कार देऊन गौरव करण्यात

तसेच राज्य शासन पुरस्कार प्राप्त

शिक्षक, शिक्षण क्षेत्रात उल्लेखनीय

यावेळी धीरज देशमुख यांनी

'सर्व शिक्षक विद्यार्थ्यांना शिक्षण देण्यासाठी सतत प्रयत्नशील असतात,आजच्या २ जी, ३ जी,४ जी, ५ जी आणि भविष्यात ७ जी पण येईल परंतु गुरुजीना मात्र पर्याय शिक्षकच

गोडी लावणाऱ्या उपक्रमाच्या माध्यमातून विद्यार्थ्यांना घडवतात 'असे गौरवोद्गार काढले.















कु.अश्विनी कडू कु.दबता काळे श्री. प्रदीप सरदार श्री. अमोल वानखंडे श्री. हिरालाल कुऱ्हांडे श्री. लालचेन पटोरक

तथा समस्य कार्यस्य शिक्षक विशिष्ठकेतर कर्मवारी वृद्धि ीर दावसाहित जारही विद्यान या करीं वीर दावसाहित जायकवाड किनाउ यहा विद्यान या स्वापूर तार धारणी जिर धमरावती



# महासागर

# नागपूर दृतसागर

गुरुवार, दि. २६, सप्टेंबर २०२४

# मोदी प्रचाराला गेले तिथे भाजपचे नुकसान : वडेट्टीवारांचा हल्लाबोल

अमित शहा जेव्हा येतात तेव्हा गडकरी गायब असतात याचा अर्थ भाजपचे पाय खोलात गेला आहे. कितीही प्रयत्न केला तरी ते आता बाहेर काढू शकत नाहीत. मोदी शहा जितक्या वेळा महाराष्ट्रात, विदर्भात येतील तितकं भाजपचे नुकसान होणार आहे.मोदी जिथे गेले तिथे भाजपचे नुकसान झाले, असा टोला राज्याचे विरोधी पक्षनेते विजय वडेट्टीवार यांनी लगावला आहे.

वडेट्टीवार पुढे बोलताना म्हणाले की, महाराष्ट्राच्या जनतेने महाविकास आघाडीला निवड्न आणायचे ठरवलेले आहे. मोदी चंद्रपूर, भंडारा गोंदियात गेले तिकडे पराभव झाला. नशीब ते नागपूरला नाही आले नाही तर गडकरी हरले असते. तर जमीन लुटारू सरकार म्हणून यांची ओळख होणार आहे. प्राईम जमीन हडपण्यात हे मास्टरमाईंड आहेत. 5 लाख कोटींची जमीन यांनी वाटलेल्या आहेत, असे म्हटले आहे

### महासागर प्रतिनिधी

आगामी विधानसभा

निडवणुकीच्या तोंडावर सत्ताधारी पक्ष धार्मिक दंगली घडवण्याचा प्रयत्न करीत आहे. पण, मुस्लीम समाज शहाणा झाला असून चिथावणीखोर वक्तव्याला भीक घालत नाही. त्यामुळे सत्ताधाऱ्यांना अपेक्षित धार्मिक दंगली महाराष्ट्रात घडण्याची शक्यता नाही, असे वक्तव्य अखिल भारतीय अंधश्रद्धा निर्मूलन समितीचे संस्थापक प्रा. श्याम मानव यांनी केले.

महाराष्ट्रातील पुरोगामी सामाजिक संघटनांनी आगामी विधानसभा निवडणुकीच्या पार्श्वभूमीवर संविधान बचाओ-महाराष्ट्र बचाओ अभियान सुरू केला आहे. या अभियानाअंतर्गंत विदर्भात २१ सप्टेंबरपर्यंत १४ निवडणुकीत महाराष्ट्रातील विविध ठिकाणी जाहीर व्याख्यान झाले श्याम मानव यांनी मंगळवारी पत्रकार परिषदेत माहिती दिली. सेनेच्या नेत्यांची चिथावणीखोर नाही. सर्वोच्च न्यायालयाने वक्तव्य आणि मुस्लीम समाजाचा मोर्चा याबाबत विचारणा केली असता त्यांनी सरकारला लक्ष्य



सरकारला लाडकी बहिण नाही सत्ता...

विजय वडेट्टीवार म्हणाले की एकनाथ शिंदे, देवेंद्र फडणवीस अजित पवार यांच्या डोक्यात होत ते आमदारा टेकचंद सावरकरांच्या मुखातून बाहेर पडलंय असा टोला त्यांनी लगावला आहे. तर सरकारला लाडकी बहीण नाही लाडकी सत्ता आहे,हे स्पष्ट झाले. माझा लाडका मतदार आहे हे त्यांच्या आमदाराच्या मुखातून स्पष्ट झाल्याने सत्ताधाऱ्यांचे खायचे दात

## बृजभुषण यांचा एन्काऊंटर का केला नाही?

बदलापूर लैंगिक अत्याचार प्रकरणातील आरोपी अक्षय शिंदेचा पोलिसांनी एन्काऊंटर केला. या घटनेनंतर विरोधकांनी सरकारवर तसेच पोलिसांवर प्रश्न उपस्थित केले आहेत. कॉग्रेस नेते विजय वडेट्टीवर यांनी या प्रकरणावर महायुती सरकारवर चांगलाच निशाणा साधला आहे. बदलापूर अत्याचार प्रकरणातील आरोपी अक्षय शिंदे याला फाशीची शिक्षा व्हावी अशी आमची मागणी होती. मात्र भाजपाने आरएसएसशी संबंधित लोकांना वाचविण्यासाठी शिंदेचा एन्काउंटर केला आहे. विजय वडेट्टीवार म्हणाले, बिहार आणि युपीच्या पुढे जाताना महाराष्ट्र पाहायला मिळत आहे. कायद्याचं संरक्षण करणारे यांनी कायद्याच्या चौकटीत असले पाहिजे. महिला कुस्तीगीरवर अत्याचार करणाऱ्या भाजप खासदार बुजभुषण सिंगचे एन्काउंटर का नाही केले? त्यावेळी न्याय द्यायचा नव्हता का? स्वतःच्या लोकांना वाचवण्यासाठी वाटेल तसा कायदा मोडायचा असा भाजपचा कारभार आहे. अक्षय शिंदेच्या एन्काऊंटरवर देखील विजय वडेट्टीवार यांनी सवाल उपस्थित केला आहे. विजय वडेट्टीवार म्हणाले, अक्षय शिंदेच्या तोंडावर बुरखा आणि हातकडी असताना तो फायर करतो. पोलिसांच्या बंदुकीला लॉक असते. त्या कैद्याच्या हातात बेडी असते. या अधिकाऱ्याचा मागील इतिहास वेगळा आहे. तेलंगणामध्ये असाच चार आरोपींचा एन्काऊंटर करण्यात आला. त्यावेळी कोर्टाने त्यांच्यावर 402 चा गुन्हा दाखल केला. ज्यांचा या प्रकरणाशी संबंध आहेत ते घरात मजा मारत आहेत. ते भाजप आणि आरएसएस संबंधित आहेत. त्यांना वाचवण्याच काम सरकार करत असल्याची टीका त्यांनी केली. पुढे बोलताना विजय वडेट्टीवार म्हणाले, पोलिसांनी काढलेली प्रेसनोट ही हास्यास्पद आहे. कारण पोलिसांनी प्रेस नोटमध्ये स्वसंरक्षणार्थ शब्द वापरला आहे. एकाच गोळीत त्याचा मृत्यू झाला. ती गोळी त्याला ताब्यात घेण्यासाठी चालवली होती, की त्याला मारण्यासाठी चालवली होती? कैद्याला ने-आण करण्याचे काम गुन्हे शाखेच्या अधिकाऱ्यांचे नसते. त्यांचे काम तपास करण्याचे असते. मग कैद्यांना ने-आण करण्यासाठी असे अधिकारी का नेमले?

आहेत. विजय वडेट्टीवार म्हणाले गडकरी, देवेंद्र फडणवीस आणि आमच्याकडे इनकमिंग सुरू होत की, भाजपची धुरा नागपूरच्या चंद्रशेखर बावनकुळे नेतृत्व करणार आहे, महायुतीकडे अवकाळी लोकांकडे असली की आम्ही असतील तर चांगलेच आहे. तर बिनधास्त राह् कारण या लोकांना भाजपकडे नाही आमच्याकडे आणि दाखवायचे दात उघड झाले जनतेनी नाकारले आहे. नितीन कार्यकर्ते येत आहेत. आता

पावसाची झळ पोहोचणार आहे. त्यांनी कितीही प्रयत्न केला तरी

### असता एक संशयित इसम पळताना दिसला. भाकप नेते डी. राजा म्हणतात,

महासागर प्रतिनिधी

देशात सत्तेवर असलेल्या भारतीय) भाकप कार्यालयात ए. बी. वर्धन जनता पक्षाचे नेते राष्ट्रीय यांच्या भेटीला आले होते. अशी (आरएसएस) विचारानुसार काम गडकरींनी संसदेत वैद्यकीय असल्याने करतात. सध्या पंतप्रधान नरेंद्र विमासह इतरही काही विषयांवर चालवण्याचे परवाने, परवाने सप्टेंबर २०२४ पासून बेमुदत मोदी आणि गृहमंत्री अमित शहा आपली भूमिका मांडली.

यांची छबी आक्रमक नेते अशी आहे. त्यांच्यामुळे देश सामाजिक, आर्थिक, राजकीय क्षेत्रात पिछाडीवर गेला. भाजपचे काही नेते संविधानापेक्षा गीता हा धार्मिक ग्रंथ श्रेष्ठ मानतात. हे चुकीचे आहे

दरम्यान नितीन गडकरी आरएसएस विचाराचे असले तरी मोदी, शहांच्या तुलनेत सौम्य आहेत. ते भाकपचे नेते ए. बी. बर्धन यांचा आदर करीत होते. त्यामुळेच देशात पहिल्यांदा भाजप डी राजा म्हणाले, मंत्रीपदाची शपथ घेतली तेव्हा ते संघाच्या आठवण राजा यांनी सांगितली.

### पोलिसांची कारवाई संशयास्पद

महासागर प्रतिनिधी नागपूर, दि. २५ :

पारशिवनी येथे राहणाऱ्या

अंकित गजभियेचा नागपूरवरून

पारशिवनी येथे दुचाकीने (२ँ

267) येत असताना मौजा इट

चार चाकी वाहनाच्या धडकेत

10 एप्रिल ला रात्री 8.10 च्या

केल्या व त्यांच्या कारवाईत

आहे. अशी तक्रार वडील

पुनादास गजभिये यांनी केली

व फोटोग्राफीचे काम सांभाळत

असणाऱ्या अंकित गजभिये या

24 वर्षे युवकाचा नागपूरवरून

पथकाने एका तडीपार गुंडास विना

परवानगी शहरात फिरताना अटक

केली. परशूराम मखुंजी गौतम

(33) रा. शिवनगर, कांद्री असे

अटकेतील आरोपीचे नाव आहे.

परशूराम हा सराईत गुन्हेगार असून

आहेत. याच वर्षी एप्रिल महिन्यात

परिमंडळ क्र. 5 चे पोलिस

महिन्यांसाठी नागपूर शहर व

ग्रामीणमधून हद्दपार केले होते.

मंगळवारी सायंकाळी 5.10

वाजताच्या सुमारास गुन्हे शाखेचे

पथक यशोधरानगर पोलिस

ठाण्यांतर्गत गस्त घालत होते. या

दरम्यान एक तडीपार गुंड

ऑटोमोटिव्ह चौकात फिरत

असल्याची माहिती मिळाली. या

माहितीवरून पोलिस तेथे पोहोचले

त्याच्यावर अनेक गुन्हे

उपायुक्तांनी त्याला

प्रिंटिंग प्रेसचे दुकान

असलेली बेपरवाई संशयास्पद

सुमारास मृत्यू झाला. पण यानंतर पोलिसांनी ज्या काही हालचाली

गावच्या जवळ समोरून येणाऱ्या

अंकित गजभियेचा मृत्यू

चारचाकीची धडक आणि

पारशिवनी येथे दुचाकीने येत असताना चार चाकी वाहनाच्या धडकेत जागीच मृत्यू झाला. तुटलेल्या हेल्मेट मध्ये त्याच्या मेंद्रचे तुकडे जमा झाले होते व अंकित रक्ताच्या थारोळ्यात पडलेला होता.

पोलिसांना माहिती मिळाल्यावर त्यांनी तत्काळ पंचनामा केला नाही की तेथील वस्तू गोळा केल्या नाहीत तसेच अपघात पाहण्यासाठी जमा झालेल्या लोकांकडून साधी विचारपूसही करण्यात आली नाही व मृतदेह सरळ पारशिवनी येथील रुग्णालयात पाठविण्यात

आला. अशी तक्रार करणारे अंकित गजभियेचे वडील पूना दास गजभिये यांना जेव्हा पोलिसांनी दुसऱ्या दिवशी अपघातग्रस्त जागेवर पंचनामासाठी नेले तेव्हा रस्ता धुतल्या सारखा स्वच्छ होता व पुरावे नष्ट करण्यात आले होते.

तेथील जवळच्या हॉटेलमधील सीसीटीव्ही फुटेज जाणीवपूर्वक डिलीट करण्यात आले होते.

पोलिसांच्या कामाचा वेग व तत्परता संशयित असून अजूनही धडक दिलेल्या वाहन चालकाचा तपास लागलेला नाही तेव्हा न्यायाची मागणी अंकित गजभियेचे वडील पुनादास गजभिये यांनी पोलीस अधीक्षकांकडे केली आहे

#### राज्यभरातील आरटीओचे तडापार गुडास अटक महासागर प्रतिनिधी नागपूर, दि. २५ : कामकाज ठप्प गुन्हे शाखा युनिट 5 च्या

महासागर प्रतिनिधी नागपूर, दि. २५ :

आकृति अंमलबजावणीसह कर्मचारी संघटनेने मंगळवारपासून कंत्राटी पुकारलेल्या बेमुदत संपाला नागपुरसह राज्यभरातील सर्वच आरटीओ कार्यालयात चांगला प्रतिसाद मिळाला. येथील वर्ग तीन आणि चार संवगातील कर्मचारी बेमुदत संपावर असल्याने सलग दुसऱ्या दिवशी या कार्यालयांतील वाहन चालवण्याचे परवान्यासह जवळपास सर्वच कामे ठप्प पडले आहे. संतप्त कर्मचारी मंगळवार नंतर बुधवारी सलग दुसऱ्याही सकाळी विविध मागण्यांसाठी नागपुर शहर, पूर्व नागपूर, नागपूर ग्रामीण आरटीओ कार्यालयांसह राज्यभरातील सगळ्याच कार्यालय परिसरात गोळा झाले. येथे सगळ्यांनी सरकार आणि परिवहन खात्याच्या विरोधात जोरदार निदर्शने केली. सरकारने मागण्या मान्य न केल्यास असल्याचा इशाराही यावेळी संतप्त

आंदोलकांनी दिला. दरम्यान संघटनेची परिवहन आयुक्त कार्यालयात वरिष्ठ अधिकाऱ्यांसोबत चचेची तयारी असल्याचेही आंदोलकानी सांगितले. दरम्यान परिवहन खात्याने मंगळवारी एक समिती गठित केल्याची माहिती आहे. संघटनेसोबत या समितीबाबत चर्चा झाली नसल्याचाही आंदोलकांचा दावा आहे. त्यातच नागपूरसह राज्यातील सर्वच आकृतीबंधाच्या अंमलबजावणीस आरटीओ कार्यालयातील लिपीक टाळाटाळ होत असल्यामळे व संवर्गासह चतुर्थश्रेणी संवगातील महसूल विभागीय बदल्यांचे धोरण बहुतांश कर्मचारी संपावर रद्द करण्याच्या मागणीसाठी मोटार येथील नूतनीकरण, वाहन नोंदणीशी संपावर गेले आहे.

संबंधित कामे, वाहनांची पसंती क्रमांकाशी संबंधित कामे, बंधाच्या लिपिकांशी संबंधित कामे ठप्प इतर पडल्याचा आंदोलकांचा दावा मागण्यांसाठी मोटार वाहन विभाग आहे. परंतु प्रशसनाकडून मात्र कर्मचाऱ्यांसोबत नागरिकांना त्रास होऊ नये या पद्धतीने काम झाल्याचा दावा केला गेला.

नागपुरातील शहर आरटीओ कार्यालयात बुधवारी दुपारी विजय नावाचे एक व्यक्ती वाहन नोंदणीची आरसी घेण्यासाठी आले. त्यांची आरसी काही तांत्रिक कारणाने डाक विभागाने आरटीओला परत पाठवली होती. परंतु येथे एकही लिपीक कामावर नसल्याने त्यांनी संताप व्यक्त केला. लोकसत्ताशी बोलताना त्यांनी मी आज कार्यालय सोड्न येथे आरसी कामासाठी आलो येथे एकही कर्मचारी नसल्याने, काय झाले नाही.

संघटनेचे म्हणणे काय?

वाहन विभागासाठी शासनाने सुधारित आकृतीबंध २३ सप्टेंबर बेमुदत संप पुढेही सुरू राहणार २०२२ पासून लागू केले. परंतु त्याची अंमलबजावणी केल्यामुळे कर्मचाऱ्यांच्या पदोन्नती रखडल्या. आकृतीबंधाची योग्य अंमलबजावणी न करता त्याचा आधार घेऊन विभागस्तरावर बदल्या करण्याची सुत्रे शासनाने स्वीकारली आहेत त्यामुळे ३१ ऑगस्ट २०२४ रोजी महसूलस्तरावर बदल्या करण्यात कर्मचाऱ्यांनी न्यायालयात (मॅट) दाद मागितली. न्यायालयाने काही आदेश वाहन वाहन विभागातील कर्मचारी २४

# आम्ही बाबासाहेब आंबेडकरांचे वैचारिक पुत्र आणि ते...



संघटनानी महाविकास ऑक्टोबरपर्यंत आघाडीचे समर्थन करण्याची सत्तेबाहेर काढणे आवश्यक आहे. नाही. ते रक्ताने नातु असले तरी आणखी दहा व्याख्याने आयोजित कारणे देखील त्यांनी सांगितली. ते काँग्रेस

सरकार आहे. पक्षांत्तर कायद्यानुसार हे सरकार स्थापनेची प्रक्रिया अवैध ठरवली, परंतु पोटनिवडणूक घेण्याचे आदेश दिले नाही. भाजपने जनतेने निवड्न दिलेल्या आगामी विधानसभा लोकप्रतिधींची खरेदी करून लागेल

सरकार बनवण्याचे काम केले यात लोकशाहीचा गळा आला. भोंदुबाबा जातीवाचक उल्लेख करून लोकांचा आहे. त्याला संरक्षण

थापित करण्यासाठी भाजपला करण्यात येत आहेत. याबाबत प्रा. म्हणाले, महाराष्ट्रात असंवैधानिक आघाडीतील घटक पक्षांनी प्रा. श्याम म्हणाले. संविधानातील समता, बंधूता, स्वातंत्र्य आणि न्याय ही मूल्य यावेळी त्यांना भाजप आणि शिंदे सरकार अस्तित्वात राहू शकत मान्य केली आहेत. त्यामुळे त्यांचे आम्ही समर्थन करीत आहोत, असेही ते म्हणाले.

लाडकी बहिणी योजना चांगली आहे. यामुळे ग्रामीण भागातील बाजारपेठेत पैसे खेळू

आपल्याला हवी तसे अर्थव्यवस्थेला फायदा होईल. काँग्रेसने महालक्ष्मी योजनेच्या माध्यमातून तीन हजार रुपये प्रतिमहिना देण्याचे आधीच जाहीर केले आहे. कर्नाटक आणि तेलंगणामध्ये ही योजना लागू देखील केली आहे. त्यामुळे लाडकी बहिणी योजनेवर त्यांच्याविरुद्ध ॲट्रासिटी महालक्ष्मी योजना भारी पडेल गुन्हा दाखल केला जात असेही प्रा. श्याम मानव म्हणाले. महाष्टात निवडणकीत तिसरी

दिले जाते. संविधानाचे चौथी आघाडी चालणार नाही. उल्लंघन केले जाते. लोकांना संविधानाने चालणारे महाराष्ट्रात लोकशाही सरकार हवे आहे. केवळ आंबेडकरांचे नातू असून आणि महाविकास आम्ही वैचारिक पुत्र आहोत, असे

# नितीन गडकरी चांगले व्यक्ती

नागपूर, दि. २५ :

केंद्रीय भूपृष्ठ वाहतूक मंत्री नितीन गडकरी ही चांगली व्यक्ती आहे, असे मत भारतीय कम्युनिस्ट पक्षाचे (भाकप) राष्ट्रीय सरचिटणीस डी. राजा यांनी व्यक्त केले. भारतीय कम्युनिस्ट पक्षाच्या राष्ट्रीय कार्यकारी मंडळाची सभा बुधवारी नागपुरातील धंतोली परिसरात झाली. त्यानंतर पत्रकारांशी त्यांनी

# बटुकभाई ज्वेलसंच्या खास ज्वेलरी खानच्या हस्ते अनावरण

## व्याघ्रप्रकल्प प्रशासनाविराधात गावकरी उतरले रस्त्यावर

🔳 महासागर प्रतिनिधी

नागपूर, दि. २५ :

वनपरिक्षेत्रालगतच्या गावांमध्ये दहशत पसरवणाऱ्या वाघिणीला मुख्य वनसंरक्षकांनी दिले होते. पेंच प्रशासनाने या वाघिणीऐवजी वाघाला जेरबंद पथकाने सायंकाळी सुर्यास्तानंतर केल्याच्या तक्रारी गावकऱ्यांपासून तर वन्यजीवप्रेमींनी केल्या आहेत. दरम्यान, गावकऱ्यांनीच पेंच प्रशासनाच्या विरोधात आंदोलन आले. तो पूर्णपणे बेशुद्ध होण्यास मागणी ग्रामस्थांनी केली.

सायंकाळी ५.३० वाजता झिंझरिया बेशुद्धीचे इंजेक्शन दिल्यानंतर गावातील शेतात काम करणाऱ्या नीता कुंभारे या महिलेवर होण्यासाठी जास्तीतजास्त १५ ते वाघिणीने हल्ला करुन तिला ठार २० मिनिटाचा कालावधी लागतो. (पीआरटी) वापर का केला जात केले. याशिवाय गेल्या दोन ते तीन याशिवाय महिन्यांत वाघाच्या हल्ल्यात या वनसंरक्षकांनी वाघिणीला बेशुद्ध मुनगंटीवार यांनी उपस्थित केला. पडले आहेत. त्या वाघिणीला दिले. तसेच प्रादेशिक विभागातील मानधन द्या आणि गावातील जेरबंद करण्याची मागणी एका वाघाला जेरबंद करण्याचे युवकांना प्रशिक्षण देऊन त्यांना ग्रामस्थांनी केली होती, मात्र, तिला आदेश दिले. प्रत्यक्षात दुसऱ्याच यात सहभागी करा.

जेरबंद न करता वाघाला जेरबंद वाघाला जेरबंद करण्यात आले. करण्यात आले. ही वाघीण पेंच व्याघ्रप्रकल्पात पवनी अजूनही झिंझेरिया गावातच फिरत असल्याचा दावा गावकरी करत आहेत. शनिवार, २१ सप्टेंबरला जेरबंद करण्याचे आदेश प्रधान सायंकाळी सिल्लारीजवळील राधेश्याम भलावी यांच्या शेतात आलेल्या वाघाला वनखात्याच्या बेशुद्ध करुन जेरबंद केले. मात्र, सुर्योस्ताच्या पूर्वीच साडेपाच वाजता वाघाला बेशुद्ध करण्यात सात वाजले, असा दावा पेंच मंगळवार, १७ सप्टेंबरला प्रशासन करीत आहे. प्रत्यक्षात कोणताही वन्यप्राणी पूर्णपणे बेशुद्ध प्रधान करुन जेरबंद करण्याचे आदेश

प्रशासनाचे आश्वासन फोल? हल्ल्याच्या घटनेनंतर रविवार, २२ सप्टेंबरला ग्रामस्थांची बैठक

वनाधिकाऱ्यांनी दिले प्रत्यक्षात या गावात पेंच प्रशासनातील कोणताही वरिष्ठ अधिकारी फिरकला नाही. मुख्य वन्यजीव रक्षक, जिल्हाधिकारी यांनी या परिसराला भेट द्यावी, वनमंत्र्यांनी भेट द्यावी, अशी वनमंत्र्यांनी गावात जाण्याऐवजी गावकऱ्यांनाच नागपुरात बोलावून घेतले. त्यामुळे गावकऱ्यांनी या बैठकीवर बहिष्कार घातला.

प्राथमिक प्रतिसाद दलाचा मुख्य नाही, असा प्रश्न वनमंत्री सुधीर त्यांना पेंच फाऊंडेशनमधून ज्वेलर्सच्या क्रिएटिव्ह डायरेक्टर

महासागर प्रतिनिधी नागपूर, दि. २५ : बटुकभाई ज्वेलर्स

यांच्या खास नवीन ज्वेलरी कलेक्शनचे प्रसिद्ध सेलिब्रिटी डिझायनर सुझैन खान यांच्या हस्ते आज अनावरण करण्यात आले. शंकर नगर, नागपूर येथील नवीन शोरूममध्ये हा कार्यक्रम झाला. सुझैन खानने डिझाइन

केलेले अनन्य दागिन्यांचे कलेक्शन ग्राहकांसाठी विशेष आकर्षण ठरले. सोने, हिरे आणि मौल्यवान खड्यांपासून बनवलेल्या अंगठ्या, नेकलेस, कफ आणि कानातले दागिण यांचा यात समावेश आहे. यावेळी आयोजित पत्रकार

परिषदेत बोलताना सुझान खानने संग्रहामागील तिची कल्पकता अधोरेखीत केली. हा संग्रह माज्या डिझाईन तत्वज्ञानाचे अपवादात्मक कलात्मकतेसह एक मिश्रण प्रतिबिंबित करीत असल्याचे सांगत या दागिण्यांचा वापर करणारा अभिजातपणाची भावना ठेवत असल्याचे ती म्हणाली. यावेळी बटुकभाई

नयना शेठ उपस्थित होत्या. सुझान

खान सोबतच्या भागीदारीबाबत आम्ही आनंदी असल्याचे सांगत नयना शेठ म्हणाल्या, या अनोख्या कलेक्शनमध्ये, आम्ही वेगळेपण मिसळण्याचा प्रयत्न केला आहे ,नावीन्यपूर्ण वारसा आणि हा संग्रह त्या समतोलाचे परिपूर्ण प्रतिनिधित्व आहे. आमच्या ग्राहकांना हे दागिणे



खरोखरच खास वाटतील, असेही त्यांनी आवर्जून सांगितले बटुकभाई ज्वेलर्सचे संचालक मोहित शेठ यांनी या सहकार्याबद्दल आनंद व्यक्त केला. बटुकभाई ज्वेलर्सचे संचालक विराज शेठ यांनी ब्रॅण्डची चालू असलेली बांधिलकी अधोरेखित केली.

### बटुकभाई ज्वेलर्स बहल

बटुकभाई ज्वेलर्स हा तिसऱ्या पिढीतील ज्वेलरी ब्रँड आहे जो त्याच्या उत्कृष्टतेसाठी साजरा केला जातो. सोने, हिरे आणि मौल्यवान दगडांचे तुकडे तयार करणे. परंपरा आणि नावीन्यपूर्णतेच्या मिश्रणासाठी प्रसिद्ध असून, हा ब्रँड किरकोळ आणि निर्यात अशा दोन्ही बाजारपेठांमध्ये उच्च दजार्चे, कालातीत डिझाइन प्रदान करतो. यावेळी ग्राहक मोठ्या संख्येने उपस्थित होते.

# पत्रकार हा लोकशाहीचा सजग प्रहरी मुख्याधिकारी डॉ.विजय देशमुख

## कोरोना योद्धा स्व.सुनील शेट्टी स्मृती पत्रकारिता सन्मान वितरित

वाडी, दि. २५ : अधिक बळकट करण्यासाठी वृत्तपत्र हा महत्त्वाचा दवा असतो. म्हणनच त्याला लोकशाहीचा चौथा स्तंभ म्हटल्या जाते. हा स्तंभ बळकट करणारा पत्रकार लोकशाहीचा सजग प्रहरी आहे. मुल्यांशी एकनिष्ठ राहणाड्रया अशा पत्रकारांचा सत्कार करीत असल्याचा मनापासून आनंद होत असल्याचे प्रतिपादन न.प.चे मुख्याधिकारी डॉ. विजय देशमुख यांनी केले.

येथील सुरक्षा नगरमधील शिव इव्हेंट्स च्या स्टुडिओत जाग ।ऊंडेशन द्वारा आयोजित स्व.पत्रकार सुनील शेट्टी यांच्या स्मृती निमित्त संगीतमय भावपूर्ण आदरांजली कार्यक्रमात ते बोलत होते. सर्वप्रथम स्व.सुनील शेट्टी यांना सामुहिक आदरांजली वाहण्यात



पत्रकार विजय खवसे, सुभाष खाकसे, चौरपगार, वाडी न.प. चे कर्तव्यदक्ष भीमराव लोणारे,सुरेश फलके, अरुण लिपिक योगेश जहागीरदार, सिने कराळे, गजानन तलमले, विजय अभिनेता पराग भावसार, प्रवीण वानखेडे. नरेशकुमार चव्हाण, दिलीप डाखोरे यांचा शाल, श्रीफळ व मोमेंटो तराळेकर, आँचल लोखंडे, नागेश देऊन सत्कार करण्यात आला.

बोरकर, ऋषीकुमार वाघ, विकास प्रास्ताविक शिवराज सिंग राजकुमार

मुख्याधिकारी डॉ.विजय बनसोड,विलास माडेकर, अजय यांनी केले. संचालन विजय खबसे देशमुख यांच्या हस्ते कोरोना योद्धा तायवाडे, नटवर अबोटी, समाधान यांनी तर आभार विजय वानखडे यांनी मानले. कार्यक्रमाला माजी जि.प. सोमनाथ रॉय, प्रल सोलंकी, अंकित येनुरकर, शेखर श्यामकुमार, संस्कृती तराळेकर, राहुल बिंड, ज्ञानेश्वर

# किट्स मध्ये इंडक्शन कम ओरीएंटेशन कार्यक्रम संपन्न

रामटेक, दि. २५ :

कविकुलगुरु इंस्टिटयूट ऑफ टेक्नॉलॉजी ॲन्ड सार्यस (किट्स) रामटेक मध्ये इंजिनिअरिंग व आर्किटेक्वरच्या प्रथम ओटोनोमस बॅचच्या प्रथम वर्षाच्या विद्यार्थ्याकरीता ओरिएंटेशन कार्यक्रमाचे आयोजन किट्सच्या सिल्व्हर जुबली सभागृहात विद्यार्थी व पालक यांचा करिता

कार्यक्रमाची अध्यक्षता संस्था सचिव व्ही. श्रीनिवासराव यांनी केली. या वेळी प्रामुख्याने प्राचार्य डॉ. अविनाश श्रीखंडे,सिविल विभाग व परीक्षा विभाग प्रमुख प्रा. डॉ. अनंत दाभाडे, प्रथम वर्षाच्या विभागाचे प्रमुख डॉ. के. गजानन, तसेच इतर विभाग प्रमुख, प्राध्यापक, पालक व विद्यार्थी मोठ्या संखेत उपस्थित होते.

की किट्सला नॅक 'ए' दर्जा व युसीजी प्रगतीची व तसेच कॉलेज मधील विविध अनंत दाभाडे यांनी केले.



विद्यार्थ्यांना गुणवत्तापूर्ण शिक्षण देण्याच्या संस्थेला ऑटोनॉमस दर्जा मिळाल्याने दृष्टीने संस्था प्रयत्न करीत आहे. जेणे संस्था इंडस्ट्रीच्या मागणी नुसार करून जागतिक दजार्चे विद्यार्थी घडतील. ते म्हणाले की विद्यार्थ्यानी रोल मॉडेल बनावे व समाजाची सेवा

प्राचार्य डॉ. अविनाश श्रीखंडे संस्था सचिव व्ही. श्रीनिवासराव म्हणाले यांनी प्रेझेंटेशनच्या माध्यमातून संस्थेच्या

ऑटोनॉमस चा दर्जा मिळाला आहे. विभागाची माहिती दिली. ते म्हणाले की मधे रोजगार उपलब्ध होईल. तसेच विद्यार्थ्यांना करीअर विषयक मार्गदर्शन केले. संचालन प्रा. योगीराज बकाले व प्रा. राशी श्रीगडीवार तर आभार डॉ

# वाहन चालकांनी रस्ता सुरक्षा उत्कर्ष उनरकर राज्यस्तरी नियमांचे भान ठेवावे : ॲड. नंदा पराते तेंग सुडो स्पर्धेत अव्वल

नागपुर, दि. २५ :

मध्य नागपूरातील गाडीखाना येथील मैदानात २५ शाळेतील शेकडो विद्यार्थी व पालकांना आयसीआयसी लोंबड विमा

या कार्यक्रमाचे आयोजन समाजसेवक अनिल आदमने यांनी अध्यक्ष म्हणून महिला काँग्रेस शहराध्यक्ष ॲड. नंदा पराते तर क्षीरसागर आदि उपस्थित होते.

गलकांना मार्गदर्शन करतांना करण्याचे कार्य होत असून त्यांना

महासागर प्रतिनिधी

काटोल, दि. २५:

क्रिडा व युवक सेवा

शालेय

अंतर्गत

ठाकरे, यथार्थ संदीप ठाकरे तसेच त्यांच्या यशाचे श्रेय क्रीडा शिक्षक

तेजल श्रीराम परतेती, स्वरा व पालकांना दिलेले आहे.

पुणे

वषार्खालील सॉफ्ट टेनिस स्पर्धा,

23 सप्टेंबरला बाजीप्रभ नगर

टेनिस ग्राउंड नागपर, येथे पार

पडली या स्पर्धेमध्ये यज्ञेश संदीप

स्पर्धा नागपूर येथे संपन्न

वाहन चालवितांना वाहतूकीचे आले आहे. प्रत्येकाने रस्त्यावर नियम पाळले तर दुर्घटना होणार वाहन चालवितांना रस्ता सुरक्षा प्रमुख पाहुणे म्हणून गणेशपेठ नाही आणि कोणावरही वाईट नियमांतचे पालन करावे असे पोलीस स्टेशनचे पोलीस निरीक्षक परिस्थिती येणार नाही. रस्त्यावर ॲड. नंदा पराते यांनी आवाहन जितेंद्र नाचन, बजाज मॅडम, वाहन चालवितांना प्रत्येकाने केले. या हेल्मेट वाटप कार्यक्रमात विनोद अहिरकर, मुख्याध्यापक हेल्मेटचा वापर केल्यास जीव गजानन ठाकरे, नितीन शिर्को नंनार नेवारे,सुनिल ठाणेकर,सुरेश धोक्यात येणार नाही. रस्त्यावर गोटेफोडे, डॉ. राजेश नाईक, वाहन चालवितांना आपल्या विश्वनाथ डोर्लीकर,विश्वास जिवाची सुरक्षितता राहावी म्हणून या कार्यक्रमाच्या माध्यमाने या काार्यक्रमात विद्यार्थी व विद्यार्थी व पालकांमध्ये जागृती ॲड.नंदा पराते यांनी रस्त्यावर निःशुल्क हेल्मेट वाटप करण्यात जिल्हास्तरीय शालेय सॉफ्ट

लक्ष्मण मस्के, मनोज अहीरकर यांनी प्रमुख म्हणून अथक परिश्रम घेतले. या हेल्मेट वाटप कार्यक्रमाची प्रस्तावना अनिल आदमने तर संचालन शुभांगी तिडके व आभार प्रदर्शन राजश्री आदमने यांनी केले.

### बॅ. शेषराव वानखेडे यांना जयंती निमित्त अभिवादन

🔳 महासागर प्रतिनिधी नागपूर, दि. २५ :

नागपुर महापालिकेचे प्रथम महापौर व माजी मंत्री बॅरिस्टर शेषराव वानखेडे यांची जयंती आयक्त तथा प्रशासक डॉ अभिजीत चौधरी यांनी हिरवळीवर स्थापित त्यांच्या पतळ्यावर माल्यापेण करून अभिवादन केले. मुंबईचे सुप्रसिद्ध वानखेडे स्टेडियम त्यांचा नावावर आहे. त्यांची मुलगी कुंदाताई सुद्धा विजयकर नागपूर महापालिकेच्या प्रथम महिला महापौर होत्या. त्यांचा जयंती निमित्त, अतिरिक्त आयुक्त आंचल अजय चारठाणकर उपायक्त विजया बनकर, सहायक आयुक्त श्याम कापसे, अधीक्षक राजकुमार मेश्राम, केदार मिश्रा, प्रमोद हिवसे, आनंद वऱ्हाडपांडे आणि इतर उपस्थित होते.

# उत्कर्ष उनरकर राज्यस्तरीय



नरखेड , दि. २५ :

११ वी राज्यस्तरीय तेंग सूडो स्पर्धा शिर्डी येथे दि. २१ सप्टेंबर २०२४ ते दि. २२ सप्टेंबर २०२४ ला आयोजित करण्यात आली होती. या स्पर्धेत आपल्या नरखेड तालुक्यातील श्री.आर. एम. इंगोले हायस्कूल, भारसिंगी येथील वर्ग ८ चा विद्यार्थी उत्कर्ष नवीन उनरकर याने सहभाग घेतला होता. या स्पर्धेत उत्कृष्ट खेळ प्रकारात 'कांस्य पदक' तर आई वडिलांना दिले.

पुम्से खेळ प्रकारात 'रजत पदक' प्राप्त केले. विजयी उत्कर्ष उनरकरचे श्री.आर.एम.इंगोले हायस्कूल, भारसिंगी येथील मुख्याध्यापक सचिन ओ. इंगोले, पर्यवेक्षक हरीश रोकडे, जितेंद्र बिहार, भारत आघाव, क्रीडा शिक्षक योगेश पाटील, तसेच सर्व शिक्षक, शिक्षिका व शिक्षकेत्तर कर्मचाऱ्यांनी अभिनंदन केले. विजयी उत्कर्षने आपल्या यशाचे श्रेय प्रशिक्षक नरेंद्र बिहार व खेळाचे प्रदर्शन करीत फाईट या किरण यादव यांच्यासह आपल्या

# चिचोलीत बिबट्याने दोन वासराला केले ठार

वाडी, दि. २५ :

चिचोली (फेटरी) येथील शेतकरी अंकश श्रीपत चौधरी यांच्या शेतात असलेल्या गोठ्यात बांधलेल्या दोन वासराला बिबटयाने ठार केले. ही घटना मंगळवार २४ सप्टेंबर रोजी पहाटे ३ वाजताच्या दरम्यान घडली. शेतकरी अंकुश चौधरी नेहमीप्रमाणे रात्रीला शेतात असलेल्या गोठ्यात गुरे बांधली

सकाळी गोठयात गेले असता ठार केले होते. बाळासाहेब ठाकरे परिसरात बिबट्याने धुमाकळ बिबट्याने दोन वासराचे लचके तोडून दोन वासराला ठार केल्याचे दिसले. पंधरा दिवसाअगोदर ठाकरे, बोढारा येथील शेतकरी संजय शेळके, चिचोली येथील शेतकरी हर्षल चौधरी यांच्या निर्माण झाले आहे. गाईला बिबट्याने अशाच प्रकारे



गोरेवाडा आंतरराष्ट्रीय प्राणी घातला असून जनावरे फस्त संग्रहालय व वनपरिक्षेत्रातील करीत आहे. यावर वनविभागानी जंगलातील सुरक्षा भिंत ओलांडून तात्काळ कार्यवाही करावी अशी परिसरात बिबटयाचा वावर सुरु आहे. या चौथ्या घटनेमुळे नंदिकशोर मेश्राम, नागपूर ग्रामस्थांमध्ये भीतीचे वातावरण

चिचोली, बोढाळा व लाव्हा आहे.

मागणी बोढाराचे पोलीस पाटील ग्रामीणचे शिवसेना उपतालुका प्रमुख चंद्रकांत येवले यांनी केली

# ज्येष्ठ नागरिक मंडळ काटोलचा निवडणूक निकाल जाहीर



 महासागर प्रतिनिधी काटोल, दि. २५:

तालुक्यात चर्चीत ज्येष्ठ निवडणुकाळा फार रंगत आली. होते. काही जागा अतिशय अतीतटीवर

मतदानाचा हक्क बजावला.

त्यामुळे अनेकांचे लक्ष्य नागरिक मंडळाची त्रैवार्षिक निवडजक निकाला कडे लागले गजानन भोयर, उपाध्यक्ष सूयार्जी अल्पमतात जागा निवडन आल्या. चुरसपूर्ण रविवारला पार पडल्या. सत्तारूढ सात तर विरोधी पॅनल मतदानाची प्रथमच टक्केवारी ळा दोन जागा मिळाल्या.रात्री मोठ्या प्रमाणात वाढलेली दिसून वेळेपर्यत मतमोजणी चालली. आली. मंडळाच्या एकण 514 मतमोजणी नंतर निवडणुक निर्णय

पात्र मतदरापैकी ४४० मतदारांनी अधिकारी ॲड. मुकुंद दुधकवळे यांनी निकाल घोषित केला.

> त्यानुसार अध्यक्ष पदावर राऊत उपाध्यक्ष,सचिव अशोक काकडे, सहसचिव वसंतराव कोषाध्यक्ष सदानंद ठाकरे,उर्वरित कार्यकारिणी सदस्य अरुण पुंड, नरेंद्र मानकर, पुंडलिक बाविस्कर, बेबीताई रोडे

## अध्यक्ष गजानन भोयर तर सचिव अशोक काकडे विजयी

यांना विजयी घोषित करण्यात आले आले. विद्यमान कार्यकारिणीने मागील तीन वर्षात केलेल्या विशेष संयोजक रमेश तिजारे. तसेच कामाची पावती मंडळ सभासदांनी

तसेच कार्यकारिणीद्वारे फेस्कॉमच्या घटनेनुसार दिलीप वैद्य यांची संपर्क सचिव, हिरामण सकर्डे यांची संगठन सचिव तर गुणवंत भिसे, रंजना तिजारे व शोभा कुरेकर यांची स्वीकृत सदस्य म्हणून निवड करण्यात आली. माजी अध्यक्ष रमेश तिजारे घेण्यात आले. अशोक कडू यांना उत्सव समिती प्रमुख तर भाऊराव घारड व रामदास कळंबे यांना वरिष्ठ मार्गदर्शक पदावर घेण्यात

नवनियक्त अध्यक्ष गजानन भोयर यांनी सर्व सभासद,हितचिंतक आणि निवडणुक. अधिकाऱ्याचे आभार मानले. तसेच सर्व नवनियुक्त पदाधिकारी यांचे अभिनंदन केले.

निवडणूक निर्णय अधिकारी ॲड. मुकुंद दुधकवळे,सहायक निवडणूक अधिकारी गणेश चौधरी,शंकरराव बोर्डे व इतर यांना पदसिध्द सदस्य या पदावर निवडणूक सहाय्यक यांनी उत्तमरित्या निवडणुक प्रक्रिया पार पाडली.विजयी सर्व कार्यकारिणीचे काटोल तालुक्यातील ज्येष्ठानी स्वागत केले आहे.

सायदेशन / पब्लिक जाहीर नोटीस

अर्जदार : ९. मिराबाई रघुनाथ मेश्राम, वय – ६८ वर्षे, राह. अरोली, तह. मौदा, जि. नागपूर. २. हिरकणी शंकर देवगडे, वय – ४८ वर्षे, राह. पो.

भाषर, तह. - मादा, ाज. नागपूर. ३. मंगला सुभाष बावने, वय-३८ वर्षे, राह. डहाळी, तह. मीदा, जि. नागपूर. ४. स्वरंगाणी धर्नजय मेशाम, यय-०९ वर्षे, तर्फे अ.पा.क. आजी मिराबाई रघुनाच्य मेशाम राह. अरोली, तह. मीदा, जि. नागपूर.

सदरह अर्जदारांनी कायदेशिर वारसान प्रमाणप

या न्यायालयात कायदेशीर वारसान प्रमाणप

यतदार नितीन रघुनाथ मेश्राम हे राह. अरोली, तह

मौदा, जि. नागपूर येथे वास्तव्यास होते. यांचे कायदेशिर वारसान प्रमाणपत्र मिळण्याकरीता या

बेर, तह.- मौदा, जि. नागपूर.

गैरअर्जदार : कोणीही नाही मयतदार : नितीन रघुनाथ मेश्राम

पेशी दिनांक २४-१०-२०२४ प्रोसेस क्रं. ९७८/२०२४ दिनांक-२४-०९-२०२४

## धम्मप्रिय बुद्धविहार कल्पना नगर नागपूर येथे रक्तदान शिबिर उत्साहात

निंबाळकर व ईश्वरी होले हे

ऑर्किड पब्लिक स्कुलचे विद्यार्थी

टेनिस स्पर्धेसांठी पात्र ठरले. या

स्पर्धेत नागपुर जिल्ह्यातील सॉफ्ट

टेनिस खेळाडू सहभागी झालेले

होते. या सर्व खेळाडूंचे सर्वत्र

अभिनंदन होत असून त्यांनी

विभाग स्तरीय शालेय सॉफ्ट

विजयी झाले.



नरखंड, दि. २५ :

नवजीवन रक्त सेवा संस्था नागपूरच्या संस्थापक आणि प्रतिभावंत प्रबोधनकार कला साहित्य संघाच्या नागपूर शहर सचिव सुप्रिया प्रशांत अधव यांच्या बुद्धविहार कल्पना नगर नागपूर येथे रक्तदान शिबिराचे आयोजन प्रशांत अधव, राजेश रामटेके, महिलांनी सहभाग नोंदविला होता.

या कार्यक्रमाचे उद्घाटक दि. २१ सप्टेंबर रोजी प्रतिभावंत प्रबोधनकार कला साहित्य संघाचे संस्थापक मा. अनिरुद्ध शेवाळे त्याचबरोबर मुख्य अतिथी युवा प्रबोधनकार अजय कुमार, विदर्भ आटो चालक युनियनचे अध्यक्ष देवब्रत विश्वास, उपाध्यक्ष सोनुभाऊ गायकवाड, नागपूर शहर सचिव

रणजित लांडगे, नैना गायकवाड, विशाखा कोठारे, संगीता मेश्राम, वांशिक कोठारे, आरुषी, तपस्या, यांची प्रमुख उपस्थिती होती.

विशेष सहकार्य प्रतिभावंत प्रबोधनकार कला साहित्य संघाचे विदर्भ स्तरीय सचिव अरविंद लाईफ लाईन ब्लंड बॅक येथे करण्यात आले. कार्यक्रमाला पुरुष

## वाडीत पं.दिनदयाल उपाध्याय यांची जयंती साजरी



वाडी, दि. २५ :

दत्तवाडी आमदार समीर मेघे यांच्या जनसंपर्क कार्यालयात भाजपा वाडी मंडळ र्ते एकात्म मानववाद व अंत्योदयचे प्रणेते, भारतीय संस्कृतीचे गाढे अभ्यासक, प्रखर राष्ट्रवादी महान विचारवंत पं.दिनदयालजी उपाध्याय यांची जयंती साजरी करण्यात आली. पं.दिनदयालजी उपाध्याय यांच्या प्रतीमेला पृष्पहार अर्पण करुन आदरांजली अर्पण

केली. उपस्थितांनी त्यांच्या उपस्थित होते.

हिंगणा विधानसभा निवडणुक संयोजक नरेश चरडे, भाजपा वाडी मंडळ अध्यक्ष आनंदबाबु कदम,मंडळ उदयोग आघाडी संयोजक गोविंदराव रोडे महामंत्री प्रकाश डवरे, मधुकर बर्वे, ओबीसी आघाडी जिल्हा महामंत्री केशव बांदरे,वाडी शहर अध्यक्ष कैलाश मंथापुरवार, युवा मोर्चा वाडी मंडळ अध्यक्ष ईशांत राऊत,मंडळ कोषाध्यक्ष दत्ता बाबर, राहुल तायडे, लिलाधर भोयर, पदाधिकारी व कार्यकर्ता

### -: जाहिरनामा :-

कोर्ट विद्यः, कार्यकारी दंडाधिकारी तथा नायब तहसिलदार भिवापुर यांचे न्यायालय भिवापुर रोड, भिवापुर जिल्हा नागपुर पिन कोड – ४४९२०१ E-mail ID-tahsilbhiwapur@gmail.com

दुरध्वनी क्रमांक -०७१०६ २३२२४१. . प्रस्तु-१/तह.भि./कावि १४०१/२०२४ विनांक: ०५/०९/२०२४ वाचा :- १. जन्म मृत्यु नोंदणी अधिनियम १९६९ चे कलम १३ २. भारत सरकार विधी व न्याय विभाग यांचे कडील दिनांक ११/०८/२०२३ रोजीचे राजपत्र. ३.

तम्म मृत्यु नोंदणी (सुधारणा) कायदा, २०२३ (२०२: n २०) च्या खंड १ आणि उपखंड. ४. मा प्रदेशिकारी, नागपुर यांचे कडील आदेश क्रमांव /डी-१/जन्म-मृत्यु आदेश/कायि-१५८/ ३ दिनांक ११/०५/२०२४ अन्वये, ५. मा भागीय अधिकारी तथा उपविभागीय दंडाधिकारी उपारमागाव आबकारा तथा उपावमागाव दडााबकारा उमरेड यांचे पत्र क. प्रस्तु.४/उविअ/– उम/कावि-१५/२०२४. दिनांक ३०/०५/२०२४, अन्वये. ६ अर्जदार सौ. नलिनी भारतराव बोणे, राह. तातोली, ता

नापुर, ज. नापुर ज्या अर्थी अर्जदार सी. नलिनी भारतराब ढोणे, (लाग्राआधीचे नाव नलिनी गोविंदराव खोबागडे) राह. तातोली, ता. नापपुर, जि. नापपुर यांनी त्यांवे रवत थे. जन्मावी नोंद मावत गट शाम प्याचयत तातोली. भिवापुर बेथे दक्षरी थेणे करीता निर्देशित करणे कामी अर्ज दाखल केलेला आहे. सदरहू अर्जदार यांचा जन्म दिनांक ७/३/१९७९ रोजी मौजा तातोली, तह. भिवापूर, जि. नागपुर येथे झाला असा अर्जदाराचा दावा आहे. त्याचप्रमाण सदह

अर्जदार यांना जन्म प्रमाणपत्र शासकीय तथा खाजर कामाकरिता आवश्यक असल्याने त्याची नोंद घेणे कार्म प्रादेश होणे आवश्यक असल्याबाबत त्यांनी अज

कामांकारता जायस्थ्य अस्तव्यावास्ता त्यांनी अजीत जादेश होंगे आवश्यक अस्तव्यावास्ता त्यांनी अजीत नमूद केले आहे. त्यांअर्थी मी कार्यकारी इंडािबकारी तथा नायब तहसिलदार, निवापूर चपरोक्त वाचा क्र. 9 आणि २ नुसार व ३, ४ व ५ महे वन्यू केल्यामांगों मता प्राप्त अधिकारान्य असे कळित्यात्य वेते की, सदर व्यक्तीचा जन्मावास्त नांद घेण्यांभीया आदेश रंगेकारिता व मुह्बोंकशी करणेकामी कांग्रासा अस्तव्यास त्यांनी योय ते पुरावे किंवा साक्षीयांसीय अस्तव्यास त्यांनी योय ते पुरावे किंवा साक्षीयांसीय अस्तव्यास त्यांनी योय ते पुरावे किंवा साक्षीयांसीय स्वाप्तियांसीय व्यक्तिमार्ग व्यव्या नायम नाविस्तवार, पिवापूर याचे न्यायात्यात स्वतः जातीने / वक्तिसामार्ग्य विक्ता साक्षायं अध्यय अस्य मार्ग्य ताव्यास्त्र त्यांसी या आहेर प्रवित्या प्राप्ता नात्र तावास्त्र तात्र तावास्त्र कर्माये उक्ता नात्र तावास्त्र तात्र तावास्त्र त्यास्त्र तावास्त्र तावस्त्र तावस्त्र तावस्त्र तावस्त्र तावस्त्र तावस्त्र तावस्त्र तावस्त्र तावस्त्

मित करण्यात येईल.

कार्यकारी दंडाधिकारी

### जाहीरनामा

नायब तहसीलदार भिवापुर तथा कार्यकारी दंडाधिकारी, कार्यालय भिवापूर

कार्यालय दुरध्यनी :- ०७११६-२४२००४ ई-मेल : tahsiibhiwapur@gmail.com क. प्रस्तु.२/तह. भिवा/कावि-४०८/२०२४ दिनांक :- २५/०७/२०२४

वाचा :- १) भारत सरकार निधी वन्यविभाग यांच जील दिनांक ११/०८/२०२३ रोजीचे राजपत्र २ न्म मृत्युनोंदणी (सुधारणा) कायदा, २०२३ (२०२३ य २०) च्याखंड १ आणि उपखंड २ ३) मा जिल्हादंडाधिकारी नागपुर यांचे सुधारित आदेश क अका / डी - १ / जन्म - मृत्यु आदेश / कावी-१५८/२०२४ दिनांक ११/०५/२०२४

ज्याअर्थी अर्जदार भी. बंडू काशिराम डुंबरे रा. सालेभट्टी (दंदे), ता. भिवापुर, जि. नागपुर यांनी त्यांची मुतनी नामे सरिता बंडू डुंबरे हिच्या जन्माची नॉद ग्राम पंचायत सालेभट्टी (दंदे) येथे दासरी यंग करिता निर्देशित ज्लो कामी अर्ज दाखल केला आहे. सदरह् अर्जदार यांनी शपत पत्र सादर केले अस

ापतपत्रानुसार त्यांचा जन्म दिनांक ०२/११/१९८५ ाजी मौजा सालेभट्टी (ददे) ता. भिवापूर जि. नागपू येथे झाला असा अर्जदाराचा दावा आहे. त्याचप्रम षदरह् अर्जदार यांना जन्म प्रमाणपत्र शासकीय तथ गी कामाकरिता आवश्यक असल्याने त्याची नों

त्याअर्थी मी. नायब तहसीलदार, भिवापुर उपरोत चा क्र. १ आणि २ नुसार व ३ मध्ये नमूद के ाला प्राप्त अधिकारान्वये असे कळविण्यात येते की वदर व्यक्तीच्या जन्म बाबत नोंद घेणेकामीचा आदेश णेकरिता व गृहचौकशी करणेकामी रस्तावित आहे. याबाबत कोणास काही सांगावया केवा काही आक्षेप असल्यास त्यांनी योग्य ते पुरावे केंवा साक्षीदारांसह नायब तहसीलदार, भिवापूर यांचे

यायालयात स्वतः जातीने वकीलामार्फत अथवा अन्य ानि या जाहीरनामाच्या दिनांकापासून पंधर देवसाच्या आत सादर करावे. उक्त मुदतीत कुठलाही आक्षेप/उजर/विपरित रुरावा प्रापा न झाल्यास जन्म बाबतची नोंद घेणेकामीच ादेश देणेबाबत कोणालाही काही सांगावयाचे नाई

यायालयात अर्ज सादर केला आहे. नितीन रघुना थाम यांचा मृत्यु दि. १९.०४.२०१३ रोजी झाले**ल** आहे. सदर अर्जाच्या सुनावणीची तारीख कोर्ट विद्यमा दिवाणी न्यायाधिश क. स्तर, मौदा, जि. नागपूर यान दिनांक २४-१०-२०२४ रोजी सकाळी ११.०० वाजर रविली आहे. या पब्लिक / जाहीर नोटीसव्दारे स विधितांना, नातेवाईकांना व आम जनतेस कळविण्य

रण्यास कोणाचा उजर असल्यास किंवा हरक

ाथवा तारखेवर या न्यायालयात पेश करावा, जर अर्श

गल्यास अर्जदाराला लिगल हेअर सर्टीफिके

कायदेशिर वारसान प्रमाणपत्र) मंजूर करण्यात येईल आज दि.२४.०९.२०२४ रोजी माझया सहीनिशी

आदेशान्वये

# जंगल क्षेत्रात वाघांचे हल्ले रोखण्यासाठी वाघांच्या स्थलांतरासह एआयचा वापर करु: सुधीर मुनगंटीवार

महासागर प्रतिनिधी

मुनगंटीवार यांनी दिले.

नागपूर, दि. २५ : काळात जंगलाशेजारील गावात वाघांचा व जंगली प्राण्यांचा वावर वाढल्याच्या अनेक तक्रारी येत आहेत. नागपूर जिल्ह्यातील रामटेक व इतर वनक्षेत्रात जंगलात चरायला गेलेल्या पाळीव जनावरांसह गुराखी, शेतकरी, आदिवासी यांच्यावर हल्ले झाले आहेत. हे लक्षात घेता जंगलाचे असलेले क्षेत्र व या क्षेत्रात वाघांची नेमकी असलेली संख्या ही तपासून घेतली पाहिजे. जर संख्या अधिक झाली असेल तर तेथील वाघांना इतर ठिकाणी स्थलांतरीत करण्याचे निर्देश वनमंत्री सुधीर

नागपूर जिल्ह्यातील विविध ठिकाणी स्थानिक लोकांवर वाघांच्या होत असलेल्या हल्ल्यांचे प्रमाण पाहता त्यावर उपाय योजना करण्यासाठी आज जिल्हाधिकारी कार्यालयात सांस्कृतिक व वन मंत्री सुधीर मुनगंटीवार यांच्या अध्यक्षतेखाली बैठक झाली. या बैठकीत



कार्यकारी अधिकारी विनायक महामुनी, जिल्हा पोलीस अधीक्षक हर्ष पोद्दार, वन विभागातील वरिष्ठ अधिकारी विवेक जाईल. यात जिल्हा वार्षिक योजना, खांडेकर, डॉ. प्रभुनाथ शुक्ल, माजी आमदार मल्लिकार्जून रेड्डी आदी उपस्थित होते. वनक्षेत्रात मोडणारी गावे व पातळीवर एखाद्या गावाचे वनक्षेत्राच्या शेजारी असलेली गावे यांच्या करण्याचे निर्देश वनमंत्री सुधीर

या बैठकीस आमदार आशिष सुरक्षिततेसाठी वन विभागासमवेत मुनर्गटीवार यांनी दिले. काही ठिकाणी जयस्वाल, प्रधान मुख्य वनसंरक्षक स्थानिक लोकप्रतिनिधीच्या सहभाग विपीन इटनकर, जिल्हा परिषदेचे मुख्य महत्वाची आहे. जी गावे वनक्षेत्रात आहेत त्या गावांना चेन लिंक फेन्सिंग कशा पध्दतीने करता येईल हे तपासून घेतले आदिवासी विभाग, वन विभाग आणि सीएसआर फंडच्या माध्यमातून प्रायोगिक

वाघांना निटशी शिकार करण्याचे कसब शोमिता बिस्वास, जिल्हाधिकारी डॉ. असलेल्या समित्यांची भूमिका अधिक नसल्याने केवळ ते मानवी हल्ल्याकडे वळल्याच्या तक्रारीची त्यांनी गंभीर दखल वाघ खुल्या जंगलापेक्षा गोरेवाडा सफारी येथे स्थलांतरीत करण्यास त्यांनी

गावांमध्ये स्थानिक युवकांची निवड कारवाईचे निर्देशही त्यांनी दिले.

विचार करण्यास त्यांनी सांगितले. या यवकांना स्वसंरक्षणासह आपातकालिन परिस्थितीत गावकऱ्यांची मदत करता यावी अशा प्रकारचे प्रशिक्षण त्यांना देता येईल याच बरोबर शॉक स्टिक, टॉर्च, इतर अत्यावश्यक सुविधा देऊन त्यांना मानधन तत्वावर नियुक्त कसे करता येईल हे पडताळून त्याबाबतचा प्रस्ताव सादर करण्यास वनमंत्री मुनगंटीवार यांनी अधिकाऱ्यांना सांगितले.

या उपाययोजनांसह अलीकडच्या काळात एआयच्या माध्यमातून याबाबत प्रयोग करुन पाहता येतील. यात प्रामुख्याने गावाच्या सीमेत वाघ शिरल्यास आलार्म, सायरन, गावातील लोकांच्या मोबाईलवर एसएमएस संदेश पोहचविणे शक्य आहे. याबाबत भारतीय सैन्यदल व जिल्हा पोलीस अधीक्षक यांच्याकडून तंत्रज्ञानाची शक्याअशक्यता पडताळन घेण्याचे त्यांनी सांगितले. पंचनामे करण्यासाठी वन कर्मचाऱ्यांनी जर कसुर वनक्षेत्रात असलेल्या प्रत्येक केला तर त्यांच्या विरुध्द कठोर

### इंदिराबाई भोसले महाविद्यालयात स्वच्छता पंधरवाडा साजरा



महासागर प्रतिनिधी कुही, दि. २५ :

राणी इंदिराबाई भोसले महाविद्यालयामधे विभागांतर्गत स्वच्छता राबवीतांना विभागाने एका ऊपक्रमाचे आयोजन केले.

धोरणाचे आधारे बीए, बी कॉम पार्ट-1 चे विद्यार्थ्यांना दोन वषासीठी पर्यावरण पुरक वृक्ष रोपटे देण्यात आले. स्वीकारलेल्या विद्यार्थ्यांनी त्यांचे संगोपण करून मोहीमेअंतर्गत वक्षारोपण महत्वपूर्ण अशा सार्वजनिक उपयोगी ठिकाणी सुयोग्य दक्षतेसह

त्यांचे रोपण केले जाईल. ते वाढविले जाईल.

या ऊपक्रमात विद्यार्थ्यांनी ऊत्साहाने सहभाग घेत बाल वक्षांचा स्वीकार केला.

स्वच्छता पंधरवाडा व पितृपक्ष पंधरवाडा यांचे महत्व ओळखून आपले दायित्व निभवण्याकरीत रा.से.यो.च्या स्थापना दिनाच निमित्ताने कटिबध्द व्हा असे आवाहन मार्गदर्शन करतांन प्राचार्य मांडेकर यांनी केले. प्रारंभी राष्ट्रपिता म.गांधी यांच्या प्रतिमेचे पुजन करून माल्यार्पण करुन ऊपस्थीतांनी अभिवादन केले.

कार्यक्रमाचे यशस्वी आयोजन कार्यक्रम अधिकारी डॉ प्रविण लामखेडे यांनी केले तर सहकार्य विजय देशमुख, संजय टेकाम, भरत वानखेडे टेकेश्वर देशमुख यांनी केले. कार्यक्रमाला महाविद्यालयातील प्राध्यापक कार्यालयीन कर्मचारी व विद्यार्थी ऊपस्थीत होते.

स्वच्छता ही सेवा

पंधरवाडा उपक्रम

अभियान 2024 व माझी वसुंधरा

अभियान 5.0 अंतर्गत वाडी नगर

परिषद र्ते मुख्याधिकारी डॉ.विजय

महासागर प्रतिनिधी

वाडी, दि. २५ :

# आत्मा अंतर्गत डॉ. पंजाबराव देशमुख कृषी विद्यापीठ अकोला येथे शिवारफेरी



महासागर प्रतिनिधी सावरगाव, दि. २५:

कृषी विद्यापीठ अकोला येथे दिनांक २० सप्टेंबर २०२४ ते २२ सप्टेंबर २०२४ पर्यंत शिवार फेरीचा कार्यक्रम आयोजित केला होता. कृषी तंत्रज्ञान व्यवस्थापन (आत्मा) याच्या सहकायार्ने पाणी फाउंडेशन नरखेड मधील कार्यरत "समृद्ध

अजून किती मृत्यू झाल्यावर

प्रशासन जागे होणार?

बुद्ध कुमरे या वयस्क महिलेचा

वाघाच्या हल्लयात मत्य झाला.

माजी मंत्री तथा कांग्रेस चे

जिल्हाध्यक्ष राजेंद्र मुळक यांनी

जखमी झालेले श्याम सिरसाम

रामटेक तालुक्यातील

🔳 महासागर प्रतिनिधी

रामटेक, दि. २५ :

सावंगा, तालुका नरखेड," येथील आकर्षित ठरले. अलिकडच्या फंदी, जयंत चापले, पंकज धांडे. डॉ. पंजाबराव देशमुख शेतकरी यांनी शिवाय फेरीला

> तेथील विद्यापीठाच्या अंतर्गत नवनविन पिकाच्या विकसीत जाती व पिकांवर येणारे यांबद्दल विद्यापीठाच्या शास्त्रज्ञांनी मार्गदर्शन केले. व शेतकऱ्यांचे म्हणणे आहे. महत्वाचं म्हणजे विद्यापीठा अंतर्गत विकसीत PKV-अंबा हे चापले, आसिफ पठाण, अविनाश येऊन मार्गदर्शन मिळाले.

सोयाबीन निरनिराळ्या रोगांना बळी पडत आहे. पण PKV-अंबा हे वाण येण्याऱ्या काळात आशावादी ठरणार आहे. असे शिवारफिरी दरम्यान प्रात्यक्षिक पाहिल्या वर श्री निलेश रिधोरकर, तालुका

युवा शेतकरी गट, गाव - लोहारी सोयाबीन वाण शेतकऱ्यांसाठी फंदी, सौरभ चापले, निखील पिक सागर फंदी, अविनाश मालेराव, वैभव येवले, व फुलचंद फंदी हे शेतकरी उपस्थित होते. या शिवाय फेरी करता श्री कुणाल ठाकूर, तालुका कृषी अधिकारी नरखेड तंत्रज्ञान व्यवस्थापक नरखेड यांचे यामध्ये प्रामुख्याने प्रज्वल प्रत्यक्ष शिवार फेरीमध्ये सोबत

# मध्य रेल्वेने सुरु केली पुनर्वापर केलेल्या उत्पादनांची विक्री

महासागर प्रतिनिधी नागपूर, दि. २५ :

मध्य रेल्वेच्या नागपुर विभागाने सध्या सरू असलेल्या 'स्वच्छता ही सेवा 2024' मोहिमेचा भाग उत्पादनांची विशेष विक्री सुरू केली आहे. हा उपक्रम कचरा कमी करण्यासाठी आणि कचरा सामग्रीचा पुनर्वापर करून आणि विभागाच्या वचनबद्धतेवर भर विभागातील निवडक स्थानकांवर आयोजित, या विक्रीमध्ये फर्निचर, सजावटीच्या वस्तु आणि दैनंदिन वापरातील



या उपक्रमाचा उद्देश प्रवासी, रेल्वे कर्मचारी आणि व्यापक दैनंदिन समुदायाला त्यांच्या

पद्धतींना प्रोत्साहन देण्यासाठी फूटप्रिंट कमी करण्यासाठी आणि रूपांतर करून, मंडळ पुनर्वापराचे वतुर्ळाकार अर्थव्यवस्थेला चालना महत्त्व, कचरा कमी करणे आणि देण्याच्या समर्पणाचे प्रतिनिधित्व पर्यावरण संरक्षण याविषयी करते, जिथे कचरा पुनर्वापर आणि जनजागृती करत आहे. अनन्य, पुनर्प्रयोग करून कमी केला जातो. दर्जेदीर वस्तू पुरवण्याव्यतिरिक्त विक्री ग्राहकांना शाश्वत पद्धतींचे समर्थन करून हिरवाईच्या भविष्यासाठी थेट योगदान देण्याची

देशमुख यांच्या सूचना व मार्गदर्शनाखाली वाडी येथे स्वच्छता ही सेवा पंधरवाडा उपक्रम राबविताना स्वच्छतेची शपथ, वृक्षारोपण व संवर्धन, स्वच्छता साखळी आदी उपक्रम राबवून शालेय विद्यार्थ्यांमध्ये पर्यावरण सुरक्षा व समतोल याविषयी चे भविष्यातील महत्वाचे मार्गदर्शन करण्यात आले. वाडी येथील प्रगती विद्यालयात प्राचार्या नंदीनी पोजगे यांच्या सहकायार्ने इयत्ता ५ ते १२ वी च्या शालेय विद्यार्थ्यांना पर्यावरण सुरक्षा व

> समतोल राखण्यासाठी वृक्षारोपण व स्वच्छतेचे महत्त्व मार्गदर्शनातून पटवून देण्यात आले.तत्पच्छात विद्यार्थ्यांची साखळी करून स्वच्छतेची शपथ ही घेण्यात

नरेशकुमार पाटील, पायल जनबंधू, राधेश्याम गिर्हें,विलास जीवने, अंकित

## इंटक कामगार संघटनेव्दारे खासदार बर्वेचा सत्कार

महासागर प्रतिनिधी

कन्हान, दि. २५:

वेकोलि गोंडेगाव उपक्षेत्र खुली मौजा झिंझरिया गावातील मिता कोळसा खदान येथील इंटक कामगार संधटना व्दारे रामटेक क्षेत्राचे नवनिर्वाचित खासदार श्यामकमार बर्वे यांचे शाल, करण्यात आला.

आंदोलनाच्या ठिकाणी भेट देऊन खुली कोळसा खदान इंटक मनिकपुरी आदी मान्यवरांच्या हस्ते इंटक संगठन पुन्हा कोल इंडिया लोकांशी संवाद साधला. दरम्यान कामगार संघटना व्दारे आयोजित रामटेक क्षेत्राचे नवनिर्वाचित च्या प्रत्येक फोरम मध्ये आपली वाघाच्या हल्ल्यात मृत्युमुखी सत्कार सोहळयास राष्ट्रीय खासदार श्यामकुमार बर्वे यांचा जोमात मजबुत वापसी करेल. पडलेल्या स्व.मिता बुद्धू कुमरे व कोळसा खदान मजदुर संघ शाल, श्रीफळ व पुष्पगुच्छ आणि यांच्या कुटुंबियांची भेट घेऊन क्यू जामा, इंटक नागपुर क्षेत्र करण्यात आला. यावेळी एस क्यु कोळसा काम गाराचे पुत्र असून त्यांचे सांत्वन केले. नागपूर जिल्हा अध्यक्ष नरेश बर्वे, गोंडे गाव जामा यांनी मार्गदर्शन करित इंटक एक मोठी शक्ती खासदाराच्या रूपा ग्रामीण काँग्रेस कमिटीच्या उपक्षेत्र सचिव एस के जामा (पप्प माध्यमातून राजेंद्र मुळक यांच्या भैय्या), रणजि त सिंह, शिवाजी वतीने आर्थिक मदत करण्यात सिंह,



सिंह, वेकोलि गोंडेगाव उपक्षेत्र जयप्रकाश (आयएनटीयुसी)चे महामंत्री एस सन्मानचिन्ह देऊन सत्कार खासदार श्यामकुमार बर्वे हे अरविंद सिंह, गोंडेगाव फोरमचे खच्चीकरण करण्यात कार्यकर्त्यांना कामाला लागण्याचे परियो जनाचे गेंदलाल काठोके, आले. परंतु या कट कारस्था ना आवाहन केले

अशोक ला न जुमानता येणाऱ्या काळात रामटेक लोकसभा क्षेत्राचे भूमिपुत्र कामगार संघटनेला कट कारस्थान त इंटक संघटनेकडे असल्याचे रचुन कोल इंडिया च्या समस्त गौरवउद्गार करून इंटकच्या समस्त

## डॉ. विनिशा हिला एमबीबीएसची पदवी प्रदान

🔳 महासागर प्रतिनिधी

सावनेर, दि. २५ : नपचे माजी नगराध्यक्ष व काँग्रेस कमेटीचे अध्यक्ष पवन जैस्वाल यांची मुलगी डॉ. विनीशा हिला प्रवरा इन्स्टिट्यूट ऑफ अहमदनगर येथे पार पडलेल्या १८ व्या पदवीदान समारंभात राज्यपाल सी.पी. राधाकृष्णन यांच्या हस्ते एमबीबीएसची पदवी नुकतीच प्रदान करून सन्मानित करण्यात आले.

या यशाबद्दल डॉ. विनीशा जैस्वाल हिच्यावर अभिनंदनाचा वर्षाव होत असून माजीमंत्री सनील केदार, रामटेक लोकसभा क्षेत्राचे खासदार श्यामकुमार बर्वे, नागपूर जिल्हापरिषदेच्या अध्यक्षा मुक्ता



कोकड्ढे, सावनेर तालुका मराठी राजू भुजाडे,आदींनी अभिनंदन पत्रकार संघाचे अध्यक्ष किशोर केले. डॉ. विनीशाचे भाऊ डॉ धुंडेले, मनोज बसवार दिपक प्रराज जयस्वाल यांनी देखील कटारे सुधाकर बागडे रासप नेते मेडीडीन मध्ये एमडी केले आहे.

### सोबतच रमाबाई चौकातील उद्यानात स्थानिक महिला व नागरिकांच्या हस्ते 31 वृक्षाचे रोपण करण्यात आले. यावेळी सचिव अतुल दशमुख,आराग्य व स्वच्छता विभाग प्रमुख सुषमा भालेकर,स्वच्छता निरीक्षक मकेश माहातो,स्वच्छता ब्रॅण्ड एम्बेसिडर चव्हाण,शहर समन्वयक आशिष गुंडूकवार प्रामुख्याने उपस्थित होते.उपक्रम यशस्वी करण्यासाठी पर्यवेक्षक प्रकाश आंदे,अर्चना गुल्हाने बावणे, फीडबॅक फाऊंडेशनचे आदर्श तवर, पिंकी

# मुख्यमंत्री लाडकी बहिण योजना शिबिराचे आयोजन

🔳 महासागर प्रतिनिधी सावनेर, दि. २५ :

बहिणींना मुख्यमंत्री लाडकी बहिण योजनेचा लाभ घेतांना काही अडचणी आल्यास शहरासह गावोगावच्या बिजेपी कार्यकर्त्यांसी संपर्क साधावा, असे आवाहन भाजप नेते रामराव मोवाडे यांनी हजारोंच्या संख्येने जमलेल्या महिलांना व्यासपीठावरुन आव्हान केले

कार्यकत्यार्चा वतीने सावनेर बहिण योजना शिवीरात प्रमुख करणार असल्याचे मोवाडे यांनी वक्ते म्हणून ते बोलत होते.

ते पुढे म्हणाले, काही



आयोजित मुख्यमंत्री लाडकी या योजनेचा निधी अजून वाढ मंगले, अशिष फुटाणे,अशोक

विघ्नसंतोषी मंडळी मुख्यमंत्री माजी भाजप जिल्हाध्यक्ष डॉ. लाडकी बहिण योजना बंद करु राजीव पोतदार होते. यावेळी माजी पाहत आहे. मात्र त्यांचे मनसुबे जिप उपाध्यक्ष मनोहर कुंभारे, नवधिंगे सह भारतीय जनता पक्षाचे आम्ही पुर्ण होवु देणार नाही, उलट संजयजी टेकाडे, अँड प्रकाश वरिष्ठ नेते मंडळी व्यासपीठावर महिला उपस्थित होत्या.

तांदुळकर, किशोर चौधरी,अशोक शहराध्यक्ष राजुभाऊ घुगल, धोटे,माजी नगराध्यक्ष रेखाताई कार्यक्रमाचा अध्यक्षस्थानी मोवाडे रासप नेते राज् भुजाडे,इमेश यावलकर, देवीदास मानकर, विजय देशमुख,सोनु

शिबिराचे प्रास्ताविक भाजप संचालन माजी बांधकाम सभापती रवींद्र ठाकुर तर आभारप्रदर्शन शिवीराचे समापन सहभोजनाने झाले. शिबिराला हजारों संख्येने

पं. दीनदयाल उपाध्याय जयंती निमित्त भाजपतर्फे अभिवादन

 महासागर प्रतिनिधी नागपूर, दि. २५ :

जनसंघाचे संस्थापक, एकात्म मानव वादाचे प्रणेते पंडीत दीनदयाल उपाध्याय यांच्या जयंतीदिनिमित्त भारतीय जनता पार्टीतर्फ अभिवादन करण्यात आले. भाजपा प्रदेश उपाध्यक्ष ॲड. धर्मपाल मेश्राम यांनी बुधवारी २५ सप्टेंबर रोजी पं. दीनदयाल उपाध्याय यांच्या तैलचित्राला पुष्पहार अर्पण करुन वंदन केले.

शेवटच्या व्यक्तीच्या उत्थानासाठी

अनेक योजनांचा आधार निर्माण

यावेळी सामाजिक कार्यकर्त भाजप शहर सचिव संघपाल मेश्राम, राम सामंत, विक्रम डुंबरे, गौरीशंकर जाधव आदी कार्यकर्ते उपस्थित होते. पंडीत दीनदयाल उपाध्याय यांची जयंती अंत्योदय करण्यात आलेली होती. दिवस म्हणून साजरी केली जाते. त्यांच्या विचारांचा आदर्श घेत खाजगी शाळा शिक्षक केंद्रामध्ये नरेंद्र मोदी यांच्या नेतृत्वातील भारतीय जनता पार्टीच्या सरकाने देशातील तळागाळातील, कमकुवत

## वासनिक आर्दीनी सहकार्य केले खाजगी शाळा शिक्षक संघाच्या आंदोलनाची शिक्षण आयुक्तांनी घेतली दखल

# मुख्य कार्यकारी अधिकारी यांना दिले निर्देश

महासागर प्रतिनिधी वाडी, दि. २५ :

खाजगी शाळा शिक्षक संघाचे बुधवार १८ सप्टेंबर रोजी संविधान चौकात आंदोलन करण्यात आले होते. आंदोलनात शिक्षणाधिकारी माध्यमिक चंद्रपूर वर्ग एक पदाचा कार्यभार वर्ग दोन दर्जा असणाऱ्या निकिता ठाकरे यांना वर्ग एक पदांवरील व्यक्ती उपलब्ध असतांनाही देऊन, शिक्षण विभागातील चुकीच्या अंमलबजावणी

शिक्षणाधिकारी यांच्या कार्यालयासमोर दिनांक २८ जुन च्या आंदोलनातील निवेदनाद्वारे दजार्चा अधिकारी असतांनाही निषेध करण्यात आलेला होता. वर्ग तीन च्या अधिकारी यांना सहा

कार्यभाराचा निषेध करुन निवेदन त्यावेळीही आपला उपमुख्यमंत्री देवेंद्र फडणवीस व नोंदवला होता त्यावेळी शिक्षण शिक्षण आयुक्त सुरज मांढरे यांना प्रतिनिधींचे खाजगी शाळा शिक्षक पाठविण्यात आले होते.

शिक्षण आयुक्त सुरज मांढरे यांनी बुधवार १८ सप्टेंबर रोजी राज्यातील सर्व मुख्यकार्यकारी अधिकारी यांना कार्यभारासंबधात सुचना देण्यात आल्यामुळे गैरप्रकार करण्यारांना चाप बसणार आहे.

शिक्षक संघाची भूमिका वर्ग दर्जा असणाऱ्या अधिकाऱ्यांच्या विरोधात नसुन सामाजिक जबाबदारीची भावना, वर्ग एक दजाचीं प्रतिष्ठा ही आहे तसेच नागपूर विभाग शिक्षण उपसंचालक कार्यालयाने वर्ग एक आंदोलनातही या दिलेल्या कार्यभार देण्यात आलेला होता व्यक्त केले आहे.

संघाला सहकार्य लाभले होते हे

आयुक्त शिक्षण यांना बुधवार १८ सप्टेंबर रोजीचा आदेश काढण्यासाठी खाजगी शाळा शिक्षक संघाला आंदोलन करावे लागले, आयुक्त शिक्षण कार्यालय इतर जिल्हात स्पष्ट भुमिका घेऊनही टाळाटाळ करीत होते व त्यामुळेच चार महिने इतका कालावधी लागला आहे असे सर्वश्री प्रमोद रेवतकर, विजय नंदनवार, ज्ञानेश्वर वाघ, मोरेश्वर मौदेकर, सिद्धार्थ कांबळे,रवींद्र जेणेकर, पुरुषोत्तम टोंगे, प्रमोद रेवतकर,आशिष टिपले, राकेश कुमरे, किशोर दहेकर, गंगाधर बुधवार १८ सप्टेंबर रोजीच्या शिक्षण उपसंचालक पदाचा खिरटकर, पुरुषोत्तम कामठी यांनी

महासागर प्रतिनिधी

नागपूर, दि. २५ : स्वरशिल्प संगीत

अकॅडमीतर्फ येत्या २७ आणि

२९ सप्टेंबरला 'सुहाना सफर'

आणि 'एक एहसास, दो जुबां'

या आगळ्यावेगळ्या संगीतमय

कार्यक्रमाचे आयोजन करण्यात

आले आहे. लक्ष्मीनगर येथील

सार्योटिफिक सभागृहामध्ये दोन्ही

कार्यक्रमाची निःशुल्क प्रस्तुती

संचालिका भाग्यश्री बारस्कर

सप्टेंबरला 'सुहाना सफर' आणि

२९ सप्टेंबरला 'एक एहसास, दो

२७ सप्टेंबरला आयोजित

'सुहाना सफर' या कार्यक्रमात

सहभाग असेल. प्रत्येक ग्रुपला

वेशभूषा देण्यात येईल व त्यास

५० विद्यार्थ्यांच्या समृहाचा

वेगवेगळी थीम, वेगवेगळी

करण्यात येणार आहे.

यांच्या संकल्पनेतून २७

जुबां' या दोन्ही संगीतमय

कार्यक्रमाचे आयोजन केले

# 'संत्रानगरी'ची वाटचाल सांस्कृतिक नगरीच्या दिशेने



महासागर प्रतिनिधी

नागपूर, दि. २५ :

समितीतर्फ गणेशोत्सव, दुर्गोत्सव,

नितीन महोत्सवाचे दमदार आयोजन करणा-या या खासदार सांस्कृतिक संस्कृती, परंपरांचा प्रचार व प्रसार महोत्सव समितीच्या पुढाकारामुळे शारदोत्सवात विविध सांस्कृतिक असे मत खासदार सांस्कृतिक महोत्सव समितीचे अध्यक्ष प्रा. असून विविध सांस्कृतिक अनिल सोले यांनी पत्रकार संघटनांना भरघोस सहकार्य केले परिषदेत व्यक्त केले. मागील तीन कार्यक्रम आयोजित केले गेले.

वर्षांपासून गणेशोत्सव, दुर्गोत्सव, खासदार सांस्कृतिक शारदोत्सव मंडळांना सांस्कृतिक कार्यक्रम आयोजित करण्याचे महोत्सव समितीद्वारे केले जात

> या आवाहनाला प्रतिसाद देत सकारात्मक नुकत्याच पार पडलेल्या गणेशोत्सवात शहरातील सहा विधानसभा क्षेत्रांमध्ये एकुण 230

## खासदार सांस्कृतिक महोत्सव समितीचा पुढाकार

- 41 आणि दक्षिण-पश्चिम झ 39 दक्षिण पश्चिम - नितीन तेलगोटे -सांस्कृतिक कार्यक्रम घेण्यात आले. सुगम संगीत, भक्ती संगीत, शास्त्रीय नृत्य, भजन, जागरण, कार्यक्रमांचा समावेश आहे. आम्ही पण भारी बाप्पा, महिला कलाकारांनी सादर केलेले विनोदी नाटक तुमचं आमचं सेम असतं या नाटकांसह सामाजिक संदेश देणारे तसेच, स्वामी विवेकानंद व इतर स्वातंत्र्यवीरांवर आधारित नाटक आणि महाराष्ट्राच्या संस्कृतीवर आधारित नृत्यांचा देखील त्यात समावेश आहे.

दुर्गोत्सवात ढोलताशासह जागर मागील वर्षी प्रमाणेच या वषीर्देखील 3 ऑक्टोबर पासून सुरू होणा-या या दुर्गात्सवात ढोलताशासह देवीचा जागर केला जाणार आहे. ज्या दुर्गोत्सवात मंडळांना देवीचा जागर करायचा असेल त्यांनी विधानसभा क्षेत्र

पूर्वमध्ये - 36, पश्चिम - 34, संयोजकांशी जसे, पश्चिम क्षेत्र- बालनाट्य स्पर्धांनाही सिमतीचे उत्तर - 38, दक्षिण - 42, मध्य दिलीप जाधव -9823132858, सहकार्य 9373106333 आणि मनिषा रोजगार मिळावा व कला, काशीकर - 9822430460, संस्कृतीचा प्रचार व प्रसार व्हावा, दक्षिण - संदीप गवई -9822472473, मध्य - किशोर पाच वर्षात शहरातील सांस्कृतिक पाटील - 9422107373, उत्तर चळवळीने वेग घेतला असून 9766790096 व पुर्व - महेंद्र

> अनिल सोले यांनी केले. सांस्कृतिक संघटनांना मदत शहरात संगीत महोत्सव, नाट्य महोत्सव, विविध सांस्कृतिक जाधव, सचिव जयप्रकाश गुप्ता, स्पर्धांचे आयोजन केले जाते. या कार्यक्रमांना खासदार सांस्कृतिक महोत्सव समितीच्या वतीने भरघोस मदत आणि सहकार्य केले जाते. समितीच्या सहकायार्ने नुकताच स्व. गोपाळराव वाडेगावकर दिवसीय संगीत समारोह पार पडला असून खासदार चषक शालेय देशभक्ती

राऊत- 982225689 यांच्याशी

कलाकारांना मंच हा त्यामागील उद्देश आहे. मागील सहारे- आयोजनांमध्ये मोठी वाढ झाली

पत्रकार परिषदेला खासदार

संपर्क साधावा, असे आवाहन प्रा. सांस्कृतिक महोत्सव आयोजन समिती, नागपूरचे अध्यक्ष प्रा. अनिल सोले, डॉ. गौरीशंकर पाराशर, अशोक मानकर, दिलीप कोषाध्यक्ष प्रा. राजेश बागडी. सदस्य बाळासाहेब कुलकणी, गुळकरी, रेणुका देशकर, सारंग गडकरी, अविनाश घुशे, दीपक खिरवडकर, संदीप गवई, चेतन कायरकर, आशिष वांदिले. भोलानाथ सहारे, नितीन तेलगोटे, गुड्ड त्रिवेदी, किशोर पाटील,मनिषा निहाय स्थापित करण्यात आलेल्या गीत गायन स्पर्धा, संस्कृत काशीकर यांची उपस्थिती होती.

२७ आणि २९ सप्टेंबरला अनुसरून संगीतमय सादरीकरण केले जाईल.

स्वरशिल्प तफे संगीतमय कार्यक्रम

याशिवाय समानार्थी हिंदी-मराठी गीतांची महफिल असलेला 'एक एहसास, दो जुबां' या कार्यक्रमाचे २९ सप्टेंबरला आयोजन करण्यात आले आहे. या कार्यक्रमात एकाच अथार्चे एक हिंदी आणि एक मराठी गीत प्रस्तुत करण्यात

कार्यक्रमाला मुख्य अतिथी स्वरशिल्प संगीत अकॅडमीच्या म्हणून २७ सप्टेंबरला पद्मिनी जोग आणि २९ सप्टेंबरला डॉ. राज गजभिये उपस्थित राहतील. दोन्ही कार्यक्रमाला निवेदन श्वेता शेलगावकर यांचे असेल. परिमल जोशी, नंदू गोहणे, रितेश त्रिवेदी, प्रशांत नागमोते आणि या वादक कलाकारांची संगीत साथ

> कार्यक्रम निःशुल्क असून जास्तीत जास्त रिसक श्रोत्यांनी कार्यक्रमाचा आस्वाद घ्यावा, असे आवाहन स्वरशिल्पतर्फ करण्यात आले आहे.

#### व्हावा या उद्देशाने स्थापन केलेल्या संत्रानगरी नागपूरची सांस्कृतिक खासदार सांस्कृतिक महोत्सव नगरी म्हणून स्थापित होण्याकडे वेगाने वाटचाल सुरू झाली आहे,

सार्वजनिक ठिकाणी अस्वच्छता पसरविणाऱ्या ८१ प्रकरणांची नोंद



महासागर प्रतिनिधी नागपूर, दि. २५ :

नागपूर महानगरपालिकेच्या (रु. 100/- दंड) या अंतर्गत 4 उपद्रव शोध पथकाने सार्वजनिक प्रकरणांची नोंद करून 400/-ठिकाणी लघुशंका करणाऱ्यांवर, रुपयांची वसुली करण्यात आली. फेकणाऱ्यांवर, दुकानदाराने रस्ता, फुटपाथ, थुंकणाऱ्यांवर, ५० मायक्रॉन पेक्षा मोकळी जागा अशा ठिकाणी कचरा कमी प्लास्टिक पिशवीचा वापर टाकणे (रु. 400/- दंड) या करणाऱ्यांवर अधिक कठोर अंतर्गत 11 प्रकरणांची नोंद करून कारवाईची सुरुवात केली आहे. 4,400/- रुपयांची वसुली बुधवार (25) रोजी शोध पथकाने करण्यात आली. वाहतूकीचा रस्ता 81 प्रकरणांची नोंद करून मंडप, कमान, स्टेज इत्यादी रचना 39,200/- रुपयाचा दंड वसूल करुन अथवा वैयक्तिक कामाकरीता

बंद करणे या अंतर्गत 13 ठिकाणी प्रकरणांची नोंद करून 8,000/-रस्ता फुटपाथ, मोकळी जागा, रुपयांची वसुली करण्यात आली. अशा ठिकाणी थुंकणे (रु. 200/- सार्वजनिक रस्ता, फुटपाथ, मोकळी दंड) या अंतर्गत 2 प्रकरणांची नोंद जागा इत्यादी ठिकाणी बांधकामाचा करून 400/- रुपयाचा वसुला मलबा/टाकावू कचरा टाकण/ करण्यात आली. हाथगाडया, साठवणे या अंतर्गत 2 प्रकरणांची स्टॉल्स, पानठेले, फेरीवाले, छोटे नोंद करून 10,000 रुपयांची भाजी विक्रेते यांनी लगतच्या वसुली करण्यात आली. उपरोक्त परिसरात अस्वच्छता (रु. 400/- यादीत न आढळणारे इतर उपद्रव दंड) या अंतर्गत 23 प्रकरणांची व्यक्ती असल्यास 24 प्रकरणांची नोंद करून 9,200/- रुपयांची नोंद करून 4,800/- दंड वसूल वसली करण्यात आली. व्यक्तीने करण्यात आलेला आहे. उपरोक्त

रस्ता, फुटपाथ, मोकळी जागा अशा यादीत न आढळणारे इतर उपद्रव संस्था असल्यास 2 प्रकरणांची नोंद सार्वजनिक ठिकाणी कचरा टाकणे करून 2,000/- दंड वसूल करण्यात आलेला आहे. ही कारवाई उपद्रव शोध पथक प्रमुख वीरसेन तांबे यांच्या नेतृत्वात करण्यात आली. तसेच उपद्रव शोध पथकाने

लक्ष्मीनगर झोन अंतर्गत मे. ऐयरपोर्ट सेंटर पॉईंट यांनी रस्त्यावर सी अँड डी कचरा टाकल्याबद्दल रू. 5,000/- चे दंड वसुल करण्यात आला. धंतोली झोन अंतर्गत अमीत कुमार भारतीया यांनी रस्त्यावर सी अँड डी कचरा टाकल्याबद्दल रू. 5,000/- चे दंड वसुल करण्यात आला. नेहरूनगर झोन अंतर्गत मे. जय गुरूदेव यांनी बांधकामाचे साहित्य रस्त्यावर टाकल्याबद्दल 10,000/- हजार रुपयांचा दंड वसल केला. गांधीबाग झोन अंतर्गत मे.जगदीश स्वीट्स यांच्यावर प्लास्टिक पिशवीचा वापर केल्याबद्दल रू. 5,000/- हजार रुपयांचा दंड वसूल केला. सतरंजीपुरा झोन अंतर्गत मे.चौधरी फरसान यांच्यावर प्लास्टिक पिशवीचा वापर केल्याबद्दल रू. 5,000/- हजार रुपयांचा दंड वसूल केला. उपद्रव शोध पथकाने 5 प्रकरणांची नोंद केली.

महासागर प्रतिनिधी नागपुर, दि. २५ :

रेल्वे परिसरात नवीन पार्किंग आणि विविध प्रस्तावित बांधकामात अडथळा निर्माण करणाऱ्या विविध प्रजातीच्या झाडांची नागपूर महानगरपालिका आयुक्त

तथा प्रशासक डॉ. अभिजीत चौधरी यांनी

बुधवारी (ता. २५) रेल भूमी विकास

प्राधिकरण, वृक्ष प्राधिकरण समितीचे

सदस्य आणि स्वच्छ असोसिएशनच्या

प्रतिनिधींसोबत पाहणी केली. यावेळी

त्यांनी विकास कामात अडथळा निर्माण

करणाऱ्या हेरिटेज वृक्षांची कापणी

करण्याऐवजी त्यांचे संरक्षण करण्याचे

स्पष्ट निर्देश रेल भूमी विकास

### राजाभाऊ खोब्रागडे व सखारामपंत मेश्राम यांना अभिवादन

महासागर प्रतिनिधी नागपूर, दि. २५ :

नागपूर महानगर पालिकेच्या वतीने राज्यसभेचे उपसभापती बॅरिस्टर राजाभाऊ खोब्रागडे आणि नागपुर नगरीचे माजी महापौर सखारामपंत मेश्राम यांना बुधवारी (ता:25) जयंतीनिमित्त विनम्र अभिवादन करण्यात आले.या प्रसंगी श्री. अशोक कोल्हटकर, रोशन जांभुळकर, शैलेश जांभुळकर उपस्थित होते.

मनपाचे सहायक आयुक्त श्री

हरीश राऊत यांच्या हस्ते 10 नंबर पुल जवळ स्थित राजाभाऊ खोब्रागडे यांच्या पुणाकृती पुतळ्याला माल्यार्पण करीत अभिवादन करण्यात आले. तर माजी महापौर सखारामपंत मेश्राम यांच्या पुतळ्याला माल्यापेण करोत अभिवादन करण्यात आले. याप्रसंगी माजी मुख्य अग्नीशमन अधिकारी सुनील मेश्राम, अभिषेक, तनुश्री, स्वप्निल कांबळे, सुशील मेश्राम, मीना मेश्राम, मनपाचे कर्मचारी व अग्नीशमन विभागाचे जवान

# सत्य परेशान हो सकता है पराजीत नहीं हो सकता : बर्वे

नागपूर, दि. २५ :

उच्च न्यायालयाने माज्ये जाती प्रमाण पत्र बहाल करून ऐतिहासिक निर्णय दिला आहे. मागच्या लोकसभा निवडणुकीत राज्य शासनाने सुनील केदार यांना घाबरून मला अडचणीत आणण्याचे जे कट कारस्थान केले व माझे लोकसभा उम्मेदवारीचे नामांकन पत्र रद्द केले त्याची पूर्ण माहिती सर्वांना आहे. परंतु "सत्य परेशान हो सकता है पराजीत नहीं हो सकता।" हे कालच्या न्यायालयीन आदेशावरून सिध्द

मी न्याय देवतेला नमन करते.हायकोटार्ने दिलेला निकाल माज्या सारख्या दलीत, मागासवगीय दुखावलेल्या लोकांना हा निकाल निश्चितच मार्ग दाखवेल.

भारतीय जनता पक्षाच्या

अवहेलना केली आहे व शासकीय जिल्हयाचे नेते ज्याप्रकारे नियमाला आदिवासी, इतर मागासवर्गीय माज्या अधिकारी आपले कर्तव्य सोड्न त्याची गुलामगिरी करीत आहे.

त्यामुळे लोकशाहीला फार

मोठे संकट निर्माण झालेले आहे. असे रश्मी बर्वे यांनी पत्र परिषदेत

पुढे रश्मी बर्वे यांनी सांगितले की राज्याचे उपमुख्यमंत्री व भारतीय लोकांनी ज्या प्रकारे संविधानाची जनता पक्षाचे अध्यक्ष, नागपूर

धाब्यावर ठेवून लोकशाही ला आई, बहीण व सर्व जनते समोर संपवण्याचे कट कारस्थान करीत भारतीय जनता पक्षाच्या उमेदवाराला आहे. महाराष्ट्राची जनता त्यांना पराभूत करण्याची विनंती करणार त्यांची जागा दाखवल्या शिवाय गप्प बसणार नाही. लोकसभा पेक्षा जास्त नुकसान भाजपा ला विधानसभेत जिल्हा परिषद अध्यक्ष मुक्ता होईल असा मला विश्वास आहे.

प्रत्येक विधानसभा क्षेत्रात दलित, अनेक पदाधिकारी उपस्थित होते.

आहे. असे जिल्हा परिषद सदस्य रश्मी बर्वे यांनी सांगितले. यावेळी कोकर्डे, उपाध्यक्ष कुंदा राऊत मी नागपूर ग्रामीण मध्ये सभापती अवंतिका लेकुरवाळे सह

# २ ते ४ ऑक्टोबर दरम्यान विभागस्तरीय महोत्सवाचे आयोजन

महासागर प्रतिनिधी

नागपूर, दि. २५ : भारत सरकारच्या सांस्कृतिक

मार्गदर्शक सांस्कृतिक केंद्र, नागपूर मार्फत 2 ऑक्टोबर ते 4 ऑक्टोबर 2024 या कालावधीत दक्षिण मध्य क्षेत्र सायकाळी 6.30 वाजता विभागस्तरीय महोत्सव आयोजित करण्यात आला आहे. नागपूर. या

महोत्सवात नागपूर विभागातील पारंपारिक, पारंपरिक, लोककला आणि आदिवासी कलांचे सादरीकरण होणार आहे. प्रादेशिक कलांचा सूचनांनुसार, दक्षिण मध्य क्षेत्र प्रचार आणि प्रसार करणे हा या महोत्सवाचा उद्देश आहे.

आहेत.

आदिवासी सादरीकरणासोबत चित्रकला प्रदर्शनाचेही आयोजन करण्यात आले आहे. ज्याचा आनंद कलाप्रेमी नागरिक घेऊ शकतात. कार्यक्रम भारत सरकारच्या सांस्कृतिक विनामूल्य ठेवण्यात आला आहे. या मंत्रालयाच्या सूचनेनुसार देशातील कार्यक्रमाचा रसिकांनी मोठ्या प्रांगणात विविध विभागांमध्येही असे संख्येने उपस्थित राहून आनंद कार्यक्रम आयोजित केले जात लुटण्याचे आवाहन केंद्राचे नागपूरचे नागपूर विभागात प्रभारी संचालक के.च्या. आयोजित या महोत्सवात विविध गोपालकृष्णन यांनी केले आहे.

मनपातर्फे पंडित दीनदयाळ उपाध्याय यांना अभिवादन

🔳 महासागर प्रतिनिधी नागपूर, दि. २५ :

नागपूर महानगरपालिकेच्या वतीने अंत्योदयचे प्रणेते पंडित दीनदयाळ उपाध्याय यांना बुधवारी (ता:25) जयंतीनिमित्त विनम्र अभिवादन करण्यात आले.

मनपाचे अतिरिक्त आयुक्त श्री अजय चारठाणकर यांच्या हस्ते मनपा मुख्यालयातील छत्रपती शिवाजी महाराज

प्रशासकीय इमारतीच्या दालनात स्थित पंडित दीनदयाळ उपाध्याय यांच्या तैलचित्राला माल्यार्पण करीत अभिवादन करण्यात आले

याप्रसंगी मनपाच्या उपायुक्त श्रीमती विजया बनकर, सहायक आयुक्त श्री श्याम कापसे, श्री अशोक घरोटे यांच्यासह मनपाचे अधिकारी व कर्मचारी प्रामुख्याने उपस्थित

## नागपूर येथील चित्रनगरीबाबत परिपूर्ण प्रस्ताव करु : सुधीर मुनगंटीवार



महासागर प्रतिनिधी नागपूर, दि. २५ :

ठिकाणासह नागपूर येथे उपलब्ध असलेल्याजागतिक पातळीवरच्या सोयी सुविधा या अनेकांचे लक्ष वेधून घेणाऱ्या आहेत. याचबरोबर नागपुरच्या आसपास वन संपदेसह जलाशय आणि विपूल नैसर्गिक होते. उपलब्धी लक्षात घेता नागपूर येथील चित्रनगरी आर्थिकदृष्टयाही केंद्रीय मंत्री नितीन गडकरी व यांच्या सांस्कृतिक कार्य मंत्री सुधीर पाहणी केली. मुनगंटीवार यांनी जिल्हा प्रशासन

गटाला दिल्या.

आयोजित नागपूर चित्रनगरी बाबत

सांस्कृतिक कार्य विभाग व शाश्वत ठरेल. सर्व बाबींची महसूल विभागाच्या टिमने तपशिलवार माहिती तयार करुन जिल्हाधिकारी डॉ विपिन इटनकर उपमुख्यमंत्री देवेंद्र फडणवीस जिल्ह्यातील कळमेश्वर, रामटेक यांचे मार्गदर्शन घेण्याच्या सूचना आणि मौदा तालुक्यातील जागांची

त्याबाबत जिल्हाधिकारी व सांस्कृतिक विभागाच्या अभ्यास इटनकर यांनी आज सांस्कृतिक कार्यमंत्री सुधीर मुनगंटीवार यांना

आज नागपूर येथे चित्रनगरी उभारण्याबाबत भारताच्या मध्यवर्ती आढावा बैठकीत ते बोलत होते. या बैठकीस जिल्हाधिकारी डॉ. विपीन इटनकर, जिल्हा परिषदेचे मुख्य कार्यकारी अधिकारी विनायक महामुनी व संबधीत उपविभागीय अधिकारी उपस्थित

प्राधिकरणला दिले. याप्रसंगी अतिरिक्त आयुक्त श्रीमती आंचल गोयल, रेल भूमी विकास प्राधिकरणचे मुख्य प्रकल्प अधिकारी श्री. पवन पाटील, बाळासाहेब ठाकरे गोरेवाडा आंतरराष्ट्रीय प्राणी संग्रहालयाच्या सहायक वनसंरक्षक श्रीमती सारिका खोत आणि स्वच्छ असोसिएशनच्या श्रीमती अनुसया काळे छाबरानी उपस्थित होते.

मनपा आयुक्त तथा प्रशासक डॉ. अभिजीत चौधरी यांनी समग्र विकासाचा जिल्हाधिकारी कार्यालयात सादरीकरणाद्वारे माहिती दिली. दृष्टिकोन ठेवून विकास करण्यात यावा



विकासकामात अडथळा ठरणाऱ्या हेरिटेज वृक्षांची मनपा आयुक्तांनी केली पाहणी

अशी सूचनाही रेल भूमी विकास प्रक्रिया संयंत्र (एसटीपी), पार्किंग आणि प्राधिकरणला दिली.

आयुक्तांनी सर्व अधिकाऱ्यांसोबत अजनी रेल्वे स्टेशन येथे सुरु असलेल्या विकास कामाची पाहणी केली तसेच अजनी रेल्वे कॉलनी येथे सुरु असलेल्या

फूट ओव्हर ब्रिजचे बांधकाम करण्यात येणार आहे. तसेच पूर्व दिशेला एका इमारतीचे बांधकाम हाती घेण्यात आले

हेरिटेज वृक्ष कापू नका, त्यांचे संरक्षण करा : डॉ. अभिजीत चौधरी

मनपा आयुक्तांनी रस्ता आणि बांधकामात अडथळे निर्माण करणाऱ्या पार्किंगच्या मध्य येणाऱ्या हेरिटेज वृक्षांचे माहिती याप्रसंगी उद्यान अधीक्षक श्री शतायू, प्रीती जामरे, ॲड. मृणाल झाडांची पाहणी केली. रेल्वे स्टेशन येथे जतन करण्याचे निर्देश दिले. फूट ओव्हर

आणि मोठ्या वृक्षांची कापणी करू नये, पश्चिम आणि पूर्व भागातील सांडपाणी ब्रिजच्या खाली असलेले तीन हेरिटेज विकास प्राधिकरणाच्या अधिकाऱ्यांनी वृक्षांचे संरक्षण करणे तसेच नवीन सांगितले की, त्यांनी पुष्कळ ठिकाणी झाड बिल्डिंगच्या समोरील एका पुरातन वाचिवली आहेत. अतिरिक्त विभागीय कड्निंबाच्या झाडाचे सुद्धा संरक्षण रेल्वे व्यवस्थापक श्री.पी.एस. खैरकर, करण्याचे निर्देश दिले. विनापरवानगी एडीईएम एम. के. त्रिपाठी, एसएसई कापण्यात आलेल्या वृक्षांबद्दल पोलीस (डब्लू) के.बी. खडसे, मनपा उपायुक्त स्टेशनमध्ये तक्रार करण्यात आल्याची डॉ रंजना लाडे, स्वच्छ अससोसिएशनचे अमोल चौरपगार यांनी दिली. रेल भूमी चक्रवर्ती उपस्थित होते.